



872 W. Baltimore Pike, West Grove, PA 19390  
800-367-5296, 610-869-4024, FAX:610-869-0171  
cuserv@jacksonimmuno.com, www.jacksonimmuno.com  
www.jireurope.com

## Product Specifications

**Product:** Alexa Fluor® 488-conjugated AffiniPure F(ab')<sub>2</sub> Fragment Goat Anti-Human IgG, Fc<sub>γ</sub> Fragment Specific (minimal cross-reaction to Bovine, Mouse, and Rabbit Serum Proteins)

**Code Number:** 109-546-170

**Lot Number:** 98997

**Physical State:** Freeze-dried solid

**Size:** 0.75 mg (This product has been overfilled to ensure total recovery of stated quantity.)

**Antibody Concentration:** 1.5 mg/ml

**Suggested Dilution Range:** 1:100 - 1:800 for most applications

**Fluorophore:** Alexa Fluor®488 carboxylic acid  
A<sub>max</sub>=493; E<sub>max</sub>=519

**Fluorophore/Protein Absorbance Ratio:** A<sub>493</sub>/A<sub>280</sub> = 2.00

**Buffer:** 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6

**Stabilizer:** 15 mg/ml Bovine Serum Albumin (IgG-Free, Protease-Free)

**Preservative:** 0.05% Sodium Azide

**Reconstitution and Storage:** Store freeze-dried powder at 2-8°C. When ready to use, rehydrate with 0.55 ml dH<sub>2</sub>O and centrifuge if not clear. Product is stable for about 6 weeks at 2-8°C as an undiluted liquid. Prepare working dilution fresh each day. For extended storage after rehydration, aliquot and freeze at -70°C or below. Avoid repeated freezing and thawing. Alternatively, add an equal volume of glycerol (ACS grade or better) for a final concentration of 50%, and store at -20°C as a liquid. Note: adding glycerol reduces the stated protein concentration and dilution range by one-half. **Expiration date:** one year from date of rehydration. The expiration date may be extended if test results are acceptable for the intended use.

**Purity:** The antibody was purified from antisera by a combination of pepsin digestion and immunoaffinity chromatography using antigens coupled to agarose beads. Fc fragments and whole IgG molecules have been removed.

**Antibody Specificity:** Based on immunoelectrophoresis and/or ELISA, the antibody reacts with the Fc portion of human IgG heavy chain but not with the Fab portion of human IgG. No antibody was detected against human IgM or IgA, or against non-immunoglobulin serum proteins. The antibody has been tested by ELISA and/or solid-phase adsorbed to ensure minimal cross-reaction with bovine, mouse, and rabbit serum proteins, but it may cross-react with immunoglobulins from other species.

**Country of Origin:** USA

**Note:** For *in vitro* research use only, not for diagnostic or therapeutic use. This product is not a medical device.

This product is provided under an agreement between Life Technologies Corporation and Jackson ImmunoResearch Laboratories, Inc, and the manufacture, use, sale or import of this product is sold pursuant to a license from Life Technologies Corporation for use of its fluorescent dye technology. The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell or otherwise transfer this product or its components to any third party, or for any other commercial purposes. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, 5791 Van Allen



872 W. Baltimore Pike, West Grove, PA 19390  
800-367-5296, 610-869-4024, FAX:610-869-0171  
cuserv@jacksonimmuno.com, www.jacksonimmuno.com  
www.jireurope.com

## **Product Specifications**

Way, Carlsbad, CA 92008 or outlicensing@lifetech.com.