Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Date of issue: 25/04/2024 Version: 3.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Form : Mixture

Product Name : Normal Bovine Serum

Product Code : 001-000-121

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a

medical device. Contact supplier for specific applications.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer European Contact

Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD

872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place

T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK

 F: 610-869-0171
 T: +44 (0) 1638 782616

 tech@jacksonimmuno.com
 F: +44 (0) 1353 664675

 www.jacksonimmuno.com
 info@jacksonimmuno.com

 help@jacksonimmuno.com

Email address for the person responsible for this SDS:

tech@jacksonimmuno.com

1.4. Emergency telephone number

Emergency number : +1-610-869-4024 (USA)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3 H412
Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation

EUH-statements EUH032 - Contact with acids liberates very toxic gas.

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

classification

# SECTION 3: Composition/information on ingredients

25/04/2024 EN (English) 1 / 11

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



#### 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.65	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.8	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	19.1	Not classified
Normal Bovine Serum	(CAS-No.) Not assigned	78.4	Not classified

Full text of H-statements; see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once.

Immediately call a poison center, physician, or emergency medical service.

 $First-aid\ measures\ after\ skin\ contact \qquad :\ Remove\ contaminated\ clothing.\ Drench\ affected\ area\ with\ water\ for\ at\ least\ 5$ 

minutes. Obtain medical attention if irritation develops or persists.

First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention if irritation

develops or persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of

normal use.

Symptoms/effects after inhalation : May be harmful or cause irritation.

Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation.

Symptoms/effects after eye contact : May cause slight irritation to eyes.

Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed.

Chronic symptoms : None expected under normal conditions of use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Product is not flammable. Explosion hazard : Product is not explosive.

Reactivity : Hazardous reactions will not occur under normal conditions.

25/04/2024 EN (English) 2 / 11

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Hazardous decomposition products in

case of fire

: Phosphorous oxides. Sodium oxides. Hydrogen chloride gas.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid prolonged contact with eyes, skin and clothing.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for

the assistance of trained personnel as soon as conditions permit. Ventilate area.

**6.2.** Environmental precautions

: Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain solid spills with appropriate barriers and prevent migration and entry

into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent

authorities after a spill.

# 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work. Avoid prolonged contact with eyes,

skin and clothing.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store

away from extremely high temperatures and incompatible materials.

Incompatible materials : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated

hydrocarbons.

#### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Sodium chloride (7647-14-5)		
Latvia	OEL TWA (mg/m³)	5 mg/m³

# Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Sodium azide (26628-22-8)         IDELY TWA (mg/m²)         0,1 mg/m²           EU         IOELY STEL (mg/m²)         0,3 mg/m²           EU         Notes         Possibility of significant uptake through the skin Austria           Austria         MAK (mg/m²)         0,1 mg/m²           Austria         MAK Short time value (mg/m²)         0,3 mg/m²           Austria         MAK Short time value (mg/m²)         0,3 mg/m²           Austria         OEL chemical category (AT)         Skin notation           Belgium         OEL chemical category (BE)         Skin, Skin notation           Bulgaria         OEL TWA (mg/m²)         0,1 mg/m²           Bulgaria         OEL STEL (mg/m²)         0,1 mg/m²           Croatia         GVI (granicna vrijednost izloženosti) (mg/m²)         0,1 mg/m²           Croatia         GVI (granicna vrijednost izloženosti) (mg/m²)         0,1 mg/m²           Croatia         OEL chemical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m²)         0,1 mg/m²           Cyprus         OEL TWA (mg/m²)         0,1 mg/m²           Cyprus         OEL TWA (mg/m²)         0,3 mg/m²           Cyprus         OEL chemical category (CY)         Skin-potential for cutaneous absorption           France         VEE (m	Lithuania	IPRV (mg/m³)	5 mg/m³	
EU         IOELY STEL (mg/m²)         0,3 mg/m²           EU         Notes         Possibility of significant uptake through the skin           Austria         MAK (mg/m²)         0,1 mg/m²           Austria         MAK Short time value (mg/m²)         0,3 mg/m²           Austria         OEL chemical category (AT)         Skin notation           Belgium         OEL chemical category (BE)         Skin, Skin notation           Bulgaria         OEL STEL (mg/m²)         0,3 mg/m²           Bulgaria         OEL STEL (mg/m²)         0,3 mg/m²           Croatia         GVI (granicna vrijednost izloženosti) (mg/m²)         0,1 mg/m²           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²)         0,1 mg/m²           Croatia         OEL chemical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m²)         0,1 mg/m²           Cyprus         OEL STEL (mg/m²)         0,3 mg/m² (restrictive limit)           Cyprus         OEL Chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m²)         0,3 mg/m² (restrictive limit)           France         VLE (mg/m²)         0,1 mg/m² (restrictive limit)           Germany         TRGS 900 Occupational exposure limit         0,2 mg/m²	Sodium azide (26628-22-	-8)		
EU Notes Possibility of significant uptake through the skin Austria MAK (mg/m²) 0,1 mg/m² Austria MAK Short time value (mg/m²) 0,3 mg/m² Austria OEL chemical category (AT) Skin notation Belgium OEL chemical category (BE) Skin, Skin notation Bulgaria OEL TWA (mg/m²) 0,1 mg/m³ Bulgaria OEL STEL (mg/m²) 0,2 mg/m³ Croatia GVI (granicna vrijednost izloženosti) (mg/m²) 0,1 mg/m³ Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²) 0,3 mg/m³ Croatia OEL chemical category (HR) Skin notation Cyprus OEL TWA (mg/m²) 0,3 mg/m³ Cyprus OEL STEL (mg/m²) 0,3 mg/m² Cyprus OEL STEL (mg/m²) 0,3 mg/m² Cyprus OEL STEL (mg/m²) 0,3 mg/m² France VME (mg/m²) 0,3 mg/m² (restrictive limit) France VME (mg/m²) 0,1 mg/m² (restrictive limit) France OEL chemical category (FR) Risk of cutaneous absorption Germany TRGS 900 Occupational exposure limit value (mg/m²) 0,2 mg/m² Gibraltar Eight hours mg/m3 0,3 mg/m³ Gibraltar OEL chemical category (GI) Skin notation Greece OEL TWA (mg/m²) 0,3 mg/m² Greece OEL TWA (mg/m²) 0,1 mg/m² Greece OEL TWA (mg/m²) 0,2 mg/m² Italy OEL chemical category (TT) skin - potential for cutaneous absorption Latvia OEL chemical category (UY) skin - potential for cutaneous exposure	EU	IOELV TWA (mg/m³)	0,1 mg/m³	
Austria         MAK (mg/m²)         0,1 mg/m²           Austria         MAK Short time value (mg/m²)         0,3 mg/m²           Austria         OEL chemical category (AT)         Skin notation           Belgium         OEL chemical category (BE)         Skin, Skin notation           Bulgaria         OEL TWA (mg/m²)         0,1 mg/m²           Bulgaria         OEL STEL (mg/m²)         0,3 mg/m²           Croatia         GVI (granicna vrijednost izloženosti) (mg/m²)         0,1 mg/m²           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²)         0,3 mg/m²           Croatia         CKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²)         0,3 mg/m²           Croatia         CVEVI         OEL chemical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m²)         0,3 mg/m²           Cyprus         OEL STEL (mg/m²)         0,3 mg/m²           Cyprus         OEL Chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m²)         0,3 mg/m² (restrictive limit)           France         VEE (mg/m²)         0,3 mg/m² (restrictive limit)           France         OEL chemical category (FR)         Risk of cutaneous absorption           Gibraltar         Eight hours mg/m³	EU	IOELV STEL (mg/m³)	0,3 mg/m³	
Austria         MAK Short time value (mg/m²)         0,3 mg/m²           Austria         OEL chemical category (AT)         Skin notation           Belgium         OEL Chemical category (BE)         Skin, Skin notation           Bulgaria         OEL TWA (mg/m²)         0,1 mg/m²           Bulgaria         OEL STEL (mg/m²)         0,3 mg/m²           Croatia         GVI (granicna vrijednost izloženosti) (mg/m²)         0,1 mg/m³           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²)         0,3 mg/m³           Croatia         OEL chemical category (HR)         Skin notation           Cyprus         OEL Chemical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m²)         0,1 mg/m³           Cyprus         OEL Chemical category (FR)         Skin potential for cutaneous absorption           Cyprus         OEL Chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m²)         0,3 mg/m² (restrictive limit)           France         VLE (mg/m²)         0,1 mg/m² (restrictive limit)           France         OEL chemical category (FR)         Risk of cutaneous absorption           Germany         TRGS 900 Occupational exposure limit value (mg/m²)         0,2 mg/m²           Gibraltar         Bigh	EU	Notes	Possibility of significant uptake through the skin	
Austria         OEL chemical category (AT)         Skin notation           Belgium         OEL chemical category (BE)         Skin, Skin notation           Bulgaria         OEL TWA (mg/m²)         0,1 mg/m³           Bulgaria         OEL STEL (mg/m²)         0,3 mg/m³           Croatia         GW (granicna vrijednost izloženosti) (mg/m³)         0,1 mg/m³           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)         0,3 mg/m³           Croatia         OEL chemical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m³)         0,1 mg/m³           Cyprus         OEL TWA (mg/m³)         0,1 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³           Cyprus         OEL chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m³)         0,3 mg/m³ (restrictive limit)           France         VLE (mg/m³)         0,1 mg/m³ (restrictive limit)           France         OEL chemical category (FR)         Risk of cutaneous absorption           Germany         TRGS 900 Occupational exposure limit value (mg/m³)         0,2 mg/m³           Gibraltar         Eight hours mg/m3         0,3 mg/m³           Gibraltar         OEL chemical category (GI)         Skin notation </td <td>Austria</td> <td>MAK (mg/m³)</td> <td>0,1 mg/m³</td>	Austria	MAK (mg/m³)	0,1 mg/m³	
Belgium         OEL chemical category (BE)         Skin, Skin notation           Bulgaria         OEL TWA (mg/m²)         0,1 mg/m³           Bulgaria         OEL STEL (mg/m²)         0,3 mg/m³           Croatia         GVI (granicna vrijednost izloženosti) (mg/m²)         0,1 mg/m³           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²)         0,1 mg/m³           Croatia         KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m²)         0,3 mg/m³           Croatia         OEL Chemical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m²)         0,1 mg/m³           Cyprus         OEL STEL (mg/m²)         0,3 mg/m³           Cyprus         OEL chemical category (CY)         Skin-potential for cutaneous absorption           France         VLE (mg/m²)         0,3 mg/m³ (restrictive limit)           France         VLE (mg/m²)         0,1 mg/m³ (restrictive limit)           France         VME (mg/m³)         0,1 mg/m³ (restrictive limit)           France         VME (mg/m³)         0,2 mg/m³ (restrictive limit)           Germany         TRGS 900 Occupational exposure limit value (mg/m³)         0,2 mg/m³           Gibraltar         Eight hours mg/m3         0,1 mg/m³           Gibraltar         OEL chemical category (GI)	Austria	MAK Short time value (mg/m³)	0,3 mg/m³	
Bulgaria OEL TWA (mg/m³) 0,1 mg/m³ Bulgaria OEL STEL (mg/m³) 0,3 mg/m³ Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³ Croatia GVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³ Croatia OEL chemical category (HR) Skin notation Cyprus OEL TWA (mg/m³) 0,3 mg/m³ Cyprus OEL TWA (mg/m³) 0,3 mg/m³ Cyprus OEL Chemical category (CY) Skin-potential for cutaneous absorption France VLE (mg/m³) 0,3 mg/m³ (restrictive limit) France VME (mg/m³) 0,1 mg/m³ (restrictive limit) France OEL chemical category (FR) Risk of cutaneous absorption Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,3 mg/m³ Gibraltar Eight hours mg/m3 0,1 mg/m³ Gibraltar Short-term mg/m3 0,3 mg/m³ Gibraltar OEL chemical category (GI) Skin notation Greece OEL TWA (mg/m³) 0,3 mg/m³ Greece OEL TWA (mg/m³) 0,3 mg/m³ Greece OEL TWA (mg/m³) 0,1 ppm Greece OEL STEL (mg/m³) 0,1 ppm USA ACGIH ACGIH Ceiling (mg/m³) 0,2 pmg/m³ USA ACGIH ACGIH Ceiling (mg/m³) 0,1 mg/m³ Italy OEL TWA (mg/m³) 0,1 mg/m³ Latvia OEL chemical category (IV) skin - potential for cutaneous absorption Spain VLA-ED (mg/m³) 0,1 mg/m³	Austria	OEL chemical category (AT)	Skin notation	
Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  France VUE (mg/m²) 0,3 mg/m³ (restrictive limit)  France VME (mg/m²) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (mg/m³) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,2 pmg/m³  USA ACGIH ACGIH Ceiling (mg/m³) 0,2 pmg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Latvia OEL Chemical category (IV) skin - potential for cutaneous absorption  Extrual OEL Chemical category (IV) skin - potential for cutaneous exposure	Belgium	OEL chemical category (BE)	Skin, Skin notation	
Croatia GVI (granicna vrijednost i zloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VVE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VVE (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,2 pmg/m³  USA ACGIH ACGIH Ceiling (mg/m³) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL Chemical category (IT) Skin - potential for cutaneous absorption  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure	Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³	
Croatia       (mg/m³)       0,1 mg/m³         Croatia       KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)       0,3 mg/m³         Croatia       OEL chemical category (HR)       Skin notation         Cyprus       OEL TWA (mg/m³)       0,1 mg/m³         Cyprus       OEL STEL (mg/m³)       0,3 mg/m³         Cyprus       OEL chemical category (CY)       Skin-potential for cutaneous absorption         France       VLE (mg/m³)       0,3 mg/m³ (restrictive limit)         France       VME (mg/m³)       0,1 mg/m³ (restrictive limit)         France       OEL chemical category (FR)       Risk of cutaneous absorption         Germany       TR6S 900 Occupational exposure limit value (mg/m³)       0,2 mg/m³         Gibraltar       Short-term mg/m3       0,1 mg/m³         Gibraltar       Short-term mg/m3       0,3 mg/m³         Gibraltar       OEL chemical category (GI)       Skin notation         Greece       OEL TWA (mg/m³)       0,3 mg/m³         Greece       OEL TWA (mg/m³)       0,3 mg/m³         Greece       OEL TWA (mg/m³)       0,1 ppm         USA ACGIH       ACGIH Ceiling (mg/m³)       0,29 mg/m³         USA ACGIH       ACGIH Ceiling (mg/m³)       0,1 mg/m³         Uslay       OEL TWA (mg	Bulgaria	OEL STEL (mg/m³)	0,3 mg/m³	
Vrijednost izloženosti) (mg/m³)     0,3 mg/m³       Croatia     OEL chemical category (HR)     Skin notation       Cyprus     OEL TWA (mg/m³)     0,1 mg/m³       Cyprus     OEL STEL (mg/m²)     0,3 mg/m³       Cyprus     OEL Chemical category (CY)     Skin-potential for cutaneous absorption       France     VLE (mg/m³)     0,3 mg/m³ (restrictive limit)       France     VME (mg/m³)     0,1 mg/m³ (restrictive limit)       France     OEL chemical category (FR)     Risk of cutaneous absorption       Germany     TRGS 900 Occupational exposure limit value (mg/m³)     0,2 mg/m³       Gibraltar     Eight hours mg/m3     0,1 mg/m³       Gibraltar     Short-term mg/m3     0,3 mg/m³       Gibraltar     OEL chemical category (GI)     Skin notation       Greece     OEL TWA (mg/m³)     0,3 mg/m³       Greece     OEL TWA (ppm)     0,1 ppm       Greece     OEL TWA (ppm)     0,1 ppm       Greece     OEL STEL (mg/m³)     0,3 mg/m³       Greece     OEL STEL (ppm)     0,1 ppm       USA ACGIH     ACGIH Ceiling (ppm)     0,1 ppm       USA ACGIH     ACGIH Ceiling (ppm)     0,1 mg/m³       Italy     OEL TWA (mg/m³)     0,3 mg/m³       Italy     OEL STEL (mg/m²)     0,3 mg/m³       Italy     OEL	Croatia	_ · · · ·	0,1 mg/m³	
Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,1 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m²) 0,1 ppm  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,2 mg/m³  Greece OEL STEL (mg/m³) 0,2 mg/m³  Greece OEL STEL (mg/m³) 0,2 mg/m³  Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,2 p mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VAA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Croatia		0,3 mg/m³	
Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,2 mg/m³  USA ACGIH ACGIH Ceiling (mg/m³) 0,2 p mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Croatia	OEL chemical category (HR)	Skin notation	
Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption France VLE (mg/m³) 0,3 mg/m³ (restrictive limit) France VME (mg/m³) 0,1 mg/m³ (restrictive limit) France OEL chemical category (FR) Risk of cutaneous absorption Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³ Gibraltar Eight hours mg/m3 0,1 mg/m³ Gibraltar Short-term mg/m3 0,3 mg/m³ Gibraltar OEL chemical category (GI) Skin notation Greece OEL TWA (mg/m³) 0,3 mg/m³ Greece OEL TWA (ppm) 0,1 ppm Greece OEL STEL (mg/m³) 0,3 mg/m³ Greece OEL STEL (mg/m³) 0,3 mg/m³ Greece OEL STEL (ppm) 0,1 ppm USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³ USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm Italy OEL TWA (mg/m³) 0,3 mg/m³ Italy OEL STEL (mg/m³) 0,3 mg/m³ Italy OEL STEL (mg/m³) 0,3 mg/m³ Italy OEL STEL (mg/m³) 0,1 mg/m³ Italy OEL STEL (mg/m³) 0,2 mg/m³ Italy OEL STEL (mg/m³) 0,1 mg/m³ Italy OEL STEL (mg/m³) 0,1 mg/m³ Italy OEL Chemical category (IT) Skin - potential for cutaneous absorption Latvia OEL TWA (mg/m³) 0,1 mg/m³ Latvia OEL chemical category (LV) Skin - potential for cutaneous exposure Spain VIA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Cyprus	OEL TWA (mg/m³)	0,1 mg/m³	
France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,2 mg/m³  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Cyprus	OEL STEL (mg/m³)	0,3 mg/m³	
France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption	
France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (mg/m³) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (mg/m³) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL Chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	France	VLE (mg/m³)	0,3 mg/m³ (restrictive limit)	
Germany TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,2 mg/m³  Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,3 mg/m³  Italy OEL TWA (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	France	VME (mg/m³)	0,1 mg/m³ (restrictive limit)	
GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)	France	OEL chemical category (FR)	Risk of cutaneous absorption	
GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)	Germany		0,2 mg/m³	
Gibraltar  OEL chemical category (GI)  Skin notation  Greece  OEL TWA (mg/m³)  O,3 mg/m³  Greece  OEL TWA (ppm)  O,1 ppm  Greece  OEL STEL (mg/m³)  O,3 mg/m³  Greece  OEL STEL (ppm)  O,1 ppm  USA ACGIH  ACGIH Ceiling (mg/m³)  USA ACGIH  ACGIH Ceiling (ppm)  O,11 ppm  Italy  OEL TWA (mg/m³)  O,29 mg/m³  USA ACGIH  ACGIH Ceiling (ppm)  O,1 mg/m³  Italy  OEL TWA (mg/m³)  O,3 mg/m³  Italy  OEL STEL (mg/m³)  O,3 mg/m³  Italy  OEL STEL (mg/m³)  O,1 mg/m³  Italy  OEL Chemical category (IT)  Skin - potential for cutaneous absorption  Latvia  OEL chemical category (LV)  Skin - potential for cutaneous exposure  OEL chemical category (LV)  Skin - potential for cutaneous exposure	Gibraltar	Eight hours mg/m3	0,1 mg/m³	
Greece OEL TWA (mg/m³) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Gibraltar	Short-term mg/m3	0,3 mg/m³	
Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m³) 0,3 mg/m³  Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH Ceiling (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Gibraltar	OEL chemical category (GI)	Skin notation	
GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)	Greece	OEL TWA (mg/m³)	0,3 mg/m³	
Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH (mg/m³) 0,29 mg/m³  USA ACGIH ACGIH Ceiling (ppm) 0,11 ppm  Italy OEL TWA (mg/m³) 0,1 mg/m³  Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Greece	OEL TWA (ppm)	0,1 ppm	
USA ACGIH  ACGIH Ceiling (mg/m³)  USA ACGIH  ACGIH Ceiling (ppm)  O,11 ppm  Italy  OEL TWA (mg/m³)  OEL STEL (mg/m³)  OEL chemical category (IT)  Latvia  OEL TWA (mg/m³)  OEL TWA (mg/m³)  OEL TWA (mg/m³)  OEL chemical category (IT)  Skin - potential for cutaneous absorption  OEL twa (mg/m³)  OEL chemical category (LV)  Skin - potential for cutaneous exposure  OEL chemical category (LV)  Skin - potential for cutaneous exposure  OEL chemical category (LV)  OEL chemical category (LV)  OEL chemical category (LV)	Greece	OEL STEL (mg/m³)	0,3 mg/m³	
USA ACGIH  ACGIH Ceiling (ppm)  O,11 ppm  O,1 mg/m³  Italy  OEL TWA (mg/m³)  OEL STEL (mg/m³)  OEL chemical category (IT)  Latvia  OEL TWA (mg/m³)  OEL TWA (mg/m³)  OEL TWA (mg/m³)  OEL TWA (mg/m³)  OEL chemical category (LV)  Skin - potential for cutaneous absorption  OEL themical category (LV)  Skin - potential for cutaneous exposure  OEL chemical category (LV)  OH mg/m³ (indicative limit value)	Greece	OEL STEL (ppm)	0,1 ppm	
Italy     OEL TWA (mg/m³)     0,1 mg/m³       Italy     OEL STEL (mg/m³)     0,3 mg/m³       Italy     OEL chemical category (IT)     skin - potential for cutaneous absorption       Latvia     OEL TWA (mg/m³)     0,1 mg/m³       Latvia     OEL chemical category (LV)     skin - potential for cutaneous exposure       Spain     VLA-ED (mg/m³)     0,1 mg/m³ (indicative limit value)	USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m³	
Italy     OEL STEL (mg/m³)     0,3 mg/m³       Italy     OEL chemical category (IT)     skin - potential for cutaneous absorption       Latvia     OEL TWA (mg/m³)     0,1 mg/m³       Latvia     OEL chemical category (LV)     skin - potential for cutaneous exposure       Spain     VLA-ED (mg/m³)     0,1 mg/m³ (indicative limit value)	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
Italy  OEL chemical category (IT)  Skin - potential for cutaneous absorption  OEL TWA (mg/m³)  OEL chemical category (LV)  Skin - potential for cutaneous exposure  VLA-ED (mg/m³)  O,1 mg/m³ (indicative limit value)	Italy	OEL TWA (mg/m³)	0,1 mg/m³	
Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Italy	OEL STEL (mg/m³)	0,3 mg/m³	
Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)	Latvia	OEL TWA (mg/m³)	0,1 mg/m³	
	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
Spain VLA-EC (mg/m³) 0,3 mg/m³	Spain	VLA-ED (mg/m³)	0,1 mg/m³ (indicative limit value)	
	Spain	VLA-EC (mg/m³)	0,3 mg/m³	


# Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)	
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)	
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m³	
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m³	
United Kingdom	WELTWA (mg/m³)	0,1 mg/m³	
United Kingdom	WEL STEL (mg/m³)	0,3 mg/m³	
United Kingdom	WEL chemical category	Potential for cutaneous absorption	
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m³	
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³	
Estonia	OEL TWA (mg/m³)	0,1 mg/m³	
Estonia	OEL STEL (mg/m³)	0,3 mg/m³	
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation	
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³	
Finland	HTP-arvo (15 min)	0,3 mg/m³	
Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
Hungary	AK-érték	0,1 mg/m³	
Hungary	CK-érték	0,3 mg/m³	
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³	
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³	
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania	IPRV (mg/m³)	0,1 mg/m³	
Lithuania	TPRV (mg/m³)	0,3 mg/m³	
Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³	
Luxembourg	OEL STEL (mg/m³)	0,3 mg/m³	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
Malta	OEL TWA (mg/m³)	0,1 mg/m³	
Malta	OEL STEL (mg/m³)	0,3 mg/m³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway	Grenseverdier (AN) (mg/m³)	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	3) 0,3 mg/m³ (value from the regulation)	
Poland	NDS (mg/m³) 0,1 mg/m³		
Poland	NDSCh (mg/m³)	0,3 mg/m³	
Romania	OEL TWA (mg/m³)	0,1 mg/m³	
Romania	OEL STEL (mg/m³)	0,3 mg/m³	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)	

#### Safety Data Sheet





Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³	
Slovenia	OEL STEL (mg/m³)	0,3 mg/m³	
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³	
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³	
Portugal	OEL TWA (mg/m³)	0,1 mg/m³ (indicative limit value)	
Portugal	OEL STEL (mg/m³)	0,3 mg/m³ (indicative limit value)	
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m³	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	

#### 8.2. **Exposure controls**

Appropriate engineering controls : Suitable eye/body wash equipment should be available in the vicinity of any

potential exposure. Ensure all national/local regulations are observed.

Personal protective equipment : Gloves. Protective clothing. Protective goggles.





: Chemically resistant materials and fabrics.



Materials for protective clothing

Hand protection : Wear protective gloves. Eye and Face Protection : Chemical safety goggles.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other information : When using, do not eat, drink or smoke.

# SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties 9.1.

Physical state Solid

Colour Light pink to light straw solid

Odour Odourless, as water Odour threshold No data available

Нα 7.6, when rehydrated with indicated volume of H<sub>2</sub>O

No data available Evaporation rate No data available Melting point Freezing point No data available **Boiling point** No data available Flash point No data available Auto-ignition temperature No data available No data available Decomposition temerature

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Solubility : Water

Partition coefficent: n-octanol/water : No data available Viscosity : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

# SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion/irritation : Not classified

pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O

#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Serious eye damage/irritation : Not classified

pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

: Not classified

Aspiration hazard : Not classified

Symptoms/Injuries After Inhalation : May be harmful or cause irritation.

Symptoms/Injuries After Skin Contact : Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact : May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion : Ingestion may cause adverse effects. May be harmful if swallowed.

Chronic Symptoms : None expected under normal conditions of use.

# SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)
Sodium azide (26628-22-8)	
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
ErC50 (algae)	0.348 mg/l

### 12.2. Persistence and degradability

Normal Bovine Serum		
Persistence and degradability	Not established.	

#### 12.3. Bioaccumulative potential

Normal Bovine Serum		
Bioaccumulative potential Not established.		
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	

#### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

25/04/2024 EN (English) 8 / 11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Other information : Avoid release to the environment.

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with local, regional, national, and

international regulations.

Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic

environment. Keep out of sewers and waterways.

# SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	IATA	ADN	RID
14.1.	UN number				
Not reg	gulated for transp	ort			
14.2.	UN proper sh	ipping name			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	14.3. Transport hazard class(es)				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	14.4. Packing group				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviror	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

## 14.6. Special precautions for user

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

# SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Sodium chloride (7647-14-5)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
Sodium azide (26628-22-8)	

### 15.1.2. National regulations

No additional information available

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# SECTION 16: Other information

Date of Preparation or Latest Revision : 25/04/2024

Data sources : Information and data obtained and used in the authoring of this safety data sheet

could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications

according to GHS or their subsequent adoption of GHS.

Other information : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

### Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of

Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road
ATE - Acute Toxicity Estimate
BCF - Bioconcentration Factor
BEI - Biological Exposure Indices (BEI)
BOD - Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

 $\ensuremath{\mathsf{CLP}} - \ensuremath{\mathsf{Classification}}$  , Labeling and Packaging Regulation (EC) No

1272/2008

COD – Chemical Oxygen Demand EC – European Community

EC50 - Median Effective Concentration EEC – European Economic Community

EINECS – European Inventory of Existing Commercial Chemical

Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU – European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS – Globally Harmonized System of Classification and Labeling of

Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

 ${\sf REACH-Registration,Evaluation,Authorisation,and\,Restriction\,of}$ 

Chemicals

RID – Regulations Concerning the International Carriage of Dangerous

Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK - Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von

Gefahrstoffen in ortsbeweglichen Behältern

TRGS 552 - Technische Regeln für Gefahrstoffe - N-Nitrosamine

### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV – Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible

solvents, in this case octanol and water

MAK - Maximum Workplace Concentration/Maximum Permissible

Concentration

MARPOL - International Convention for the Prevention of Pollution

**EU GHS SDS** 

TRGS 900 - Technische Regel für Gefahrstoffe 900 -

Arbeitsplatzgrenzwerte

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische

Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE-Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative

WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.