

Safety Data Sheet

	Date d	fissue: 26/04/2024	Version: 3.1	
SEC	TION 1: Identification o	f the substance/mixt	ure and of the company/undertaking	
1.1.	Product identifier			
Prod	uct Form	: Mixture		
-			ugated AffiniPure™ Goat Anti-Bovine ^{††} IgG (H+L) (minimal tion to Armenian Hamster, Human, Mouse, and Rat Serum Proteins)	
Prod	uct Code	: 101-155-165		
1.2.	Relevant identified uses of the	substance or mixture and uses	s advised against	
1.2.1.	Relevant identified uses			
Used	of the substance/mixture		e only. Not for diagnostic or therapeutic use. This is not a tsupplier for specific applications.	
1.2.2.	Uses advised against			
No ado	ditional information available			
1.3.	Details of the supplier of th	e safety data sheet		
	ufacturer		opean Contact	
Jacks	on ImmunoResearch Laboratorie	, Inc. Jack	son ImmunoResearch Europe LTD	
872 \	West Baltimore Pike		bridge House	
West	: Grove, PA 19390	St Th	nomas' Place	
	0-367-5296, 610-869-4024	Ely,	Cambridgeshire CB7 4EX, UK	
F: 61	0-869-0171	T: +4	4 (0) 1638 782616	
	@jacksonimmuno.com		4 (0) 1353 664675	
www	.jacksonimmuno.com		@jacksonimmuno.com	
		-	@jacksonimmuno.com	
	I address for the person responsi	ble for this SDS:		
	@jacksonimmuno.com			
1.4.	Emergency telephone num			
		-610-869-4024 (USA)		
SEC	TION 2: Hazards identif	cation		
2.1.	Classification of the substand	e or mixture		
Classif	ication According to Regulation (E			
	tic Chronic3	H412		
	xt of hazard classes and H-statem			
	se physicochemical, human health			
	ditional information available	and environmental effects		
2.2.	Label elements			
	ing According to Regulation (EC) N	1272/2008 [CI P]		
			tic life with long lasting effects.	
		P273 - Avoid release to		
Precautionary statements (CLP)			ents/container to hazardous or special waste collection	
			ith local, regional, national and/or international	
		•		
		regulation.		

EUH-statements

EN (English)

EUH032 - Contact with acids liberates very toxic gas.



2/12

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
AMCA-conjugated AffiniPure™ Goat Anti-Bovine ^{††} IgG (H+L) (minimal cross-reaction to Armenian Hamster, Human, Mouse, and Rat Serum Proteins)	(CAS-No.) Not assigned	1.60	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

Full text of H-statements: see section 16 SECTION 4: First aid measures 4.1. **Description of first aid measures** First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation : May be harmful or cause irritation. Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation. Symptoms/effects after eye contact : May cause slight irritation to eyes. 26/04/2024 EN (English)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If expo	sed or concerned, get medical advio	ce and attention. If medical advice is needed, have product container or label at hand.
SECT	ION 5: Firefighting meas	sures
5.1.	Extinguishing media	
Suital	ole extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
		Use extinguishing media appropriate for surrounding fire.
Unsui	table extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2.		om the substance or mixture
Fire h		: Not Assigned
React	ivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazar case (dous decomposition products in of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3.	Advice for firefighters	
Preca	utionary measures fire	: Exercise caution when fighting any chemical fire.
Firefi	ghting instructions	: Use water spray or fog for cooling exposed containers.
Prote	ction during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
		protection.
SEC	TION 6: Accidental releas	se measures
6.1.	Personal precautions, protect	ive equipment and emergency procedures
Gener	al measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1.	For non-emergency personnel	
	ctive equipment	: Use appropriate personal protective equipment (PPE).
-	ency procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
	ctive equipment	: Equip cleanup crew with proper protection.
Emerg	ency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence
		of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2.	Environmental precautions	the assistance of trained personner as soon as conditions permit. Ventrate area.
0.2.	Livitonmental precautions	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3.	Methods and material for con	
5 1		: Contain solid spills with appropriate barriers and prevent migration and entry
		into sewers or streams.
Methods for cleaning up		: Clean up spills immediately and dispose of waste safely. Contact competent
		authorities after a spill.
6 4	Poforanco to other cactions	

6.4. **Reference to other sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

Precautions for safe handling 7.1.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.		
7.2. Conditions for safe storage,	including any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.		
Incompatible materials	 Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons. 		
7.3. Specific end use(s)			

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)				
Latvia OEL TWA (mg/m³)		5 mg/m ³		
Lithuania	IPRV (mg/m³)	5 mg/m ³		
Sodium azide (26628-22-8)				
EU	IOELV TWA (mg/m ³)	0,1 mg/m ³		
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³		
EU	Notes	Possibility of significant uptake through the skin		
Austria	MAK (mg/m³)	0,1 mg/m ³		
Austria	MAK Short time value (mg/m ³)	0,3 mg/m ³		
Austria	OEL chemical category (AT)	Skin notation		
Belgium	OEL chemical category (BE)	Skin, Skin notation		
Bulgaria	OEL TWA (mg/m ³)	0,1 mg/m ³		
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³		
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³		
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³		
Croatia	OEL chemical category (HR)	Skin notation		
Cyprus	OEL TWA (mg/m ³)	0,1 mg/m ³		
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³		
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption		
France	VLE (mg/m³)	0,3 mg/m ³ (restrictive limit)		
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)		
France	OEL chemical category (FR)	Risk of cutaneous absorption		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,1 ppmGreeceOEL STEL (mg/m³)0,1 ppmGreeceOEL STEL (ng/m³)0,1 ppmGreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Celling (mg/m³)0,2 mg/m³USA ACGIHACGIH Celling (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (indialable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (indialable dust)SwitzerlandKZGW (mg/m³)0,1 mg/m³ (indialable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³Unit	Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³
GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m²)0,3 mg/m³GreeceOEL TWA (mg/m²)0,1 ppmGreeceOEL STEL (ppm)0,1 ppmGreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m²)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m³ItalyOEL STEL (mg/m²)0,1 mg/m³ItalyOEL TWA (mg/m²)0,1 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m²)0,1 mg/m²LatviaOEL chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m²)0,3 mg/m²SpainVLA-EC (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandKZGW (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandKZGW (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandKZGW (mg/m²)0,3 mg/m³United KingdomWEL TWA (mg/m²)0,3 mg/m³United KingdomWEL TWA (mg/m²)0,3 mg/m³United KingdomWEL TWA (mg/m²)0,1 mg/m³EstoniaOEL Chemical category (C2)Potential for cutaneous abs	Gibraltar Eight hours mg/m3		0,1 mg/m³
GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,2 mg/m³USA ACGIHA CGIH Ceiling (mg/m³)0,2 g mg/m³USA ACGIHA CGIH Ceiling (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m² (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TRU (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCach RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³United KingdomWEL Chemical category (C2)Potential for cutaneous absorptionCach RepublicOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL			0,3 mg/m ³
GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³USA ACGIHACGIH Celling (mg/m³)0,2 9 mg/m³USA ACGIHACGIH Celling (ppm)0,11 ppmUSA ACGIHACGIH Celling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TG6 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCech RepublicExpozicn1 limity (FEL) (mg/m³)0,1 mg/m³<	Gibraltar	OEL chemical category (GI)	Skin notation
GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionCestoniaOEL TWA (mg/m³)0,1 mg/m³StoniaOEL twa (mg/m³)0,1 mg/m³EstoniaOEL twa (mg/m³)0,1 mg/m³EstoniaOEL twa (mg/m³)0,1 mg/m³EstoniaOEL twa (mg/m³)0,1 mg/m³EstoniaOEL twa (mg/m³)0,1 mg/m³Esto	Greece	OEL TWA (mg/m³)	0,3 mg/m ³
GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (C2)Potential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL S	Greece	OEL TWA (ppm)	0,1 ppm
USA ACGIHACGIH Celling (mg/m³)0,29 mg/m³USA ACGIHACGIH Celling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMKZGW (mg/m³)0,3 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TRU (mg/m³)0,3 mg/m³United KingdomWEL TRU (mg/m³)0,1 mg/m³Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (FI)Sensitizer, Skin notat	Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³Czech RepublicExpozicn1 limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical categoryPotential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption <td>Greece</td> <td>OEL STEL (ppm)</td> <td>0,1 ppm</td>	Greece	OEL STEL (ppm)	0,1 ppm
ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitzer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryOEL chemical category (FI)Po	USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)<	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionZeach RepublicExpozinf limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGrænsværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³HungaryAK-érték0,1 mg/m³	Italy	OEL TWA (mg/m³)	0,1 mg/m³
LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionZeach RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (FI)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³HungaryAK-érték0,1 mg/m³	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³0,1 mg/m³	Latvia	OEL TWA (mg/m³)	0,1 mg/m³
SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,1 mg/m³	Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Switzerland KZGW (mg/m ³)		0,4 mg/m³ (inhalable dust)
NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionFinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Netherlands	Grenswaarde TGG 8H (mg/m ³)	0,1 mg/m³
United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³
Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m³
Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	United Kingdom	WEL chemical category	Potential for cutaneous absorption
DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m³
EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³
EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Estonia	OEL TWA (mg/m³)	0,1 mg/m³
FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Estonia	OEL STEL (mg/m ³)	0,3 mg/m³
FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Finland HTP-arvo (8h) (mg/m ³)		0,1 mg/m ³
HungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Finland	HTP-arvo (15 min)	0,3 mg/m ³
HungaryCK-érték0,3 mg/m³	Finland	OEL chemical category (FI)	Potential for cutaneous absorption
	Hungary	AK-érték	0,1 mg/m ³
Ireland OEL (8 hours ref) (mg/m ³) 0,1 mg/m ³	Hungary	CK-érték	0,3 mg/m ³
	Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m ³



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m ³
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m ³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m³
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m ³
Poland	NDSCh (mg/m ³)	0,3 mg/m ³
Romania	OEL TWA (mg/m ³)	0,1 mg/m ³
Romania OEL STEL (mg/m ³)		0,3 mg/m ³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m ³)	0,1 mg/m ³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m ³
Sweden	kortidsvärde (KTV) (mg/m ³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



- Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection
- : Chemically resistant materials and fabrics.

: When using, do not eat, drink or smoke.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chemi	cai	properties
Physical state	:	Solid
Colour	:	Light tan solid
Odour	:	Odourless, as water
Odour threshold	:	No data available
рН	:	7.6, when rehydrated with indicated volume of H_2O
Evaporation rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity		No data available
Explosive properties		No data available
Oxidising properties :		No data available
Explosive limits	:	No data available
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Sodium chloride (7647-14-5)			
LD50 oral rat 3550 mg/kg (Species: Wistar)			
LD50 dermal rabbit > 10000 mg/kg (Species: New Zealand White)			
LC50 inhalation rat (mg/l)	> 42 g/m ³ (Exposure time: 1 h)		
Sodium azide (26628-22-8)			
LD50 oral rat	27 mg/kg		
LD50 oral	45 mg/kg		
LD50 dermal rabbit	20 mg/kg		

Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion/irritation	 Not classified pH: 7,6 when rehydrated with indicated volume of H₂O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information 12.1. Toxicity : Harmful to aquatic life with long lasting effects. Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) EC50 Daphnia 1 LC50 fish 2 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 Daphnia 2 252 mg/l (Species: Pimephales promelas) NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) LC50 fish 2 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) ErC50 (algae) 0,348 mg/l Persistence and degradability 12.2. AMCA-conjugated AffiniPure[™] Goat Anti-Bovine^{††} IgG (H+L) (minimal cross-reaction to Armenian Hamster, Human, Mouse, and **Rat Serum Proteins)** Persistence and degradability Not established. 12.3. **Bioaccumulative potential** AMCA-conjugated AffiniPure[™] Goat Anti-Bovine^{††} IgG (H+L) (minimal cross-reaction to Armenian Hamster, Human, Mouse, and **Rat Serum Proteins)** Bioaccumulative potential Not established. Sodium chloride (7647-14-5) BCF fish 1 (no bioaccumulation) Mobility in soil 12.4. No additional information available 12.5. **Results of PBT and vPvB assessment** No additional information available 12.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations Waste treatment methods 13.1. Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and recommendations international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN numbe	r			
Not regulated for tra	nsport			
14.2. UN proper	shipping name			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	nazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	oup			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Notapplicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Date of Preparation or Latest Revision : 26/04/2024



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications
	according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	te Tox. 2 (Oral) Acute toxicity (oral), Category 2		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
H300	Fatal if swallowed.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
EUH032	Contact with acids liberates very toxic gas.		

Indication of Changes No additional information available

Abbreviations and Acronyms

NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level
NOEC - No-Observed Effect Concentration
NRD - Nevirsytinas Ribinis Dydis
NTP – National Toxicology Program
OEL - Occupational Exposure Limits
PBT - Persistent, Bioaccumulative and Toxic
PEL - Permissible Exposure Limit
pH – Potential Hydrogen
REACH – Registration, Evaluation, Authorisation, and Restriction of
Chemicals
RID – Regulations Concerning the International Carriage of Dangerous
Goods by Rail
SADT - Self Accelerating Decomposition Temperature
SDS - Safety Data Sheet
STEL - Short Term Exposure Limit
STOT - Specific Target Organ Toxicity
TA-Luft - Technische Anleitung zur Reinhaltung der Luft
TEL TRK – Technical Guidance Concentrations
ThOD – Theoretical Oxygen Demand
TLM - Median Tolerance Limit
TLV - Threshold Limit Value
TPRD - Trumpalaikio Poveikio Ribinis Dydis
TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
Gefahrstoffen in ortsbeweglichen Behältern
TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
TRGS 900 - Technische Regel für Gefahrstoffe 900 –
Arbeitsplatzgrenzwerte
TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische



Safety Data Sheet

EU GHS SDS

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution

Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.