Anti-Bovine^{††} IgG (H+L)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Date of issue: 19/04/2024

Version: 3.1 SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name : Mixture Product Name : Cyt ^{m3} -conjugated AffiniPure ^{the} F(ab ¹) ₂ Fragment Goat Anti-Bovine ¹⁺ IgG (H+L) Product Code : 101-166-003 1.1. Relevant identified uses : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2. Neadvised againt : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2. Uses advised againt : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2. Uses advised againt : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2. Uses advised againt : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2. Statistical contact : Statistical contact !section ImmunoResearch Laboratories, Inc. !ackson ImmunoResearch Europe LTD :For 0.860-0171 : F.44 (0) 1332 666475 :www.jacksonimmuno.com : For 10.850-4024 (USA) Extendigical dome represent responsible for this SDS: : Echeligicaksonimmuno.com :Extendigical dometrepresent esequation (EC) No. 1272/2008 (CLP)	1.1.	Product identifier	
Product Name : cyr ³ -conjugated Affini Pure ^{ar} F(ab ¹) ₂ Fragment Goat Anti-Bovine ^{t†} IgG (H+L) Product Code : 101-166-003 1.1. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses We of the substance/mixture : for in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.3. Belevant identified uses European Contact 1.3. Contact Supplier for specific applications European Contact 1.3. Contact Supplier for the safety data Sheet European Contact 1.3. Contact Supplier for the safety data Sheet European Contact 1.3. Contact Supplier for States European Contact 1.3. Contact States European Contact 1.3. Contact			· Mixture
Product Code (c) 3 Stonjogated AnimPole T(BD) gringment Out AnimPole T(BD) grind gr			
 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.3. Relevant identified uses Use of the substance/mixture indexical device. Contact supplier for specific applications. 1.3. Use advised agains No additional information available 3.1. Details of the supplier of the safety data sheet Mamfacturer indexical devices. Contact supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Mamfacturer indexical devices. Supplier of the safety data sheet Hy Cambridge Brouse Supplier of Passon immuno.com Hy Cambridge Brouse Hy Ca			-
1.1. Relevant identified uses For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2. Uses advised against Modifitional information available 1.3. Details of the supplier of the safety data sheet European Contact Manufacturer Lackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 2.2. West Satisfinore Pike Cambridge House West Grove, PA 13930 St. Thomas' Place T: 800-367-5236, 610-869-4024 Ely. Cambridgeshire CB7 4EX, UK F: 610-669-4071 T: +44 (0) 1638 732616 tech@jacksonimmuno.com F: +44 (0) 1333 664675 www.jacksonimmuno.com F: +44 (0) 1333 36 64675 uinf@jacksonimmuno.com Info@jacksonimmuno.com Brail address for the person responsible for this SDS: tech@jacksonimmuno.com Let.Bergency telephone number European Contat Cambridge Iouse SDE SCETION 21 Hazards Identification Matia Casification of the substance or mixture Cassification According to Regulation (EC) No. 1272/2008 [CLP] Adverse physicochemical, human healt and environmental effects No aquit chronical and/or international and/or international and/or international anginguint. Pior			
Use of the substance/mixture For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2.1 Use advised against No additional information available European Contact 1.3.1 Details of the supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baitmer Pike Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 T: 800-367-5296, 610-869-4024 Ely. Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1638 782616 www.jacksonimmuno.com F: +44 (0) 1638 782616 Maufactures for the person responsible for this SDS: Etch@jacksonimmuno.com Energency telephone number F: +1610-869-4024 (USA) Energency telephone number Cassification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Falared statements (CLP) P273 - Avoid			ostance or mixture and uses advised against
nedical device. Contact supplier for specific applications. 1.2. Uses advised against No additional information available 3.3. Details of the supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Sackson ImmunoResearch Europe LTD 8.72 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T.800-367-5296, 610-869-4024 Ely. Cambridgestinc CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1638 782616 teche@jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com F: 444 (0) 1333 664675 tech@jacksonimmuno.com Hejp@jacksonimmuno.com tech@jacksonimmuno.com F: 444 (0) 1638 782616 Sterregency number F: 10-869-4024 (USA) Sterregency number F: 10-869-4024 (USA) Cassification According to Regulation (EC) No. 1272/2008 [CLP] Agaat Chronic3 H412 Valuet tech haard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects. Precautionary statements (CLP) H412 Paard statements (CLP)			. For invitre recearch use only. Not for diagnostic or therapoutic use. This is not a
No additional information available J.J. Details of the supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD. 872 West Baltimore Pike Cambridge House West Grove, PA19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1533 782616 tech@jacksonimmuno.com F: +44 (0) 1638 782616 twww.jacksonimmuno.com F: +44 (0) 1638 782616 twww.jacksonimmuno.com F: +44 (0) 1638 782616 twow.jacksonimmuno.com F: +44 (0) 1638 782616 twow.jacksonimmuno.com F: +44 (0) 1638 782616 Emergency number F: +44 (0) 1638 782616 Emergency telephone number Fergency number Emergency telephone number Emergency number Emergency telephone number Emergency number Mauti Chronic3 H412 Stott to thazard teleset to the substance or mixture Edssification of the substance or mixture Classification available H412 2.1 Label elements See contante Stadelified According to Regulation (EC) No. 127	USE 0	T the substance/mixture	
1.1. Details of the supplier of the safety data shear European Contact Markfatture Jackson ImmunoResearch Europe LTD. Markfatture Jackson ImmunoResearch Europe LTD. Markfatture Jackson ImmunoResearch Europe LTD. Markfatture St Thomas' Place West Grove, PA 19390 St Thomas' Place F: 610-869-0171 Ely, Cambridgeshire CB7 4EX, UK tech@jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com Hap@jacksonimmuno.com Hargency telephone number Hap@jacksonimmuno.com Emergency number : 1: 1: 610-869-4024 (USA) Stotton of the substance or mixture Stotton of the substance or mixture Classification of the substance or mixture Markfactor Chronic3 Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects. No additional information available P273 - Avoid release to the environment. Precautionary statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P201 - Di	1.2.2.	Uses advised against	
Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1638 782616 www.jacksonimmuno.com F: +44 (0) 1638 782616 Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification al Information available Classification Information available H412 Fulle tot hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available H412 Fulle Bements P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection regulation. P501 - Dispose of contents/container to hazardous or special waste collection regulatio	No ado	litional information available	
Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD. 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1638 782616 tech@jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com Info@jacksonimmuno.com tech@jacksonimmuno.com Info@jacksonimmuno.com ehg@jacksonimmuno.com Hal2 Maidress for the person responsible for this SDS: Eche@jacksonimmuno.com tech@jacksonimmuno.com Hal2 SECTION 2: Hazards identification Causification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard Classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects. No additional information available Diatements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) <t< td=""><td>1.3.</td><td>Details of the supplier of the s</td><td>afety data sheet</td></t<>	1.3.	Details of the supplier of the s	afety data sheet
872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com help@jacksonimmuno.com tech@jacksonimmuno.com info@jacksonimmuno.com Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture Classification of the substance or mixture Classification for the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chonic3 H412 Flazer distements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available Europei of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Europei Classes not contr	Manu	facturer	-
West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1333 864675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com info@jacksonimmuno.com Etch@jacksonimmuno.com info@jacksonimmuno.com Head Head Beginzers tech@jacksonimmuno.com Mest Grove, PL 1920 tech@jacksonimmuno.com Mest Grove, PL 1920 tech@jacksonimmuno.com Imagency telephone number tech@jacksonimmuno.com Emergency number tell.1610-869-4024 (USA) Store Store Store Store Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1 Label elements Babeling According to Regulation (EC) No. 1272/2008 [CLP] <	Jacks	on ImmunoResearch Laboratories, I	nc. Jackson ImmunoResearch Europe LTD
T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com inf@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Emargency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1 Label elements 2.1 Label elements H412 Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environament. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3 Other hazards Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or r	-		-
F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com help@jacksonimmuno.com tech@jacksonimmuno.com help@jacksonimmuno.com tech@jacksonimmuno.com help@jacksonimmuno.com Address for the person responsible for this SDS: tech@jacksonimmuno.com Address for the person responsible for this SDS: tech@jacksonimmuno.com Address for the person responsible for this SDS: tech@jacksonimmuno.com Address for the person responsible for this SDS: tech@jacksonimmuno.com Section 2: Hazards identification Section 2: Hazards identification Classification of the substance or mixture Classification of Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available Labelling According to Regulation (EC) No. 1272/2008 [CLP]			
tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Babelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 3.3. Other hazards Vher hazards not contributing to the			
www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 14. Emergency telephone number Emergency number Emergency telephone number Edisfication of the substance or mixture Classification developing to Regulation (EC) No. 1272/2008 [CLP] Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Bazard statements (CLP) H412 + Harmful to aquatic life with long lasting eff			
Image: Instant and the set of the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.1. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Babeling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards EVH032 - Contact with acids liberates very toxic gas.		-	
Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Labeling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) H273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards Vert Hozard so the may aggravate pre-existing eye, skin, or respiratory conditions.	www.	jacksonimmuno.com	-
tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : ±1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. A.3. Other hazards Statement agravate pre-existing eye, skin, or respiratory conditions.	E	- delegan from the second or second or side la	
1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Section 2: Hazards identification Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Labellig According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH-statements Other hazards Other hazards Other hazards not contributing to the Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			for this SUS:
Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.		•	
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards Other hazards not contributing to the			
2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			
Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			
Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labeling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			
Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labeling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			
Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.	•		
No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			
Labelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.2.3. Other hazards: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			d environmental effects
Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.2.3. Other hazards: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.	2.2.	Label elements	
Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.2.3. Other hazards: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.	Labelli	ng According to Regulation (EC) No. 1	.272/2008 [CLP]
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.2.3. Other hazardsExposure may aggravate pre-existing eye, skin, or respiratory conditions.			
EUH-statementspoint, in accordance with local, regional, national and/or international regulation.EUH032 - Contact with acids liberates very toxic gas.2.3. Other hazardsOther hazards not contributing to the: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			
EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards EVENDED of the contributing to the state of the contributing to the contributing to the contributing to the contributing to the contris and the contributing to the contributing to			P501 - Dispose of contents/container to hazardous or special waste collection
EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards EuHo32 - Contact with acids liberates very toxic gas. Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			point, in accordance with local, regional, national and/or international
2.3. Other hazards Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.			regulation.
Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.	EUH-s	statements	EUH032 - Contact with acids liberates very toxic gas.
	2.3.	Other hazards	
19/04/2024 EN (English) 1 / 11	Other	hazards not contributing to the	: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.
	19/04/	2024	EN (English) 1 /

Anti-Bovine^{††} IgG (H+L)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400
	(EC Index-No.) 011-004-00-7		Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Cy™3-conjugated AffiniPure™ F(ab') ₂	(CAS-No.) Not assigned	1.61	Not classified
Fragment Goat Anti-Bovine ^{††} IgG (H+L)			
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

Anti-Bovine^{††} IgG (H+L)



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising fro	om the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazardous decomposition products in case of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental releas	se measures
	ive equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence
	of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for con	
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry
	into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other sections	
See Section 8 for exposure controls and pe	ersonal protection and Section 13 for disposal considerations.
SECTION 7: Handling and stor	rage
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating,

7.2. Conditions for safe storage, i	ncluding any incompatibilities
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
	skin and clothing.
	drinking or smoking and when leaving work. Avoid prolonged contact with eyes,
Precautions for safe handling	: wash hands and other exposed areas with mild soap and water before eating,

7.2. age, nciuc ig any i icompatibi : Comply with applicable regulations. Technical measures

Anti-Bovine^{††} IgG (H+L)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store
	away from extremely high temperatures and incompatible materials.
Incompatible materials	 Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.
7.2 (maxific and $uap(a)$	

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)		
Latvia	OEL TWA (mg/m ³)	5 mg/m ³
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Sodium azide (26628-22-8	3)	
EU	IOELV TWA (mg/m³)	0,1 mg/m ³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m ³)	0,1 mg/m ³
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³
Gibraltar	Eight hours mg/m3	0,1 mg/m ³
Gibraltar	Short-term mg/m3	0,3 mg/m ³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m ³)	0,3 mg/m ³
Greece	OEL TWA (ppm)	0,1 ppm



Anti-Bovine^{††} IgG (H+L)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m ³
Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m³)	0,1 mg/m ³
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m³)	0,1 mg/m ³ (indicative limit value)
Spain	VLA-EC (mg/m³)	0,3 mg/m ³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
Estonia	OEL TWA (mg/m³)	0,1 mg/m ³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³
Finland	HTP-arvo (15 min)	0,3 mg/m ³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m ³
Hungary	CK-érték	0,3 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m ³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m ³
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m ³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³

Anti-Bovine^{††} IgG (H+L)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m ³)	0,1 mg/m³
Malta	OEL STEL (mg/m ³)	0,3 mg/m³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m³
Poland	NDSCh (mg/m ³)	0,3 mg/m³
Romania	OEL TWA (mg/m ³)	0,1 mg/m³
Romania	OEL STEL (mg/m ³)	0,3 mg/m³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m ³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.

Anti-Bovine^{††} IgG (H+L)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Respiratory protection: If exposure limits are exceeded or irritation is experienced, approved respiratory
protection should be worn. In case of inadequate ventilation, oxygen deficient
atmosphere, or where exposure levels are not known wear approved respiratory
protection.Other information: When using, do not eat, drink or smoke.

SECTION 9: Phy	sical and chemical	properties
SECTION 5. PIL	Sical and chemical	properties

9.1. Information on basic physical and chemical properties Physical state : Solid Colour : Strong pink solid Odour Odourless, as water : Odour threshold No data available : рΗ 7.6, when rehydrated with indicated volume of H₂O **Evaporation rate** No data available : Melting point No data available F

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temerature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water
Partition coefficent: n-octanol/water	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive limits

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

: No data available

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

Anti-Bovine^{††} IgG (H+L)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified	
Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	>42 g/m ³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	
Skin corrosion/irritation Serious eye damage/irritation	 Not classified pH: 7,6 when rehydrated with indicated volume of H₂O Not classified pH: 7,6 when rehydrated with indicated volume of H₂O 	
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	Not classifiedNot classifiedNot classified	
Reproductive toxicity STOT-single exposure	 Not classified Not classified Not classified 	
Aspiration hazard	: Not classified	
Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion	 May be harmful or cause irritation. Prolonged exposure may cause skin irritation. May cause slight irritation to eyes. Ingestion may cause adverse effects. May be harmful if swallowed. 	
Chronic Symptoms	: None expected under normal conditions of use.	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Anti-Bovine^{††} IgG (H+L)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IOEC chronic fish 252 mg/l (Species: Pimephales promelas)		
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae) 0,348 mg/l		
2.2. Persistence and degradab	ility	
Cy™3-conjugated AffiniPure™ F(ab') ₂	Fragment Goat Anti-Bovine ^{††} IgG (H+L)	
Persistence and degradability	Not established.	
2.3. Bioaccumulative potentia	l	
Cy™3-conjugated AffiniPure™ F(ab') ₂	Fragment Goat Anti-Bovine ^{††} IgG (H+L)	
Bioaccumulative potential	Not established.	
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	
 L2.4. Mobility in soil No additional information available L2.5. Results of PBT and vPvB as No additional information available L2.6. Other adverse effects 	ssessment	
L2.6. Other adverse effects Other information	: Avoid release to the environment.	
SECTION 13: Disposal con		
3.1. Waste treatment method Product/Packaging disposal recommendations		

In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	Not regulated for transport				
14.2. UN proper shipping name					
Not app	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not app	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group					
Not app	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					

Anti-Bovine^{††} IgG (H+L)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Date of Preparation or Latest Revision	: 19/04/2024
Data sources	: Information and data obtained and used in the authoring of this safety data shee could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.

Anti-Bovine^{††} IgG (H+L)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

Appreviations and Acronyms	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische
LD50 - Median Lethal Dose	Grenzwerte
LOAEL - Lowest Observed Adverse Effect Level	TSCA - Toxic Substances Control Act
LOEC - Lowest-Observed-Effect Concentration	TWA - Time Weighted Average
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VOC – Volatile Organic Compounds
Log Kow - Octanol/water Partition Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved	VLA-ED - Valor Límite Ambiental Exposición Diaria
substance in a two-phase system consisting of two largely immiscible	VLE – Valeur Limite D'exposition
solvents, in this case octanol and water	VME – Valeur Limite De Moyenne Exposition
MAK – Maximum Workplace Concentration/Maximum Permissible	vPvB - Very Persistent and Very Bioaccumulative
Concentration	WEL – Workplace Exposure Limit
MARPOL - International Convention for the Prevention of Pollution	WGK - Wassergefährdungsklasse
EU GHS SDS	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.