Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Version: 3.1

Date of issue: 25/04/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1.        | Product identifier                                 |  |
|-------------|--|--|
|             | uct Form   | : Mixture  |
| Prod        | uct Name   | <sup>:</sup> R-Phycoerythrin <sup>†</sup> -conjugated AffiniPure™ Fab Fragment Goat Anti-Chicken   |
|             |  | IgY <sup>††</sup> (IgG), Fc Fragment Specific  |
| Prod        | uct Code   | : 103-117-008  |
| 1.2.        | Relevant identified uses of the                    | substance or mixture and uses advised against  |
| 1.2.1.      | Relevant identified uses                           |  |
| Used        | of the substance/mixture                           | : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. |
| 1.2.2.      | Uses advised against                               |  |
| No ado      | ditional information available                     |  |
| 1.3.        | Details of the supplier of the                     | e safety data sheet  |
|             | ıfacturer  | European Contact   |
|             | on ImmunoResearch Laboratories                     |  |
|             | West Baltimore Pike                                | Cambridge House  |
|             | Grove, PA 19390                                    | St Thomas' Place   |
|             | 0-367-5296, 610-869-4024                           | Ely, Cambridgeshire CB7 4EX, UK  |
| -           | D-869-0171   | T: +44 (0) 1638 782616   |
|             | Djacksonimmuno.com                                 | F: +44 (0) 1353 664675   |
| www         | .jacksonimmuno.com                                 | info@jacksonimmuno.com<br>help@jacksonimmuno.com   |
| Fmai        | l address for the person responsit                 |  |
|             | pjacksonimmuno.com                                 |  |
| 1.4.        | Emergency telephone numb                           | )er  |
|             |  | -610-869-4024 (USA)  |
|             | TION 2: Hazards identifi                           |  |
|             | Classification of the substanc                     |  |
| 2.1.        |  |  |
|             | cation According to Regulation (EC<br>tic Chronic3 | H412   |
| •           | xt of hazard classes and H-statem                  |  |
|             | se physicochemical, human health                   |  |
|             | ditional information available                     |  |
| <b>2.2.</b> | Label elements                                     |  |
|             | ng According to Regulation (EC) No                 | 1272/2008 [CLP]  |
|             | rd statements (CLP)                                | H412 - Harmful to aquatic life with long lasting effects.  |
|             | autionary statements (CLP)                         | P273 - Avoid release to the environment.   |
|             |  | P501 - Dispose of contents/container to hazardous or special waste collection  |
|             |  | point, in accordance with local, regional, national and/or international   |
|             |  | regulation.  |
| EUH-        | statements   | EUH032 - Contact with acids liberates very toxic gas.  |
| 2.3.        | Other hazards                                      |  |
| 2.5.        |  |  |
| 25/04       | /2024  | EN (English) 1 / 1   |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the

: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

classification

### SECTION 3: Composition/information on ingredients

#### 3.1. **Substances**

Not applicable

#### 3.2. Mixture

| Name   | Product identifier   | %     | Classification According to Regulation (EC) No. 1272/2008 [CLP]               |
|--|--|-------|---|
| Sodi um azi de   | (CAS-No.) 26628-22-8<br>(EC-No.) 247-852-1<br>(EC Index-No.)<br>011-004-00-7 | 0.54  | Acute Tox. 2 (Oral), H300<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| R-Phycoerythrin <sup>†</sup> -conjugated<br>AffiniPure™ Fab Fragment Goat<br>Anti-Chicken IgY <sup>††</sup> (IgG), Fc Fragment<br>Specific | (CAS-No.) Not assigned   | 0.63  | Not classified  |
| Sodium phosphate dibasic   | (CAS-No.) 7558-79-4<br>(EC-No.) 231-448-7                                    | 1.52  | Not classified  |
| Sodium chloride  | (CAS-No.) 7647-14-5<br>(EC-No.) 231-598-3                                    | 15.86 | Not classified  |
| Albumins, blood serum  | (CAS-No.) 9048-46-8<br>(EC-No.) 232-936-2                                    | 16.29 | Not classified  |

Full text of H-statements: see section 16

### **SECTION 4: First aid measures**

#### **Description of first aid measures** 4.1.

| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : Using proper respiratory protection, move the exposed person to fresh air at once.<br>Immediately call a poison center, physician, or emergency medical service.                      |
| First-aid measures after skin contact | : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.                                    |
| First-aid measures after eye contact  | : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.  |
| 4.2. Most important symptoms ar       | id effects, both acute and delayed  |
| Symptoms/effects                      | : Not expected to present a significant hazard under anticipated conditions of normal use.  |
| Symptoms/effects after inhalation     | : May be harmful or cause irritation.   |
| Symptoms/effects after skin contact   | : Prolonged exposure may cause skin irritation.   |
| Symptoms/effects after eye contact    | : May cause slight irritation to eyes.  |
| Symptoms/effects after ingestion      | : Ingestion may cause adverse effects. May be harmful if swallowed.   |
| Chronic symptoms                      | : None expected under normal conditions of use.   |
|                                       |   |

#### Indication of any immediate medical attention and special treatment needed 4.3.

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### SECTION 5: Firefighting measures 5.1. **Extinguishing media** Suitable extinguishing media : Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. Special hazards arising from the substance or mixture 5.2. **Fire hazard** : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in : Hydrogen chloride. Sodium oxides. Nitrogen oxides. case of fire 5.3. Advice for firefighters Precautionary measures fire : Exercise caution when fighting any chemical fire. **Firefighting instructions** : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures General measures : Avoid prolonged contact with eyes, skin and clothing. For non-emergency personnel 6.1.1. Protective equipment : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel. Emergency procedures 6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection. **Emergency procedures** : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. **Environmental precautions** : Prevent entry to sewers and public waters. Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. 6.4. Reference to other sections See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations. SECTION 7: Handling and storage

| 7.1. Precautions for safe handlin | Ig  |       |
|-----------------------------------|---|-------|
| Precautions for safe handling     | : Wash hands and other exposed areas with mild soap and water before ea<br>drinking or smoking and when leaving work. Avoid prolonged contact wit<br>skin and clothing. | 0,    |
| Hygiene measures                  | : Handle in accordance with good industrial hygiene and safety procedure  | s.    |
| 7.2. Conditions for safe storage, | including any incompatibilities   |       |
| Technical measures                | : Comply with applicable regulations.   |       |
| 25/04/2024                        | EN (English)  | 3 / 1 |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Storage conditions     | : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store |
|------------------------|---|
|                        | away from extremely high temperatures and incompatible materials.                   |
| Incompatible materials | : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated           |
|                        | hydrocarbons.   |
|                        |   |

#### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| Sodium chloride (7647-14 | 4-5)   |  |
|--------------------------|--|--|
| Latvia                   | OEL TWA (mg/m³)  | 5 mg/m <sup>3</sup>                                |
| Lithuania                | IPRV (mg/m³)   | 5 mg/m <sup>3</sup>                                |
| Sodium azide (26628-22-  | 8)   |  |
| EU                       | IOELV TWA (mg/m <sup>3</sup> )                                 | 0,1 mg/m <sup>3</sup>                              |
| EU                       | IOELV STEL (mg/m <sup>3</sup> )                                | 0,3 mg/m <sup>3</sup>                              |
| EU                       | Notes  | Possibility of significant uptake through the skin |
| Austria                  | MAK (mg/m³)  | 0,1 mg/m³  |
| Austria                  | MAK Short time value (mg/m³)                                   | 0,3 mg/m <sup>3</sup>                              |
| Austria                  | OEL chemical category (AT)                                     | Skin notation                                      |
| Belgium                  | OEL chemical category (BE)                                     | Skin, Skin notation                                |
| Bulgaria                 | OEL TWA (mg/m <sup>3</sup> )                                   | 0,1 mg/m <sup>3</sup>                              |
| Bulgaria                 | OEL STEL (mg/m <sup>3</sup> )                                  | 0,3 mg/m <sup>3</sup>                              |
| Croatia                  | GVI (granicna vrijednost izloženosti)<br>(mg/m³)               | 0,1 mg/m³  |
| Croatia                  | KGVI (kratkotrajna granicna<br>vrijednost izloženosti) (mg/m³) | 0,3 mg/m³  |
| Croatia                  | OEL chemical category (HR)                                     | Skin notation                                      |
| Cyprus                   | OEL TWA (mg/m <sup>3</sup> )                                   | 0,1 mg/m <sup>3</sup>                              |
| Cyprus                   | OEL STEL (mg/m <sup>3</sup> )                                  | 0,3 mg/m <sup>3</sup>                              |
| Cyprus                   | OEL chemical category (CY)                                     | Skin-potential for cutaneous absorption            |
| France                   | VLE (mg/m <sup>3</sup> )                                       | 0,3 mg/m <sup>3</sup> (restrictive limit)          |
| France                   | VME (mg/m <sup>3</sup> )                                       | 0,1 mg/m <sup>3</sup> (restrictive limit)          |
| France                   | OEL chemical category (FR)                                     | Risk of cutaneous absorption                       |
| Germany                  | TRGS 900 Occupational exposure limit value (mg/m³)             | 0,2 mg/m <sup>3</sup>                              |
| Gibraltar                | Eight hours mg/m3  | 0,1 mg/m <sup>3</sup>                              |
| Gibraltar                | Short-term mg/m3   | 0,3 mg/m <sup>3</sup>                              |
| Gibraltar                | OEL chemical category (GI)                                     | Skin notation                                      |
| Greece                   | OEL TWA (mg/m <sup>3</sup> )                                   | 0,3 mg/m <sup>3</sup>                              |
| Greece                   | OEL TWA (ppm)  | 0,1 ppm  |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| GreeceOEL STEL (ppm)0.1 ppmUSA ACGIHACGIH Ceiling (ppm)0.11 ppmUSA ACGIHACGIH Ceiling (ppm)0.11 ppmItalyOEL TWA (mg/m)0.1 mg/m²ItalyOEL TWA (mg/m²)0.3 mg/m²ItalyOEL TWA (mg/m²)0.1 mg/m²ItalyOEL TWA (mg/m²)0.1 mg/m²ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainOEL Chemical category (IS)skin - potential for cutaneous absorptionSpainVLA-EC (mg/m²)0.3 mg/m² (indicative limit value)SwitzerlandKZGW (mg/m²)0.4 mg/m² (indicative limit value)SwitzerlandKZGW (mg/m²)0.4 mg/m² (indicative limit value)SwitzerlandKZGW (mg/m²)0.3 mg/m²NetherlandsGrenswaarde TGG 1SMIN (mg/m²)0.3 mg/m²United KingdomWEL TWA (mg/m²)0.1 mg/m²United KingdomWEL Chemical categoryPotential for cutaneous absorptionCrech RepublicOEL TWA (mg/m²)0.1 mg/m²DemarkOEL TWA (mg/m²)0.1 mg/m²StoniaOEL TWA (mg/m²)0.1 mg/m²FinlandOEL Chemical cat  | Greece         | OEL STEL (mg/m <sup>3</sup> )          | 0,3 mg/m <sup>3</sup>                          |
|--|----------------|--|--|
| USA ACGIHACGIH Celling (ppm)0,1 ng/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL trWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,3 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical category (CZ)Potential for cutaneous absorptionCech RepublicExpozini limity (PEU (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³Estonia </td <td>Greece</td> <td>OEL STEL (ppm)</td> <td>0,1 ppm</td>   | Greece         | OEL STEL (ppm)                         | 0,1 ppm  |
| ItalyOEL TWA (mg/m²)0,1 mg/m²ItalyOEL STEL (mg/m²)0,3 mg/m²ItalyOEL STEL (mg/m²)0,1 mg/m²ItalyOEL TWA (mg/m²)0,1 mg/m²LatviaOEL Chemical category (IT)skin - potential for cutaneous exposureSpainVLA-ED (mg/m²)0,1 mg/m² (indicative limit value)SpainVLA-ED (mg/m²)0,3 mg/m²SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandMAK (mg/m²)0,2 mg/m² (inhalable dust)SwitzerlandMAK (mg/m²)0,1 mg/m²United KingdomWEL TWA (mg/m²)0,1 mg/m²United KingdomWEL TSE (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²DenmarkGrænseværdie (langvarig) (mg/m²)0,1 mg/m²EstoniaOEL TWA (mg/m²)0,1 mg/m²EstoniaOEL STEL (mg/m²)0,1 mg/m²EstoniaOEL STEL (mg/m²)0,1 mg/m²EstoniaOEL STEL (mg/m²)0,1 mg/m²FinlandHTP-arvo (15 min)0,3 mg/m²FinlandHTP-arvo (25 min)0,3 mg/m²FinlandOEL Chemical category (FI)Sensitizer, Skin notat   | USA ACGIH      | ACGIH Ceiling (mg/m <sup>3</sup> )     | 0,29 mg/m <sup>3</sup>                         |
| ItalyOEL STEL (mg/m³)0.3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL WA (mg/m³)0.1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0.3 mg/m³SpainVLA-EC (mg/m³)0.3 mg/m³SpainVLA-EC (mg/m³)0.4 mg/m³ (indicative limit value)SwitzerlandKZGW (mg/m³)0.4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0.2 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0.3 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0.1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0.3 mg/m³United KingdomWEL TWA (mg/m³)0.1 mg/m³United KingdomWEL STEL (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0.1 mg/m³EstoniaOEL Chemical category (FT)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0.1 mg/m³FinlandHTP-arvo (15 min)0.3 mg/m³FinlandHTP-arvo (15 min)0.3 mg/m³FinlandOEL (hemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0.3 mg/m³IrelandOEL (15 min ref) (mg/m³)0.3 mg/m³ <tr< td=""><td>USA ACGIH</td><td>ACGIH Ceiling (ppm)</td><td>0,11 ppm</td></tr<>                                       | USA ACGIH      | ACGIH Ceiling (ppm)                    | 0,11 ppm                                       |
| ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m²)0,1 mg/m²LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m²)0,1 mg/m² (indicative limit value)SpainVLA-EC (mg/m²)0,3 mg/m²SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandMAK (mg/m²)0,2 mg/m² (inhalable dust)NetherlandsGrenswaarde TGG SH (mg/m²)0,1 mg/m²United KingdomWEL TWA (mg/m²)0,1 mg/m²United KingdomWEL TWA (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,3 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²Czech RepublicDEL chemical categoryPotential for cutaneous absorptionCzech RepublicOEL chemical category (22)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m²)0,1 mg/m²EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m²)0,1 mg/m²FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL (heurical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,3 mg/m³FinlandOEL (heurical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,3 mg/m³I   | Italy          | OEL TWA (mg/m <sup>3</sup> )           | 0,1 mg/m <sup>3</sup>                          |
| LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TRUA (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGranseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³IrelandOEL chemical category (EI)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³Ir   | Italy          | OEL STEL (mg/m <sup>3</sup> )          | 0,3 mg/m <sup>3</sup>                          |
| LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrens waarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrens waarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGraens evacrdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (Bh) (mg/m³)0,1 mg/m³FinlandHTP-arvo (Bh) (mg/m³)0,1 mg/m³HungaryAk-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (As mir ref) (mg/m3)0,3 mg/m³IrelandOEL (As mir ref) (mg/m3)0,3 mg/m³IrelandOEL (As mir ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential f   | Italy          | OEL chemical category (IT)             | skin - potential for cutaneous absorption      |
| SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (indiable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG SH (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³DemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³HungaryCK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorption <t< td=""><td>Latvia</td><td>OEL TWA (mg/m<sup>3</sup>)</td><td>0,1 mg/m<sup>3</sup></td></t<>                            | Latvia         | OEL TWA (mg/m <sup>3</sup> )           | 0,1 mg/m <sup>3</sup>                          |
| SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³FinlandHTP-arvo (Bh) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Sensitizer, Skin notationHungaryAk-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionHungariaIPRV (mg/m³)0,1 mg/m³LithuaniaIPRV (mg/m³)0,3   | Latvia         | OEL chemical category (LV)             | skin - potential for cutaneous exposure        |
| SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (fsmi ref) (mg/m³)0,1 mg/m³IrelandOEL (fsmi ref) (mg/m³)0,1 mg/m³IrelandOEL (heurs ref) (mg/m³)0,1 mg/m³IrelandOEL (heurical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m³)0,3 mg/m³UthuaniaIPRV (mg/m³)0,1 mg/m³ <t< td=""><td>Spain</td><td>VLA-ED (mg/m<sup>3</sup>)</td><td>0,1 mg/m<sup>3</sup> (indicative limit value)</td></t<> | Spain          | VLA-ED (mg/m <sup>3</sup> )            | 0,1 mg/m <sup>3</sup> (indicative limit value) |
| SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGreanseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m³)0,1 mg/m³Ut   | Spain          | VLA-EC (mg/m <sup>3</sup> )            | 0,3 mg/m <sup>3</sup>                          |
| SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL Chemical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m³)0,1 mg/m³ItehuniaOEL chemical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m³)0,3 mg/m³UthuaniaIPRV (mg/m³)0,3 mg/m³UthuaniaIPRV  | Spain          | OEL chemical category (ES)             | skin - potential for cutaneous absorption      |
| NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m³)0,1 mg/m³Unag/m³0,1 mg/m³0,1 mg/m³ItelandOEL chemical category (IE)Potential for cutaneous absorptionUthuaniaOEL chemical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m³)0,1 mg/m³Unag   | Switzerland    | KZGW (mg/m <sup>3</sup> )              | 0,4 mg/m <sup>3</sup> (inhalable dust)         |
| NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL (26 hours ref) (mg/m3)0,3 mg/m³IrelandDEL chemical category (IE)Potential for cutaneous absorptionUithuaniaIPRV (mg/m³)0,1 mg/m³UithuaniaDERV (mg/m³)0,3 mg/m³UithuaniaDEL chemical category (IE)Skin notationUithuaniaDEL chemical category (IT)Skin notation  | Switzerland    | MAK (mg/m³)                            | 0,2 mg/m <sup>3</sup> (inhalable dust)         |
| United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notation   | Netherlands    | Grenswaarde TGG 8H (mg/m³)             | 0,1 mg/m <sup>3</sup>                          |
| United KingdomWEL STEL (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.1 mg/m³Czech RepublicExpozicní limity (PEL) (mg/m³)0.1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0.1 mg/m³EstoniaOEL TWA (mg/m³)0.1 mg/m³EstoniaOEL STEL (mg/m³)0.3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0.1 mg/m³FinlandHTP-arvo (15 min)0.3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0.1 mg/m³HungaryCK-érték0.3 mg/m³IrelandOEL (15 min ref) (mg/m³)0.1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0.1 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL (15 min ref) (mg/m3)0.3 mg/m³IthuaniaIPRV (mg/m³)0.1 mg/m³LithuaniaIPRV (mg/m³)0.1 mg/m³LithuaniaMEX (mg/m³)0.3 mg/m³LithuaniaOEL chemical category (LT)Skin notation  | Netherlands    | Grenswaarde TGG 15MIN (mg/m³)          | 0,3 mg/m <sup>3</sup>                          |
| United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,3 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaDEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation  | United Kingdom | WEL TWA (mg/m <sup>3</sup> )           | 0,1 mg/m <sup>3</sup>                          |
| Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionUithuaniaIPRV (mg/m³)0,3 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL (15 min ref) (mg/m3)0,3 mg/m³LithuaniaOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaOEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation   | United Kingdom | WEL STEL (mg/m <sup>3</sup> )          | 0,3 mg/m <sup>3</sup>                          |
| Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IthuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation  | United Kingdom | WEL chemical category                  | Potential for cutaneous absorption             |
| DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionUithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaOEL (hemical category (IE)Potential for cutaneous absorptionUithuaniaOEL chemical category (IE)Skin notationUithuaniaOEL chemical category (IE)Potential for cutaneous absorptionUithuaniaUPRV (mg/m³)0,3 mg/m³UithuaniaOEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation  | Czech Republic | Expozicní limity (PEL) (mg/m³)         | 0,1 mg/m <sup>3</sup>                          |
| EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionIthuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,1 mg/m³LithuaniaOEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation   | Czech Republic | OEL chemical category (CZ)             | Potential for cutaneous absorption             |
| EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaDEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation  | Denmark        | Grænseværdie (langvarig) (mg/m³)       | 0,1 mg/m <sup>3</sup>                          |
| EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaDFRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³  | Estonia        | OEL TWA (mg/m <sup>3</sup> )           | 0,1 mg/m <sup>3</sup>                          |
| FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³  | Estonia        | OEL STEL (mg/m <sup>3</sup> )          | 0,3 mg/m <sup>3</sup>                          |
| FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³   | Estonia        | OEL chemical category (ET)             | Sensitizer, Skin notation                      |
| FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaDFRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³  | Finland        | HTP-arvo (8h) (mg/m³)                  | 0,1 mg/m <sup>3</sup>                          |
| HungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³   | Finland        | HTP-arvo (15 min)                      | 0,3 mg/m <sup>3</sup>                          |
| HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³   | Finland        | OEL chemical category (FI)             | Potential for cutaneous absorption             |
| IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³   | Hungary        | AK-érték                               | 0,1 mg/m <sup>3</sup>                          |
| IrelandOEL (15 min ref) (mg/m3)0,3 mg/m3IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m3)0,1 mg/m3LithuaniaTPRV (mg/m3)0,3 mg/m3LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m3)0,1 mg/m3  | Hungary        | CK-érték                               | 0,3 mg/m <sup>3</sup>                          |
| IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³  | Ireland        | OEL (8 hours ref) (mg/m <sup>3</sup> ) | 0,1 mg/m <sup>3</sup>                          |
| LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³   | Ireland        | OEL (15 min ref) (mg/m3)               | 0,3 mg/m <sup>3</sup>                          |
| LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³   | Ireland        | OEL chemical category (IE)             | Potential for cutaneous absorption             |
| Lithuania     OEL chemical category (LT)     Skin notation       Luxembourg     OEL TWA (mg/m³)     0,1 mg/m³  | Lithuania      | IPRV (mg/m <sup>3</sup> )              | 0,1 mg/m <sup>3</sup>                          |
| Luxembourg     OEL TWA (mg/m³)     0,1 mg/m³   | Lithuania      | TPRV (mg/m <sup>3</sup> )              | 0,3 mg/m <sup>3</sup>                          |
|  | Lithuania      | OEL chemical category (LT)             | Skin notation                                  |
| LuxembourgOEL STEL (mg/m³)0,3 mg/m³  | Luxembourg     | OEL TWA (mg/m³)                        | 0,1 mg/m <sup>3</sup>                          |
|  | Luxembourg     | OEL STEL (mg/m <sup>3</sup> )          | 0,3 mg/m <sup>3</sup>                          |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Luxembourg | OEL chemical category (LU)              | Possibility of significant uptake through the skin   |
|------------|---|--|
| Malta      | OEL TWA (mg/m³)                         | 0,1 mg/m³  |
| Malta      | OEL STEL (mg/m <sup>3</sup> )           | 0,3 mg/m³  |
| Malta      | OEL chemical category (MT)              | Possibility of significant uptake through the skin   |
| Norway     | Grenseverdier (AN) (mg/m <sup>3</sup> ) | 0,1 mg/m³  |
| Norway     | Grenseverdier (Korttidsverdi) (mg/m3)   | 0,3 mg/m <sup>3</sup> (value from the regulation)  |
| Poland     | NDS (mg/m <sup>3</sup> )                | 0,1 mg/m³  |
| Poland     | NDSCh (mg/m <sup>3</sup> )              | 0,3 mg/m³  |
| Romania    | OEL TWA (mg/m³)                         | 0,1 mg/m³  |
| Romania    | OEL STEL (mg/m <sup>3</sup> )           | 0,3 mg/m³  |
| Romania    | OEL chemical category (RO)              | Skin notation  |
| Slovakia   | NPHV (priemerná) (mg/m³)                | 0,1 mg/m³ (Sodium azide)   |
| Slovakia   | NPHV (Hranicná) (mg/m³)                 | 0,3 mg/m³  |
| Slovakia   | OEL chemical category (SK)              | Potential for cutaneous absorption   |
| Slovenia   | OEL TWA (mg/m <sup>3</sup> )            | 0,1 mg/m³  |
| Slovenia   | OEL STEL (mg/m <sup>3</sup> )           | 0,3 mg/m <sup>3</sup>  |
| Slovenia   | OEL chemical category (SL)              | Potential for cutaneous absorption   |
| Sweden     | nivågränsvärde (NVG) (mg/m³)            | 0,1 mg/m³  |
| Sweden     | kortidsvärde (KTV) (mg/m³)              | 0,3 mg/m <sup>3</sup>  |
| Portugal   | OEL TWA (mg/m <sup>3</sup> )            | 0,1 mg/m <sup>3</sup> (indicative limit value)   |
| Portugal   | OEL STEL (mg/m <sup>3</sup> )           | 0,3 mg/m <sup>3</sup> (indicative limit value)   |
| Portugal   | OEL - Ceilings (mg/m³)                  | 0,29 mg/m <sup>3</sup>   |
| Portugal   | OEL - Ceilings (ppm)                    | 0,11 ppm (vapor)   |
| Portugal   | OEL chemical category (PT)              | A4 - Not Classifiable as a Human<br>Carcinogen,skin - potential for cutaneous<br>exposure indicative limit value |

#### 8.2. **Exposure controls**

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed. : Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Respiratory protection | : If exposure limits are exceeded or irritation is experienced, approved respiratory |
|------------------------|--|
|                        | protection should be worn. In case of inadequate ventilation, oxygen deficient       |
|                        | atmosphere, or where exposure levels are not known wear approved respiratory         |
|                        | protection.  |
| Other information      | : When using, do not eat, drink or smoke.  |

| SECTION 9: Phy | sical and chemical | properties |
|----------------|--------------------|------------|
|                |                    |            |

### 9.1. Information on basic physical and chemical properties

| 9.1.    | information on basic physical and | cnemicai | properties   |
|---------|-----------------------------------|----------|--|
| Physic  | al state                          | :        | Solid  |
| Colour  |                                   | :        | Neon-pink solid                                      |
| Odour   |                                   | :        | Odourless, as water                                  |
| Odour   | threshold                         | :        | No data available                                    |
| рН      |                                   | :        | 7.6, when rehydrated with indicated volume of $H_2O$ |
| Evapor  | ation rate                        | :        | No data available                                    |
| Meltin  | g point                           | :        | No data available                                    |
| Freezir | ng point                          | :        | No data available                                    |
| Boiling | gpoint                            | :        | No data available                                    |
| Flash p | point                             | :        | No data available                                    |
| Auto-ig | gnition temperature               | :        | No data available                                    |
| Decom   | position temerature               | :        | No data available                                    |
| Flamm   | ability (solid, gas)              | :        | No data available                                    |
| Vapou   | r pressure                        | :        | No data available                                    |
| Relativ | ve vapour density at 20 °C        | :        | No data available                                    |
| Relativ | ve density                        | :        | No data available                                    |
| Solubi  | lity                              | :        | Water  |
| Partiti | on coefficent: n-octanol/water    | :        | No data available                                    |
| Viscos  | ity                               | :        | No data available                                    |
| Explos  | ive properties                    | :        | No data available                                    |
| Oxidis  | ing properties                    | :        | No data available                                    |
| Explos  | ivelimits                         | :        | No data available                                    |
|         |                                   |          |  |

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

#### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 11: Toxicological information

#### **11.1.** Information on toxicological effects

| Acute toxicity   | : Not classified  |  |  |
|--|---|--|--|
| Sodium chloride (7647-14-5)  |   |  |  |
| LD50 oral rat  | 3550 mg/kg (Species: Wistar)  |  |  |
| LD50 dermal rabbit   | >10000 mg/kg (Species: New Zealand White)   |  |  |
| LC50 inhalation rat (mg/l)   | >42 g/m³ (Exposure time: 1 h)   |  |  |
| Sodium azide (26628-22-8)  |   |  |  |
| LD50 oral rat  | 27 mg/kg  |  |  |
| LD50 oral  | 45 mg/kg  |  |  |
| LD50 dermal rabbit   | 20 mg/kg  |  |  |
| Sodium phosphate dibasic (7558-79-4)   |   |  |  |
| LD50 oral rat  | 17 g/kg   |  |  |
| LD50 dermal rat  | >500 mg/kg (50% solution)   |  |  |
| Skin corrosion/irritation<br>Serious eye damage/irritation   | <ul> <li>Not classified<br/>pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O</li> <li>Not classified<br/>pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O</li> </ul>                                      |  |  |
| Respiratory or skin sensitisation<br>Germ cell mutagenicity<br>Carcinogenicity   | <ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>  |  |  |
| Reproductive toxicity<br>STOT-single exposure  | : Not classified<br>: Not classified<br>: Not classified  |  |  |
| Aspiration hazard  | : Not classified  |  |  |
| Symptoms/Injuries After Inhalation<br>Symptoms/Injuries After Skin Contact<br>Symptoms/Injuries After Eye Contact<br>Symptoms/Injuries After Ingestion | <ul> <li>May be harmful or cause irritation.</li> <li>Prolonged exposure may cause skin irritation.</li> <li>May cause slight irritation to eyes.</li> <li>Ingestion may cause adverse effects. May be harmful if swallowed.</li> </ul> |  |  |

### Chronic Symptoms

: None expected under normal conditions of use.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general

: Harmful to aquatic life with long lasting effects.

| Sodium chloride (7647-14-5) |  |  |
|-----------------------------|--|--|
| LC50 fish 1                 | 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus<br>[flow-through]) |  |
| EC50 Daphnia 1              | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                       |  |
| LC50 fish 2                 | 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])                       |  |
| EC50 Daphnia 2              | 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])             |  |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|  | ·  |  |  |  |
|--|--|--|--|--|
| NOEC chronic fish  | 252 mg/l (Species: Pimephales promelas)  |  |  |  |
| Sodium azide (26628-22-8)  |  |  |  |  |
| LC50 fish 1  | 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)  |  |  |  |
| LC50 fish 2  | 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)  |  |  |  |
| ErC50 (algae)  | 0,348 mg/l   |  |  |  |
| 12.2. Persistence and degrada  | Persistence and degradability  |  |  |  |
| R-Phycoerythrin <sup>†</sup> -conjugated Affini                      | Pure™ Fab Fragment Goat Anti-Chicken IgY <sup>††</sup> (IgG), Fc Fragment Specific   |  |  |  |
| Persistence and degradability Not established.                       |  |  |  |  |
| 12.3. Bioaccumulative potentia                                       | 3. Bioaccumulative potential   |  |  |  |
| R-Phycoerythrin <sup>†</sup> -conjugated Affini                      | Pure™ Fab Fragment Goat Anti-Chicken IgY <sup>††</sup> (IgG), Fc Fragment Specific   |  |  |  |
| Bioaccumulative potential  | Not established.   |  |  |  |
| Sodium chloride (7647-14-5)  |  |  |  |  |
| BCF fish 1   | (no bioaccumulation)   |  |  |  |
| <b>12.4. Mobility in soil</b><br>No additional information available |  |  |  |  |
| 12.5. Results of PBT and vPvB a                                      | assessment   |  |  |  |
| No additional information available                                  |  |  |  |  |
| 12.6. Other adverse effects  |  |  |  |  |
| Other information  | : Avoid release to the environment.  |  |  |  |
| SECTION 13: Disposal cor   |  |  |  |  |
| 13.1. Waste treatment method   |  |  |  |  |
| Product/Packaging disposal<br>recommendations                        | : Dispose of contents/container in accordance with local, regional, national, and international regulations.                 |  |  |  |
| Ecology - waste materials  | : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. |  |  |  |

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                         |                   | IMDG              | ΙΑΤΑ              | ADN               | RID               |
|-----------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 14.1.                       | UN number         |                   |                   |                   |                   |
| Not reg                     | ulated for transp | ort               |                   |                   |                   |
| 14.2.                       | UN proper shi     | ipping name       |                   |                   |                   |
| Not ap                      | plicable          | Not applicable    | Not applicable    | Not applicable    | Not applicable    |
| 14.3.                       | Transport haz     | ard class(es)     |                   |                   |                   |
| Not ap                      | plicable          | Not applicable    | Not applicable    | Not applicable    | Not applicable    |
| 14.4.                       | Packing group     | )                 |                   |                   |                   |
| Not ap                      | plicable          | Not applicable    | Not applicable    | Not applicable    | Not applicable    |
| 14.5. Environmental hazards |                   |                   |                   |                   |                   |
| Danger                      | ous for the       | Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the |

#### 25/04/2024

## R-Phycoerythrin<sup>†</sup>-conjugated AffiniPure<sup>™</sup> Fab Fragment Goat Anti-Chicken IgY<sup>††</sup>(IgG), Fc Fragment Specific



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| environment : No                   | environment : No      | environment : No | environment : No | environment : No |
|------------------------------------|-----------------------|------------------|------------------|------------------|
|                                    | Marine pollutant : No |                  |                  |                  |
| 14.6. Special precautions for user |                       |                  |                  |                  |

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

**15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture **15.1.1.** EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)Sodium chloride (7647-14-5)Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)Sodium azide (26628-22-8)Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

| SECTION 16: Other information          |   |  |
|--|---|--|
| Date of Preparation or Latest Revision | : 25/04/2024  |  |
| Data sources                           | Information and data obtained and used in the authoring of this safety data sheet<br>could come from database subscriptions, official government regulatory body<br>websites, product/ingredient manufacturer or supplier specific information,<br>and/or resources that include substance specific data and classifications<br>according to GHS or their subsequent adoption of GHS. |  |
| Other information                      | : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  |  |

#### Full Text of H- and EUH-statements:

| Acute Tox. 2 (Oral) | Acute toxicity (oral), Category 2                                 |  |
|---------------------|---|--|
| Aquatic Acute 1     | Hazardous to the aquatic environment — Acute Hazard, Category 1   |  |
| Aquatic Chronic 1   | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |  |
| Aquatic Chronic 3   | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |  |
| H300                | Fatal if swallowed.   |  |
| H400                | Very toxic to aquatic life.                                       |  |
| H410                | Very toxic to aquatic life with long lasting effects.             |  |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| H412   | Harmful to aquatic life with long lasting effects.Contact with acids liberates very toxic gas. |  |
|--------|--|--|
| EUH032 |  |  |

#### Indication of Changes No additional information available

#### Abbreviations and Acronyms

| ACGIH – American Conference of Governmental Industrial Hygienists    | NDS - Najwyzsze Dopuszczalne Stezenie                                |
|--|--|
| ADN – European Agreement Concerning the International Carriage of    | NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe                     |
| Dangerous Goods by Inland Waterways                                  | NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe                      |
| ADR - European Agreement Concerning the International Carriage of    | NOAEL - No-Observed Adverse Effect Level                             |
| Dangerous Goods by Road  | NOEC - No-Observed Effect Concentration                              |
| ATE - Acute Toxicity Estimate  | NRD - Nevirsytinas Ribinis Dydis                                     |
| BCF - Bioconcentration Factor  | NTP – National Toxicology Program                                    |
| BEI - Biological Exposure Indices (BEI)                              | OEL - Occupational Exposure Limits                                   |
| BOD – Biochemical Oxygen Demand                                      | PBT - Persistent, Bioaccumulative and Toxic                          |
| CAS No Chemical Abstracts Service Number                             | PEL - Permissible Exposure Limit                                     |
| CLP – Classification, Labeling and Packaging Regulation (EC) No      | pH – Potential Hydrogen  |
| 1272/2008  | REACH – Registration, Evaluation, Authorisation, and Restriction of  |
| COD – Chemical Oxygen Demand   | Chemicals  |
| EC – European Community  | RID – Regulations Concerning the International Carriage of Dangerous |
| EC50 - Median Effective Concentration                                | Goods by Rail  |
| EEC – European Economic Community                                    | SADT - Self Accelerating Decomposition Temperature                   |
| EINECS – European Inventory of Existing Commercial Chemical          | SDS - Safety Data Sheet  |
| Substances   | STEL - Short Term Exposure Limit                                     |
| EmS-No. (Fire) - IMDG Emergency Schedule Fire                        | STOT - Specific Target Organ Toxicity                                |
| EmS-No. (Spillage) - IMDG Emergency Schedule Spillage                | TA-Luft - Technische Anleitung zur Reinhaltung der Luft              |
| EU – European Union  | TEL TRK – Technical Guidance Concentrations                          |
| ErC50 - EC50 in Terms of Reduction Growth Rate                       | ThOD – Theoretical Oxygen Demand                                     |
| GHS – Globally Harmonized System of Classification and Labeling of   | TLM - Median Tolerance Limit   |
| Chemicals  | TLV - Threshold Limit Value  |
| IARC - International Agency for Research on Cancer                   | TPRD - Trumpalaikio Poveikio Ribinis Dydis                           |
| IATA - International Air Transport Association                       | TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von      |
| IBC Code - International Bulk Chemical Code                          | Gefahrstoffen in ortsbeweglichen Behältern                           |
| IMDG - International Maritime Dangerous Goods                        | TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine        |
| IPRV - Ilgalaikio Poveikio Ribinis Dydis                             | TRGS 900 - Technische Regel für Gefahrstoffe 900 –                   |
| IOELV – Indicative Occupational Exposure Limit Value                 | Arbeitsplatzgrenzwerte   |
| LC50 - Median Lethal Concentration                                   | TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische       |
| LD50 - Median Lethal Dose  | Grenzwerte   |
| LOAEL - Lowest Observed Adverse Effect Level                         | TSCA - Toxic Substances Control Act                                  |
| LOEC - Lowest-Observed-Effect Concentration                          | TWA - Time Weighted Average  |
| Log Koc - Soil Organic Carbon-water Partitioning Coefficient         | VOC – Volatile Organic Compounds                                     |
| Log Kow - Octanol/water Partition Coefficient                        | VLA-EC - Valor Límite Ambiental Exposición de Corta Duración         |
| Log Pow - Ratio of the equilibrium concentration (C) of a dissolved  | VLA-ED - Valor Límite Ambiental Exposición Diaria                    |
| substance in a two-phase system consisting of two largely immiscible | VLE – Valeur Limite D'exposition                                     |
| solvents, in this case octanol and water                             | VME – Valeur Limite De Moyenne Exposition                            |
| MAK – Maximum Workplace Concentration/Maximum Permissible            | vPvB - Very Persistent and Very Bioaccumulative                      |
| Concentration  | WEL – Workplace Exposure Limit                                       |
| MARPOL - International Convention for the Prevention of Pollution    | WGK - Wassergefährdungsklasse  |
| EU GHS SDS   |  |
|  |  |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.