

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 26/04/2024	Version: 3.1
SECTION 1: Identification of the substance/mixture and	of the company/undertaking

1.1. Product identifier	
Product Form	: Mixture
Product Name	[:] Rhodamine Red [™] -X-conjugated AffiniPure [™] Goat Anti-Chicken IgY ^{††} (IgG) (H+L) (minimal cross-reaction to Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)
Product Code	: 103-295-155
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.
4.3.3 Use a dute of sectors	

help@jacksonimmuno.com

EUH032 - Contact with acids liberates very toxic gas.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer	European Contact
Jackson ImmunoResearch Laboratories, Inc.	Jackson ImmunoResearch Europe LTD
872 West Baltimore Pike	Cambridge House
West Grove, PA 19390	St Thomas' Place
T: 800-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK
F: 610-869-0171	T: +44 (0) 1638 782616
tech@jacksonimmuno.com	F: +44 (0) 1353 664675
www.jacksonimmuno.com	info@jacksonimmuno.com

Email address for the person responsible for this SDS: tech@jacksonimmuno.com

Emergency telephone number 1.4.

Emergency number : +1-610-869-4024 (USA)

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available Label elements 2.2. Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Rhodamine Red™-X-conjugated AffiniPure™ Goat Anti-Chicken	(CAS-No.) Not assigned	1.60	Not classified
IgY ^{††} (IgG) (H+L) (minimal cross-reaction to Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)			
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed



Safety Data Sheet

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of
	normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
-	nedical attention and special treatment needed
	ce and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising fro	om the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,
	and carbon disulfide to form shock-sensitive compounds. Reacts with acids,
	forming toxic and explosive hydrogen azide. Contact with acids liberates toxic
	gas.
Hazardous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	
5.3. Advice for firefighters	
5.3. Advice for firefighters Precautionary measures fire	: Exercise caution when fighting any chemical fire.
6	: Exercise caution when fighting any chemical fire. : Use water spray or fog for cooling exposed containers.
Precautionary measures fire	
Precautionary measures fire Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Precautionary measures fire Firefighting instructions	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas	 : Use water spray or fog for cooling exposed containers. : Do not enter fire area without proper protective equipment, including respiratory protection. Se measures
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures tive equipment and emergency procedures
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures tive equipment and emergency procedures
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE).
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE).
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.1.2. Environmental precautions	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.
 Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 6.3. Methods and material for comparison 	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Se measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.

IgY ^{††} (IgG) (H+L) (minimal c Pig, Syrian Hamster, Horse Sheep Serum Proteins) Safety Data Sheet	ated AffiniPure [™] Goat Anti-Chicken ross-reaction to Bovine, Goat, Guinea Human, Mouse, Rabbit, Rat, and (REACH) with its amendment Regulation (EU) 2015/830
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other sections	
See Section 8 for exposure controls and	personal protection and Section 13 for disposal considerations.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handlin	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage,	including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.
7.3. Specific end use(s)	
For in vitro research use only. Not for di	agnostic or therapeutic use. This is not a medical device. Contact supplier for specific

This is not a medical device. Conta uppiler for specific uc or un applications.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

Sodium chloride (7647-	14-5)	
Latvia	OEL TWA (mg/m³)	5 mg/m ³
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Sodium azide (26628-22	2-8)	
EU	IOELV TWA (mg/m³)	0,1 mg/m ³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³



Safety Data Sheet

Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³
Gibraltar	Eight hours mg/m3	0,1 mg/m ³
Gibraltar	Short-term mg/m3	0,3 mg/m³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m ³
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m ³
Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m³)	0,1 mg/m ³
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
Estonia	OEL TWA (mg/m³)	0,1 mg/m ³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation



Safety Data Sheet

Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³
Finland	HTP-arvo (15 min)	0,3 mg/m ³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m³
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m ³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m³
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m³
Poland	NDSCh (mg/m ³)	0,3 mg/m ³
Romania	OEL TWA (mg/m³)	0,1 mg/m³
Romania	OEL STEL (mg/m ³)	0,3 mg/m ³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)



Safety Data Sheet

Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value
3.2. Exposure controls Appropriate engineering controls Personal protective equipment		ipment should be available in the vicinity of any all national/local regulations are observed. Protective goggles.
Materials for protective clothing	: Chemically resistant materials and fabrics.	
Hand protection	: Wear protective gloves.	
Eye and Face Protection	: Chemical safety goggles.	
Skin and body protection	: Wear suitable protective clo	-
Respiratory protection	•	ded or irritation is experienced, approved respiratory
	-	In case of inadequate ventilation, oxygen deficient
	• • •	sure levels are not known wear approved respiratory
	protection.	
Other information	: When using, do not eat, drir	ik or smoke.
SECTION 9: Physical and o		
	sical and chemical properties	
Physical state	: Solid	
Colour	: Purple pink soli	
Odour	: Odourless, as w	
Odour threshold	: No data availat	
рН	· · · · · · · · · · · · · · · · · · ·	rated with indicated volume of H ₂ O
Evaporation rate	: No data availat	
Melting point	: No data availat	
Freezing point	: No data availat	
Boiling point	: No data availat	
Flash point	: No data availab	
Auto-ignition temperature	: No data availab	
Decomposition temerature	: No data availab	
Flammability (solid, gas)	: No data availab	
Vapour pressure	: No data availab	
Relative vapour density at 20 °C	: No data availab	
Relative density	: No data availat	ле
Solubility	: Water	
Dartition coofficients a sate and foret-	r : No data availat	ле
Partition coefficent: n-octanol/wate	الليانية مشمله ملا	
Viscosity	: No data availat	
•	: No data availat : No data availat : No data availat	ble



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Acute toxicity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m ³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.
SECTION 12. Ecological informat	ion

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)

LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

12.2. Persistence and degradability

Rhodamine Red™-X-conjugated AffiniPure™ Goat Anti-Chicken IgY^{††}(IgG) (H+L) (minimal cross-reaction to Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)

Persistence and degradability Not established.

12.3. Bioaccumulative potential

Rhodamine Red™-X-conjugated AffiniPure™ Goat Anti-Chicken IgY^{††}(IgG) (H+L) (minimal cross-reaction to Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)

Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
	environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	Not regulated for transport				
14.2.	14.2. UN proper shipping name				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviro	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information			
Date of Preparation or Latest Revision	: 26/04/2024		
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.		
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

BEI - Biological Exposure Indices (BEI)OEL - Occupational Exposure LimitsBOD - Biochemical Oxygen DemandPBT - Persistent, Bioaccumulative and ToxicCAS No Chemical Abstracts Service NumberPEL - Permissible Exposure LimitCLP - Classification, Labeling and Packaging Regulation (EC) NopH - Potential Hydrogen1272/2008REACH - Registration, Evaluation, Authorisation, and Restriction ofCOD - Chemical Oxygen DemandChemicalsEC - European CommunityRID - Regulations Concerning the International Carriage of DangerousEC50 - Median Effective ConcentrationGoods by RailEEC - European Economic CommunitySADT - Self Accelerating Decomposition TemperatureEINECS - European Inventory of Existing Commercial ChemicalSDS - Safety Data Sheet	BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC – European Economic Community EINECS – European Inventory of Existing Commercial Chemical	PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet
SubstancesSTEL - Short Term Exposure LimitEmS-No. (Fire) - IMDG Emergency Schedule FireSTOT - Specific Target Organ Toxicity		•



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft EU – European Union TEL TRK – Technical Guidance Concentrations ErC50 - EC50 in Terms of Reduction Growth Rate ThOD - Theoretical Oxygen Demand GHS - Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit TLV - Threshold Limit Value Chemicals IARC - International Agency for Research on Cancer TPRD - Trumpalaikio Poveikio Ribinis Dydis IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV - Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische LD50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC - Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse FU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.