Use of the substance/mixture 1.2.2. Uses advised against	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a
1.2.2. Uses advised against	i for in the research use on finite of and peake user this is not a
1.2.2. Uses advised against	medical device. Contact supplier for specific applications.
5	
No additional information available	
1.3. Details of the supplier of the sa	afety data sheet
Manufacturer	European Contact
Jackson ImmunoResearch Laboratories, I	nc. Jackson ImmunoResearch Europe LTD
872 West Baltimore Pike	Cambridge House
West Grove, PA 19390	St Thomas' Place
T: 800-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK
F: 610-869-0171	T: +44 (0) 1638 782616
tech@jacksonimmuno.com	F: +44 (0) 1353 664675
www.jacksonimmuno.com	info@jacksonimmuno.com
	help@jacksonimmuno.com
Email address for the person responsible	e for this SDS:
tech@jacksonimmuno.com	
1.4. Emergency telephone numbe	r
F 1	
Emergency number : +1-62	10-869-4024 (USA)
SECTION 2: Hazards identific	ation
SECTION 2: Hazards identific 2.1. Classification of the substance	ation or mixture
SECTION 2: Hazards identific 2.1. Classification of the substance Classification According to Regulation (EC)	ation or mixture No. 1272/2008 [CLP]
SECTION 2: Hazards identifica 2.1. Classification of the substance of Classification According to Regulation (EC) In Aquatic Chronic3	ation or mixture No. 1272/2008 [CLP] H412
SECTION 2: Hazards identific 2.1. Classification of the substance Classification According to Regulation (EC) I Aquatic Chronic3 Full text of hazard classes and H-statemen	ation or mixture No. 1272/2008 [CLP] H412 Its: see section 16
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification According to Regulation (EC) M Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health and	ation or mixture No. 1272/2008 [CLP] H412 Its: see section 16
SECTION 2: Hazards identifica 2.1. Classification of the substance of Classification According to Regulation (EC) P Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available	ation or mixture No. 1272/2008 [CLP] H412 Its: see section 16
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification According to Regulation (EC) M Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available 2.2. Label elements	ation or mixture No. 1272/2008 [CLP] H412 hts: see section 16 hd environmental effects
SECTION 2: Hazards identification of the substance of Classification According to Regulation (EC) If Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 2	ation or mixture No. 1272/2008 [CLP] H412 Its: see section 16 Ind environmental effects
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification According to Regulation (EC) M Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available 2.2. Label elements	ation or mixture No. 1272/2008 [CLP] H412 hts: see section 16 hd environmental effects
SECTION 2: Hazards identification of the substance of Classification According to Regulation (EC) If Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 2	ation or mixture No. 1272/2008 [CLP] H412 hts: see section 16 hd environmental effects 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment.
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification According to Regulation (EC) M Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 2 Hazard statements (CLP)	ation or mixture No. 1272/2008 [CLP] H412 hts: see section 16 htd environmental effects 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects.
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification According to Regulation (EC) M Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 2 Hazard statements (CLP)	ation or mixture No. 1272/2008 [CLP] H412 Its: see section 16 Ind environmental effects 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification According to Regulation (EC) M Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 2 Hazard statements (CLP)	ation or mixture No. 1272/2008 [CLP] H412 H5: see section 16 Ind environmental effects H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection
SECTION 2: Hazards identification 2.1. Classification of the substance of Classification According to Regulation (EC) M Aquatic Chronic3 Full text of hazard classes and H-statemen Adverse physicochemical, human health an No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 2 Hazard statements (CLP)	ation or mixture No. 1272/2008 [CLP] H412 Its: see section 16 Ind environmental effects 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 19/04/2024 Version: 3.1 SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

Product Form	: Mixture
Product Name	Alexa Fluor [®] 488-conjugated AffiniPure [™] Goat Anti-Chicken IgY ^{††} (IgG) (H+L) (minimal cross-reaction to Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)
Product Code	: 103-545-155
1.2. Relevant identified uses of	the substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is n medical device. Contact supplier for specific applications.





Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Alexa Fluor® 488-conjugated AffiniPure™ Goat Anti-Chicken	(CAS-No.) Not assigned	1.58	Not classified
IgY ^{††} (IgG) (H+L) (minimal cross-reaction to Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)			
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed



Safety Data Sheet

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of
	normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
4.3. Indication of any immediate	medical attention and special treatment needed
If exposed or concerned, get medical advi	ce and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting mea	sures
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	om the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,
	and carbon disulfide to form shock-sensitive compounds. Reacts with acids,
	forming toxic and explosive hydrogen azide. Contact with acids liberates toxic
	gas.
Hazardous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
	protection.
SECTION 6: Accidental release	se measures
	tive equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	
	: Upon arrival at the scene, a first responder is expected to recognize the presence
	of dangerous goods, protect oneself and the public, secure the area, and call for
6.2. Environmental precautions	of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
·	of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for cor	of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. : Prevent entry to sewers and public waters. Avoid release to the environment. htainment and cleaning up
·	of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.Prevent entry to sewers and public waters. Avoid release to the environment.

IgY ^{††} (IgG) (H+L) (minimal cr Pig, Syrian Hamster, Horse, Sheep Serum Proteins) Safety Data Sheet	d AffiniPure [™] Goat Anti-Chicken ross-reaction to Bovine, Goat, Guinea Human, Mouse, Rabbit, Rat, and REACH) with its amendment Regulation (EU) 2015/830
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other sections	
See Section 8 for exposure controls and	personal protection and Section 13 for disposal considerations.
SECTION 7: Handling and st	
7.1. Precautions for safe handlin	
Precautions for safe handling	 Wash hands and other exposed areas with mild soap and water before eating,
	drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
	including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store
	away from extremely high temperatures and incompatible materials.
Incompatible materials	 Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.
7.3. Specific end use(s)	
For in vitro research use only. Not for di	agnostic or therapeutic use. This is not a medical device. Contact supplier for specific

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-1	.4-5)	
Latvia	OEL TWA (mg/m³)	5 mg/m ³
Lithuania	IPRV (mg/m³)	5 mg/m ³
Sodium azide (26628-22	-8)	
EU	IOELV TWA (mg/m³)	0,1 mg/m ³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³



Safety Data Sheet

Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³
Gibraltar	Eight hours mg/m3	0,1 mg/m ³
Gibraltar	Short-term mg/m3	0,3 mg/m³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m ³
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m ³
Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m³)	0,1 mg/m ³
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
Estonia	OEL TWA (mg/m ³)	0,1 mg/m ³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation



Safety Data Sheet

MaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³	Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³
HungaryAK-érték0.1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0.1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL (chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0.1 mg/m³LithuaniaOEL Themical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,3 mg/m³LuxembourgOEL TWA (mg/m³)0,3 mg/m³LuxembourgOEL TWA (mg/m³)0,3 mg/m³LuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (KN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (KN) (mg/m³)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³SlovakiaNPHV (Irrancia) (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³	Finland	HTP-arvo (15 min)	0,3 mg/m ³
HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (IT)Skin notationLuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL Chemical category (LU)Possibility of significant uptake through the skinMaltaOEL Chemical category (MT)Possibility of significant uptake through the skinMaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Kortidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaNPHV (francná) (mg/m³)0,3 mg/m³SlovakiaNPHV (francná) (mg/m³)0,3 mg/m³SlovakiaNPHV (francná) (mg/m³)0,1 mg/m³SlovakiaNPHV (francná) (mg/m³)0,3 mg/m³SlovakiaNPHV (francná) (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³<	Finland	OEL chemical category (FI)	Potential for cutaneous absorption
IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m³)0,1 mg/m³UthuaniaOEL chemical category (IT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL chemical category (UT)Skin notationLuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³PolandNDS (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (Premerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³Slovenia <td>Hungary</td> <td>AK-érték</td> <td>0,1 mg/m³</td>	Hungary	AK-érték	0,1 mg/m³
IrelandOEL (15 min ref) (mg/m3)0,3 mg/m3IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m3)0,1 mg/m3LithuaniaTPRV (mg/m3)0,3 mg/m3LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL STEL (mg/m3)0,3 mg/m3LuxembourgOEL Chemical category (LU)Possibility of significant uptake through the skinMaltaOEL STEL (mg/m3)0,3 mg/m3MaltaOEL STEL (mg/m3)0,3 mg/m3MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m3)0,1 mg/m3NorwayGrenseverdier (AN) (mg/m3)0,3 mg/m3PolandNDS (mg/m3)0,1 mg/m3RomaniaOEL TWA (mg/m3)0,3 mg/m3RomaniaOEL TWA (mg/m3)0,1 mg/m3PolandNDS (mg/m3)0,1 mg/m3RomaniaOEL TWA (mg/m3)0,3 mg/m3RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m3)0,3 mg/m3SlovakiaNPHV (priemerná) (mg/m3)0,3 mg/m3SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL Chemical category (SK)Potential	Hungary	CK-érték	0,3 mg/m³
IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL Chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TEL (mg/m³)0,3 mg/m³MaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³PolandNDS (mg/m³)0,3 mg/m³PolandNDS (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaOEL TWA (mg/m³)0,1 mg/m³SlovakiaOEL Chemical category (SK)Potential for cutaneous absorptionSlovakiaOEL Chemical category (SK)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SK)Potential for cutaneous absorpti	Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m³
LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³MaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL TTWA (mg/m³)0,1 mg/m³MaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³PolandNDS (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovakiaOEL Stel (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)	Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³
LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL STEL (mg/m³)0,1 mg/m³LuxembourgOEL Chemical category (LU)Possibility of significant uptake through the skinMaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³RomaniaOEL THW (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,1 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL Chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL Chemical category (SK) <td>Ireland</td> <td>OEL chemical category (IE)</td> <td>Potential for cutaneous absorption</td>	Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL STEL (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (NT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaOEL TWA (mg/m³)0,3 mg/m³SlovaniaOEL Chemical category (SK)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorption </td <td>Lithuania</td> <td>IPRV (mg/m³)</td> <td>0,1 mg/m³</td>	Lithuania	IPRV (mg/m ³)	0,1 mg/m³
LuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³	Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
LuxembourgOEL STEL (mg/m²)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Soluim azide)SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorption	Lithuania	OEL chemical category (LT)	Skin notation
LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,3 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,2 9 mg/m³	Luxembourg	OEL TWA (mg/m ³)	0,1 mg/m³
MaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL STEL (mg/m³)0,3 mg/m³SlovaniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedennivågränsvärde (NVG) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL TEL (mg/m³)0,3 mg/m³ (indicative limit value)	Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
MaltaOEL STEL (mg/m³)0.3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0.1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0.3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0.1 mg/m³PolandNDSCh (mg/m³)0.3 mg/m³RomaniaOEL TWA (mg/m³)0.3 mg/m³RomaniaOEL TWA (mg/m³)0.3 mg/m³RomaniaOEL STEL (mg/m³)0.3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0.1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0.3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0.3 mg/m³SloveniaOEL STEL (mg/m³)0.3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0.3 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0.3 mg/m³PortugalOEL STEL (mg/m³)0.3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0.3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0.3 mg/m³ (indicative limit value)	Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL STEL (mg/m³)0,1 mg/m³SlovaniaOEL chemical category (SL)Potential for cutaneous absorptionSlovaniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,3 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,3 mg/m³	Malta	OEL TWA (mg/m ³)	0,1 mg/m³
NorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,3 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Cellings (mg/m³)0,29 mg/m³	Malta	OEL STEL (mg/m ³)	0,3 mg/m³
NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m3 (value from the regulation)PolandNDS (mg/m3)0,1 mg/m3PolandNDSCh (mg/m3)0,3 mg/m3RomaniaOEL TWA (mg/m3)0,1 mg/m3RomaniaOEL STEL (mg/m3)0,3 mg/m3RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m3)0,1 mg/m3 (Sodium azide)SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m3)0,3 mg/m3SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m3)0,1 mg/m3Swedenkortidsvärde (KTV) (mg/m3)0,3 mg/m3PortugalOEL TWA (mg/m3)0,3 mg/m3 (indicative limit value)PortugalOEL STEL (mg/m3)0,3 mg/m3PortugalOEL Ceilings (mg/m3)0,3 mg/m3 (indicative limit value)	Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovakiaOEL twa (mg/m³)0,1 mg/m³SlovaniaOEL TWA (mg/m³)0,3 mg/m³SlovaniaOEL TWA (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,3 mg/m³ (indicative limit value)	Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m³
PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³PortugalOEL Ceilings (mg/m³)0,3 mg/m³	Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,29 mg/m³	Poland	NDS (mg/m ³)	0,1 mg/m³
RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovakiaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Poland	NDSCh (mg/m ³)	0,3 mg/m³
RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,1 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,3 mg/m³ (indicative limit value)	Romania	OEL TWA (mg/m ³)	0,1 mg/m³
SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Romania	OEL STEL (mg/m ³)	0,3 mg/m³
SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Romania	OEL chemical category (RO)	Skin notation
SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,29 mg/m³	Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
SloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovenia	OEL TWA (mg/m ³)	0,1 mg/m³
Swedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovenia	OEL STEL (mg/m ³)	0,3 mg/m³
Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
Portugal OEL - Ceilings (mg/m ³) 0,29 mg/m ³	Portugal	OEL TWA (mg/m³)	0,1 mg/m ³ (indicative limit value)
	Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal OEL - Ceilings (ppm) 0,11 ppm (vapor)	Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
	Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)



Safety Data Sheet

Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value
8.2. Exposure controls Appropriate engineering controls Personal protective equipment		uipment should be available in the vicinity of any all national/local regulations are observed. Protective goggles.
Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection	protection should be worn.	
Other information	: When using, do not eat, dri	ink or smoke.
SECTION 9: Physical and c		
	ical and chemical properties	
Physical state	: Solid	
Colour	: Neon green sol	id
Odour	: Odourless, as	water
Odour threshold	: No data availa	ble
рН	: 7.6, when rehy	drated with indicated volume of H ₂ O
Evaporation rate	: No data availa	_
Melting point	: No data availa	
Freezing point	: No data availa	
Boiling point	: No data availa	
Flash point	: No data availa	
Auto-ignition temperature	: No data availa	
Decomposition temerature	: No data availa	
Flammability (solid, gas)	: No data availa	
Vapour pressure	: No data availa	
Relative vapour density at 20 °C	: No data availa	
	: No data availa	
Relative density	: No data avaira : Water	
Solubility		blo
Partition coefficent: n-octanol/water		
Viscosity	: No data availa	
Explosive properties	: No data availa	
Oxidising properties	: No data availa	
Explosive limits	: No data availa	ble



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Acute toxicity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation Germ cell mutagenicity	: Not classified : Not classified
Carcinogenicity	: Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sified narmful or cause irritation.
ed exposure may cause skin irritation.
se slight irritation to eyes.
n may cause adverse effects. May be harmful if swallowed.
pected under normal conditions of use.
u oi

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)

LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	EC chronic fish 252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

12.2. Persistence and degradability

Alexa Fluor[®] 488-conjugated AffiniPure[™] Goat Anti-Chicken IgY^{††}(IgG) (H+L) (minimal cross-reaction to Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)

Persistence and degradability Not established.

12.3. Bioaccumulative potential

Alexa Fluor® 488-conjugated AffiniPure™ Goat Anti-Chicken IgY^{††}(IgG) (H+L) (minimal cross-reaction to Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)

Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
	environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	Not regulated for transport				
14.2.	. UN proper shipping name				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviro	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

No chemical salety assessment has been			
SECTION 16: Other information			
Date of Preparation or Latest Revision	: 19/04/2024		
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.		
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		

Full Text of H- and EUH-statements:

Acute toxicity (oral), Category 2	
Hazardous to the aquatic environment — Acute Hazard, Category 1	
Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Fatal if swallowed.	
Very toxic to aquatic life.	
Very toxic to aquatic life with long lasting effects.	
Harmful to aquatic life with long lasting effects.	
Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft EU – European Union TEL TRK – Technical Guidance Concentrations ErC50 - EC50 in Terms of Reduction Growth Rate ThOD - Theoretical Oxygen Demand GHS - Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit TLV - Threshold Limit Value Chemicals IARC - International Agency for Research on Cancer TPRD - Trumpalaikio Poveikio Ribinis Dydis IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV - Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische LD50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC - Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse FU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.