

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 24/04/2024

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Form : Mixture Product Name : Texas Red [®] dye-conjugated Affini Pure [™] Goat Anti-Human igM, Fc _{5m} Frag Specific (minimal cross-reaction to Bovine Serum Proteins) Product Code : 109-075-129 12. Relevant identified uses of the substance or mixture and uses advised against 12.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This medical device. Contact supplier for specific applications. 12.1. Relevant identified uses			
Specific (minimal cross-reaction to Bovine Serum Proteins) Product Code : 109-075-129 1.2. Relevant identified uses Use of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This medical device. Contact supplier for specific applications. 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Manufacturer Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe ITD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place 1.800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1333 664675 www.jacksonimmuno.com info/ajacksonimmuno.com Emergency telephone number Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification H412 Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional in			
Specific (minimal cross-reaction to Bovine Serum Proteins) Product Code : 109-075-129 12. Relevant identified uses of the substance or mixture and uses advised against 12.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This medical device. Contact supplier for specific applications. 12.1. Relevant identified uses No additional information available European Contact 13. Details of the supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe ID 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T. 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK Fiel0-869-0171 T: 44 (0) 1638 782616 tech@jacksonimmuno.com Info@jacksonimmuno.com www.jacksonimmuno.com Info@jacksonimmuno.com etmagency number : ±1-610-869-4024 (USA) Staffication According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physioche	Texas Red [®] dve-conjugated AffiniPure™ Goat Anti-Human IgM, Ecc Fragment		
Product Code 1: 109-075-129 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This medical device. Contact supplier for specific applications. 1.2.2. Uses advised against No additional information available European Contact 1.3. Details of the supplier of the safety data sheet Manufacture Lackson ImmunoResearch Europe IDD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place 1.8.00-867-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1333 664675 www.jacksonimmuno.com Info@jacksonimmuno.com Email address for the person responsible for this SDS: Ecch@jacksonimmuno.com Emargency telephone number Emergency quebphone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Ha12 Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additio	aginent		
1.2. Relevant identified uses of the substance or mixture and uses advised against 1.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This medical device. Contact supplier for specific applications. 1.2. Use advised against No additional information available 1.3. Details of the supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK Fi 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Emergency telephone number Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: HazardS identification Ha12 Yuquatic Chronic3 H412 Yuquatic Chronic3 H412 Yuquatic Chronic3 H412 Yuquatic Chronic3 H412			
12.1. Relevant identified uses			
Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This medical device. Contact supplier for specific applications. 1.2.2. Uses advised against Image: Contact supplier for specific applications. No additional information available Image: Contact supplier for specific applications. 1.3. Details of the supplier of the safety data sheet European Contact Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD S72 West Baltimore Pike Cambridge House West Growe, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 44 (0) 1353 664675 www.jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com Info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com tech@jacksonimmuno.com Info@jacksonimmuno.com SECTION 2: Hazards identification Image: Stress and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Classification of the substance or mixture Image: Stress and H-statements: see section 16 Adverse physicochemical, human health and environment			
No additional information available 1.3. Details of the supplier of the safety data sheet Anufacturer Anufacturer Anufacturer Anufacturer Action ImmunoResearch Laboratories, Inc. B72 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 Etch@jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com Action at the person responsible for this SDS: Etch@jacksonimmuno.com Action at the person responsible for this SDS: Etch@jacksonimmuno.com Action at the substance or mixture Classification of the substance or mixture Classification at the subtance or the	is is not a		
1.3. Details of the supplier of the safety data sheet European Contact Manufacturer Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD. 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1533 664675 www.jacksonimmuno.com Info@jacksonimmuno.com ball help@jacksonimmuno.com keth@jacksonimmuno.com keth@jacksonimmuno.com tech@jacksonimmuno.com keth@jacksonimmuno.com A. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification H412 Aquatic Chronic3 H412 Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 State Adverse physicochemical, human health and environmental effects Vo additional information available 2.1. Label elements H412 - Harmful to aquatic life with long lasting effects. No additional information available P273 - Avoid release to the environment.			
Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Emergency telephone number Emergency telephone number Emergency telephone number Emergency telephone number Emergency telephone number Emergency telephone number Emergency addition of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Label ling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (
Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com help@jacksonimmuno.com tech@jacksonimmuno.com help@jacksonimmuno.com tech@jacksonimmuno.com teth@jac			
West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com tech@jacksonimmuno.com info@jacksonimmuno.com Melp@jacksonimmuno.com tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number Emergency number t +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment.			
T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Emergency telephone number Emergency number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation. <th></th>			
F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com A. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com tech@jacksonimmuno.com tech@jacksonimmuno.com 1.4. Emergency telephone number tech@jacksonimmuno.com Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Label lements H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Label elements Label elements Label elements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation. 			
 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation. 			
Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
Aquatic Chronic3H412Full text of hazard classes and H-statements: see section 16Adverse physicochemical, human health and environmental effectsNo additional information available2.2. Label elementsLabelling According to Regulation (EC) No. 127/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collpoint, in accordance with local, regional, national and/or internationalregulation.			
Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
Adverse physicochemical, human health and evironmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 127/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
2.2. Label elements Labelling According to Regulation (EC) No. 127/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
 Hazard statements (CLP) Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation. 			
Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collpoint, in accordance with local, regional, national and/or internationalregulation.			
P501 - Dispose of contents/container to hazardous or special waste coll point, in accordance with local, regional, national and/or international regulation.			
point, in accordance with local, regional, national and/or international regulation.	llection		
regulation.			
-	I		
Lon-statements Lonosz - Contact with acros fiberates very toxic gas.			
24/04/2024 EN (English)	1 / 12		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Texas Red [®] dye-conjugated AffiniPure™ Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serum Proteins)	(CAS-No.) Not assigned	1.61	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measu	ires
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	 Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	 Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms ar	nd effects, both acute and delayed
Symptoms/effects	 Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
	medical attention and special treatment needed
•	ice and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting mea	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	rom the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,
	and carbon disulfide to form shock-sensitive compounds. Reacts with acids,
	forming toxic and explosive hydrogen azide. Contact with acids liberates toxic
	gas.
Hazardous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
	protection.
SECTION 6: Accidental relea	
-	tive equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence
Emergency procedures	of dangerous goods, protect oneself and the public, secure the area, and call for
	the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for co	
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry
	into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent
	authorities after a spill.
6.4. Reference to other sections	

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

Precautions for safe handling 7.1. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. 7.2. Conditions for safe storage, including any incompatibilities : Comply with applicable regulations. Technical measures Storage conditions : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials. Incompatible materials : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)		
Latvia	OEL TWA (mg/m³)	5 mg/m ³
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Sodium azide (26628-22-8)		
EU	IOELV TWA (mg/m³)	0,1 mg/m³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m³)	0,1 mg/m ³ (restrictive limit)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	0,2 mg/m ³
Gibraltar	Eight hours mg/m3	0,1 mg/m ³
Gibraltar	Short-term mg/m3	0,3 mg/m ³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m ³
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m ³
Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m³)	0,1 mg/m ³
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m³)	0,1 mg/m ³ (indicative limit value)
Spain	VLA-EC (mg/m³)	0,3 mg/m ³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m ³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
Estonia	OEL TWA (mg/m³)	0,1 mg/m ³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	OEL CHEMICAL CALEGOLY (ET)	
	HTP-arvo (8h) (mg/m ³)	0,1 mg/m ³
Finland	3 / (/	
Finland Finland	HTP-arvo (8h) (mg/m ³)	0,1 mg/m ³



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hungary	CK-érték	0,3 mg/m³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m³
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m³
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m³)	0,1 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m³
Poland	NDSCh (mg/m ³)	0,3 mg/m ³
Romania	OEL TWA (mg/m³)	0,1 mg/m³
Romania	OEL STEL (mg/m ³)	0,3 mg/m ³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

: When using, do not eat, drink or smoke. SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties **q** 1

9.1. Information on basic physical and chemi	cai	properties
Physical state	:	Solid
Colour	:	Purple solid
Odour	:	Odourless, as water
Odour threshold	:	No data available
рН	:	7.6, when rehydrated with indicated volume of H_2O
Evaporation rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

LD50 dermal rat

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m ³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.

>500 mg/kg (50% solution)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	Chronic Symptoms : None expected under normal conditions of use.		
SECTION 12: Ecological inf	formation		
2.1. Toxicity			
Ecology - general	: Harmful to aquatic life with long lasting effects.		
Sodium chloride (7647-14-5)			
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])		
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)		
Sodium azide (26628-22-8)			
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
ErC50 (algae)	0,348 mg/l		
2.2. Persistence and degradab	ility		
Texas Red [®] dye-conjugated AffiniPur	re™ Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serun		
Proteins)			
	Not established.		
Persistence and degradability			
Persistence and degradability 2.3. Bioaccumulative potentia	l		
Persistence and degradability 2.3. Bioaccumulative potentia Texas Red [®] dye-conjugated AffiniPur			
Persistence and degradability 2.3. Bioaccumulative potentia Texas Red [®] dye-conjugated AffiniPur	l		
Persistence and degradability 2.3. Bioaccumulative potentia Texas Red [®] dye-conjugated AffiniPur Proteins) Bioaccumulative potential	l re™ Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serun		
Persistence and degradability 2.3. Bioaccumulative potentia Texas Red [®] dye-conjugated AffiniPur Proteins) Bioaccumulative potential Sodium chloride (7647-14-5)	l re™ Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serun		
Persistence and degradability 2.3. Bioaccumulative potential Texas Red [®] dye-conjugated AffiniPur Proteins) Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1	I re [™] Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serun Not established.		
Persistence and degradability 2.3. Bioaccumulative potential Texas Red [®] dye-conjugated AffiniPur Proteins) Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil	I re [™] Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serun Not established.		
Persistence and degradability 2.3. Bioaccumulative potential Texas Red [®] dye-conjugated AffiniPur Proteins) Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil lo additional information available 2.5. Results of PBT and vPvB as	I re™ Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serur Not established. (no bioaccumulation)		
Persistence and degradability 2.3. Bioaccumulative potentia Texas Red [®] dye-conjugated AffiniPur Proteins) Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil Io additional information available 2.5. Results of PBT and vPvB as Io additional information available	I re™ Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serun Not established. (no bioaccumulation)		
Persistence and degradability 2.3. Bioaccumulative potential Texas Red [®] dye-conjugated AffiniPur Proteins) Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil lo additional information available 2.5. Results of PBT and vPvB as	I re™ Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serun Not established. (no bioaccumulation)		

13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
	environment. Keep out of sewers and waterways.

SECTION 14: Transport information



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number	r	_		
Not regulated for tran	sport			
14.2. UN proper	shipping name			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	azard class(es)			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	up			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of Preparation or Latest Revision	: 24/04/2024	
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body	
	websites, product/ingredient manufacturer or supplier specific information,	
	and/or resources that include substance specific data and classifications	
	according to GHS or their subsequent adoption of GHS.	
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment	
	Regulation (EU) 2015/830	

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 - Median Lethal Concentration LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution EU GHS SDS TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.