

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 25/04/2024 Version: 3.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Form : Mixture

Product Name : R-Phycoerythrin<sup>†</sup>-conjugated AffiniPure™ F(ab')<sub>2</sub> Fragment Goat Anti-Human IgG

(H+L) (minimal cross-reaction to Bovine, Horse, and Mouse Serum Proteins)

Product Code : 109-116-088

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a

medical device. Contact supplier for specific applications.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer European Contact

Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD

872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place

T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK

F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com

help@jacksonimmuno.com

Email address for the person responsible for this SDS:

tech@jacksonimmuno.com

1.4. Emergency telephone number

Emergency number : +1-610-869-4024 (USA)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3 H412
Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation.

EUH-statements EUH032 - Contact with acids liberates very toxic gas.

25/04/2024 EN (English) 1 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.3. Other hazards

Other hazards not contributing to the

: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

classification

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
R-Phycoerythrin <sup>†</sup> -conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Goat	(CAS-No.) Not assigned	1.08	Not classified
Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Horse, and Mouse Serum Proteins)			
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.78	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.22	Not classified

Full text of H-statements: see section 16

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once.

Immediately call a poison center, physician, or emergency medical service.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5

minutes. Obtain medical attention if irritation develops or persists.

First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention if irritation

develops or persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of

normal use.

Symptoms/effects after inhalation : May be harmful or cause irritation.

Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation.

25/04/2024 EN (English) 2 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after eye contact : May cause slight irritation to eyes.

Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed.

Chronic symptoms : None expected under normal conditions of use.

### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not Assigned

Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,

and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic

gas.

Hazardous decomposition products in

case of fire

: Hydrogen chloride. Sodium oxides. Nitrogen oxides.

### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid prolonged contact with eyes, skin and clothing.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence

of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

**6.2.** Environmental precautions

: Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain solid spills with appropriate barriers and prevent migration and entry

into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent

authorities after a spill.

#### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

25/04/2024 EN (English) 3 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work. Avoid prolonged contact with eyes,

skin and clothing.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store

away from extremely high temperatures and incompatible materials.

Incompatible materials : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated

hydrocarbons.

#### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Sodium chloride (7647-14-5)				
Latvia	OEL TWA (mg/m³)	5 mg/m³		
Lithuania	IPRV (mg/m³)	5 mg/m³		
Sodium azide (26628-22-8)				
EU	IOELV TWA (mg/m³)	0,1 mg/m³		
EU	IOELV STEL (mg/m³)	0,3 mg/m³		
EU	Notes	Possibility of significant uptake through the skin		
Austria	MAK (mg/m³)	0,1 mg/m³		
Austria	MAK Short time value (mg/m³)	0,3 mg/m³		
Austria	OEL chemical category (AT)	Skin notation		
Belgium	OEL chemical category (BE)	Skin, Skin notation		
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³		
Bulgaria	OEL STEL (mg/m³)	0,3 mg/m³		
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³		
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³		
Croatia	OEL chemical category (HR)	Skin notation		
Cyprus	OEL TWA (mg/m³)	0,1 mg/m³		
Cyprus	OEL STEL (mg/m³)	0,3 mg/m³		
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption		
France	VLE (mg/m³)	0,3 mg/m³ (restrictive limit)		
France	VME (mg/m³)	0,1 mg/m³ (restrictive limit)		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Germany         TRGS 900 Occupational exposure limit value (mg/m²)         0.2 mg/m²           Gibraltar         Eight hours mg/m3         0.1 mg/m²           Gibraltar         Short-term mg/m3         0.3 mg/m²           Gibraltar         OEL Chemical category (GI)         Skin notation           Greece         OEL TWA (ppm)         0.1 ppm           Greece         OEL TWA (ppm)         0.1 ppm           Greece         OEL STEL (mg/m²)         0.3 mg/m²           Greece         OEL STEL (ppm)         0.1 ppm           Greece         OEL STEL (ppm)         0.1 ppm           USA ACGIH         ACGIH Ceiling (mg/m²)         0,1 ppm           USA ACGIH         ACGIH Ceiling (mg/m²)         0,1 mg/m²           Italy         OEL TWA (mg/m²)         0,1 mg/m²           Italy         OEL STEL (mg/m²)         0,3 mg/m²           Italy         OEL chemical category (IT)         skin - potential for cutaneous absorption           Italya         OEL chemical category (IV)         skin - potential for cutaneous exposure           Spain         VA-EC (mg/m²)         0,1 mg/m² (indicative limit value)           Spain         VA-EC (mg/m²)         0,1 mg/m²           Switzerland         KZGW (mg/m²)         0,4 mg/m² (inhalable dust)	France	OEL chemical category (FR)  Risk of cutaneous absorption		
Gibraltar         Short-term ng/m3         0,3 mg/m³           Gibraltar         OEL chemical category (GI)         Skin notation           Greece         OEL TWA (mg/m²)         0,3 mg/m³           Greece         OEL STEL (mg/m²)         0,1 ppm           Greece         OEL STEL (ppm)         0,1 ppm           Greece         OEL STEL (ppm)         0,1 ppm           USA ACGIH         ACGIH Ceiling (mg/m³)         0,29 mg/m³           USA ACGIH         ACGIH Ceiling (ppm)         0,11 ppm           Italy         OEL TWA (mg/m³)         0,1 mg/m³           Italy         OEL TWA (mg/m³)         0,3 mg/m³           Italy         OEL Chemical category (IT)         skin - potential for cutaneous absorption           Latvia         OEL Chemical category (LIV)         skin - potential for cutaneous exposure           Spain         VLA-ED (mg/m³)         0,3 mg/m³           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Switzerland         KZGW (mg/m³)         0,4 mg/m³ (inhalable dust)           Switzerland         KZGW (mg/m³)         0,2 mg/m³ (inhalable dust)           Netherlands         <	Germany		0,2 mg/m³	
Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m²) 0,3 mg/m³  Greece OEL TWA (ppm) 0,1 ppm  Greece OEL STEL (mg/m²) 0,3 mg/m³  Greece OEL STEL (ppm) 0,1 ppm  USA ACGIH ACGIH (eiling (mg/m²) 0,2 mg/m³  USA ACGIH ACGIH ACGIH (eiling (ppm) 0,1 ppm  USA ACGIH ACGIH ACGIH (eiling (ppm) 0,1 ppm  USA ACGIH ACGIH ACGIH (eiling (ppm) 0,1 ppm  USA ACGIH ACGIH ACGIH ACGIH (eiling (ppm) 0,1 ppm  USA ACGIH ACGIH ACGIH ACGIH (eiling (ppm) 0,1 ppm  USA ACGIH ACGIH ACGIH (eiling (ppm) 0,1 mg/m²  Italy OEL TWA (mg/m²) 0,3 mg/m³  Italy OEL Chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m²) 0,1 mg/m²  Latvia OEL Chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m²) 0,1 mg/m² (indicative limit value)  Spain VLA-ED (mg/m²) 0,3 mg/m²  Spain OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland KZGW (mg/m²) 0,2 mg/m² (inhalable dust)  Switzerland MAK (mg/m²) 0,2 mg/m² (inhalable dust)  Netherlands Grenswaarde TGG 8H (mg/m²) 0,1 mg/m²  United Kingdom WEL TWA (mg/m²) 0,1 mg/m²  United Kingdom WEL TWA (mg/m²) 0,1 mg/m²  United Kingdom WEL STEL (mg/m²) 0,3 mg/m²  United Kingdom WEL STEL (mg/m²) 0,1 mg/m²  Sech Republic DEL chemical category (CZ) Potential for cutaneous absorption  Denmark Grenswaerdie (langvarig) (mg/m²) 0,1 mg/m²  Estonia OEL TWA (mg/m²) 0,1 mg/m²  Finland HTP-arvo (8h) (mg/m²) 0,1 mg/m²  Finland HTP-arvo (15 min) 0,3 mg/m²  Finland HTP-arvo (15 min) 0,3 mg/m²  Finland OEL chemical category (FI) Potential for cutaneous absorption	Gibraltar	Eight hours mg/m3	0,1 mg/m³	
Greece         OEL TWA (mg/m³)         0,3 mg/m³           Greece         OEL TREL (mg/m³)         0,1 ppm           Greece         OEL STEL (mg/m³)         0,3 mg/m³           Greece         OEL STEL (ppm)         0,1 ppm           USA ACGIH         ACGIH Celling (mg/m³)         0,29 mg/m³           USA ACGIH         ACGIH Celling (ppm)         0,11 ppm           Italy         OEL TWA (mg/m³)         0,1 mg/m³           Italy         OEL STEL (mg/m³)         0,3 mg/m³           Italy         OEL STEL (mg/m³)         0,3 mg/m³           Italy         OEL Chemical category (IT)         skin - potential for cutaneous absorption           Latvia         OEL Chemical category (LV)         skin - potential for cutaneous exposure           Spain         VLA-ED (mg/m³)         0,1 mg/m³ (indicative limit value)           Spain         VLA-ED (mg/m³)         0,3 mg/m³           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Spain         OEL chemical category (ES)         skin - potential for cutaneous absorption           Switzerland         KZGW (mg/m³)         0,4 mg/m³ (indicative limit value)           Switzerlands         Grenswaarde TGG 8H (mg/m³)         0,1 mg/m³ (inhalable dust)           Netherlands         Grenswaarde TGG SH (mg/m³)	Gibraltar	Short-term mg/m3	0,3 mg/m³	
Greece         OEL TWA (ppm)         0,1 ppm           Greece         OEL STEL (mg/m³)         0,3 mg/m³           Greece         OEL STEL (ppm)         0,1 ppm           USA ACGIH         ACGIH Ceiling (mg/m³)         0,29 mg/m³           USA ACGIH         ACGIH Ceiling (ppm)         0,11 ppm           Italy         OEL TWA (mg/m³)         0,1 mg/m³           Italy         OEL STEL (mg/m³)         0,3 mg/m³           Italy         OEL STEL (mg/m³)         0,3 mg/m³           Italy         OEL Chemical Category (IT)         skin - potential for cutaneous absorption           Latvia         OEL TWA (mg/m³)         0,1 mg/m³           Latvia         OEL chemical Category (IV)         skin - potential for cutaneous exposure           Spain         VLA-ED (mg/m³)         0,1 mg/m³ (indicative limit value)           Spain         VLA-EC (mg/m³)         0,3 mg/m³ (indicative limit value)           Spain         VLA-EC (mg/m³)         0,3 mg/m³ (indicative limit value)           Spain         VLA-EC (mg/m³)         0,4 mg/m³ (indicative limit value)           Spain         VLA-EC (mg/m³)         0,4 mg/m³ (indicative limit value)           Switzerland         KZGW (mg/m³)         0,4 mg/m³ (indicative limit value)           Switzerland         MZGW (mg/	Gibraltar	OEL chemical category (GI)	Skin notation	
Greece         OEL STEL (mg/m³)         0,3 mg/m³           Greece         OEL STEL (ppm)         0,1 ppm           USA ACGIH         ACGIH Ceiling (mg/m³)         0,29 mg/m³           USA ACGIH         ACGIH Ceiling (ppm)         0,1 ng/m³           Italy         OEL TWA (mg/m³)         0,1 ng/m³           Italy         OEL TWA (mg/m³)         0,3 mg/m³           Italy         OEL Chemical category (IT)         skin - potential for cutaneous absorption           Latvia         OEL TWA (mg/m³)         0,1 mg/m³           Latvia         OEL chemical category (LV)         skin - potential for cutaneous exposure           Spain         VLA-ED (mg/m³)         0,2 mg/m³ (indicative limit value)           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Spain         OEL chemical category (ES)         skin - potential for cutaneous absorption           Switzerland         KZGW (mg/m³)         0,4 mg/m³ (inhalable dust)           Switzerland         MAK (mg/m³)         0,2 mg/m³ (inhalable dust)           Switzerlands         Grenswaarde TGG 8H (mg/m³)         0,1 mg/m³           United Kingdom         WEL TWA (mg/m³)         0,2 mg/m³           United Kingdom         WEL TWA (mg/m³)	Greece	OEL TWA (mg/m³)	0,3 mg/m³	
Greece         OEL STEL (ppm)         0,1 ppm           USA ACGIH         ACGIH Ceiling (mg/m³)         0,29 mg/m³           USA ACGIH         ACGIH Ceiling (ppm)         0,11 ppm           Italy         OEL TWA (mg/m³)         0,1 mg/m³           Italy         OEL STEL (mg/m³)         0,3 mg/m³           Italy         OEL STEL (mg/m³)         0,3 mg/m³           Italy         OEL chemical category (IT)         skin - potential for cutaneous absorption           Latvia         OEL Chemical category (LV)         skin - potential for cutaneous exposure           Spain         VLA-ED (mg/m³)         0,1 mg/m³ (indicative limit value)           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Spain         VLA-EC (mg/m³)         0,3 mg/m³           Spain         VLA-EC (mg/m³)         0,2 mg/m³ (indicative limit value)           Switzerland         KZGW (mg/m³)         0,2 mg/m³ (indicative limit value)           Switzerland         KZGW (mg/m³)         0,2 mg/m³ (inhalable dust)           Netherlands         Grenswaarde TGG 8H (mg/m³)         0,1 mg/m³           United Kingdom         WEL TWA (mg/m³)         0,3 mg/m³           United Kingdom         WEL TWA (mg/m³)         0,	Greece	OEL TWA (ppm)	0,1 ppm	
USA ACGIH  ACGIH Ceiling (mg/m³)  USA ACGIH  ACGIH Ceiling (ppm)  O,11 ppm  O,11 mg/m³  Italy  OEL TWA (mg/m³)  O,3 mg/m³  Italy  OEL STEL (mg/m³)  O,1 mg/m³  Italy  OEL TWA (mg/m³)  O,1 mg/m³  Italy  OEL TWA (mg/m³)  O,1 mg/m³  Italy  OEL Chemical category (IT)  Skin - potential for cutaneous absorption  Latvia  OEL TWA (mg/m³)  O,1 mg/m³  Other Chemical category (LV)  Skin - potential for cutaneous exposure  Spain  VLA-ED (mg/m³)  O,1 mg/m³ (indicative limit value)  Spain  OEL chemical category (ES)  Skin - potential for cutaneous absorption  Switzerland  KZGW (mg/m³)  O,3 mg/m³  Switzerland  KZGW (mg/m²)  O,4 mg/m³ (inhalable dust)  Switzerland  MAK (mg/m³)  O,2 mg/m³ (inhalable dust)  Netherlands  Grenswaarde TGG 8H (mg/m³)  O,2 mg/m³ (inhalable dust)  Netherlands  Grenswaarde TGG 8H (mg/m³)  O,1 mg/m³  United Kingdom  WEL TWA (mg/m³)  O,1 mg/m³  United Kingdom  WEL TWA (mg/m³)  O,1 mg/m³  United Kingdom  WEL STEL (mg/m³)  O,3 mg/m³  United Kingdom  WEL STEL (mg/m³)  O,3 mg/m³  United Kingdom  WEL chemical category  Potential for cutaneous absorption  Czech Republic  Expozicní limity (PEL) (mg/m³)  O,1 mg/m³  Estonia  OEL TWA (mg/m³)  O,1 mg/m³  Estonia  OEL TWA (mg/m³)  O,1 mg/m³  Estonia  OEL TWA (mg/m³)  O,1 mg/m³  Estonia  OEL STEL (mg/m³)  O,3 mg/m³  Finland  HTP-arvo (8h) (mg/m³)  O,1 mg/m³  Finland  HTP-arvo (15 min)  OEL chemical category (FI)  Potential for cutaneous absorption	Greece	OEL STEL (mg/m³)	0,3 mg/m³	
USA ACGIH  ACGIH Ceiling (ppm)  OL1 ppm  OL1 ppm  OL1 mg/m³  OL1 mg/m³  Italy  OEL TWA (mg/m³)  OL2 STEL (mg/m³)  OL3 mg/m³  Italy  OEL chemical category (IT)  Skin - potential for cutaneous absorption  Latvia  OEL Chemical category (LV)  Skin - potential for cutaneous exposure  OEL chemical category (LV)  Skin - potential for cutaneous exposure  OEL chemical category (LV)  Skin - potential for cutaneous exposure  OL3 mg/m³  OL4 mg/m³)  OL4 mg/m³)  OL5 chemical category (ES)  Skin - potential for cutaneous exposure  OL5 chemical category (ES)  Skin - potential for cutaneous absorption  Switzerland  KZGW (mg/m³)  OL4 mg/m³ (inhalable dust)  Switzerland  KZGW (mg/m³)  OL4 mg/m³ (inhalable dust)  Switzerland  KZGW (mg/m³)  OL4 mg/m³ (inhalable dust)  OL5 mg/m³ (inhalable dust)  Netherlands  Grenswaarde TGG 8H (mg/m³)  OL7 mg/m³  Netherlands  Grenswaarde TGG 15MIN (mg/m³)  OL1 mg/m³  United Kingdom  WEL TWA (mg/m³)  OL1 mg/m³  United Kingdom  WEL TWA (mg/m³)  OL3 mg/m³  United Kingdom  WEL STEL (mg/m³)  OL3 mg/m³  OL1 mg/m³  Czech Republic  Expozicní limity (PEL) (mg/m³)  OL1 mg/m³  Czech Republic  Denmark  Grænseværdie (langvarig) (mg/m³)  OL1 mg/m³  Estonia  OEL chemical category (ET)  Potential for cutaneous absorption  OEL chemical category (ET)  Sensitizer, Skin notation  Finland  HTP-arvo (8h) (mg/m³)  OL1 mg/m³  Finland  HTP-arvo (15 min)  OL2 chemical category (FI)  Potential for cutaneous absorption	Greece	OEL STEL (ppm)	0,1 ppm	
Italy     OEL TWA (mg/m³)     0,1 mg/m³       Italy     OEL STEL (mg/m³)     0,3 mg/m³       Italy     OEL chemical category (IT)     skin - potential for cutaneous absorption       Latvia     OEL TWA (mg/m³)     0,1 mg/m³       Latvia     OEL chemical category (LV)     skin - potential for cutaneous exposure       Spain     VLA-ED (mg/m³)     0,1 mg/m³ (indicative limit value)       Spain     VLA-EC (mg/m³)     0,3 mg/m³       Spain     OEL chemical category (ES)     skin - potential for cutaneous absorption       Switzerland     KZGW (mg/m³)     0,4 mg/m³ (inhalable dust)       Switzerland     MAK (mg/m³)     0,2 mg/m³ (inhalable dust)       Netherlands     Grenswaarde TGG 8H (mg/m³)     0,1 mg/m³       Netherlands     Grenswaarde TGG 15MIN (mg/m³)     0,3 mg/m³       United Kingdom     WEL TWA (mg/m³)     0,1 mg/m³       United Kingdom     WEL TWA (mg/m³)     0,3 mg/m³       United Kingdom     WEL STEL (mg/m³)     0,3 mg/m³       United Kingdom     WEL Chemical category     Potential for cutaneous absorption       Czech Republic     Expozicní limity (PEL) (mg/m³)     0,1 mg/m³       Czech Republic     Del chemical category (CZ)     Potential for cutaneous absorption       Denmark     Grænseværdie (langvarig) (mg/m³)     0,1 mg/m³       Estonia <td>USA ACGIH</td> <td>ACGIH Ceiling (mg/m³)</td> <td>0,29 mg/m³</td>	USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m³	
Italy OEL STEL (mg/m³) 0,3 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)  Spain VLA-EC (mg/m²) 0,3 mg/m³  Spain OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland KZGW (mg/m³) 0,4 mg/m³ (inhalable dust)  Switzerland KZGW (mg/m³) 0,2 mg/m³ (inhalable dust)  Netherlands Grenswaarde TGG 8H (mg/m³) 0,1 mg/m³  Netherlands Grenswaarde TGG 15MIN (mg/m³) 0,3 mg/m³  United Kingdom WEL TWA (mg/m³) 0,1 mg/m³  United Kingdom WEL STEL (mg/m³) 0,3 mg/m³  United Kingdom WEL STEL (mg/m³) 0,3 mg/m³  Czech Republic Expozicní limity (PEL) (mg/m³) 0,1 mg/m³  Extonia OEL chemical category (CZ) Potential for cutaneous absorption  Denmark Grænseværdie (langvarig) (mg/m³) 0,1 mg/m³  Estonia OEL TWA (mg/m³) 0,1 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL STEL (mg/m³) 0,1 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
Italy OEL chemical category (IT) skin - potential for cutaneous absorption Latvia OEL TWA (mg/m³) 0,1 mg/m³ Latvia OEL chemical category (LV) skin - potential for cutaneous exposure Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value) Spain VLA-EC (mg/m³) 0,3 mg/m³ Spain OEL chemical category (ES) skin - potential for cutaneous absorption Switzerland KZGW (mg/m³) 0,4 mg/m³ (inhalable dust) Switzerland MAK (mg/m³) 0,2 mg/m³ (inhalable dust) Switzerland MAK (mg/m³) 0,2 mg/m³ (inhalable dust) Netherlands Grenswaarde TGG 8H (mg/m³) 0,1 mg/m³ Netherlands Grenswaarde TGG 15MIN (mg/m³) 0,3 mg/m³ United Kingdom WEL TWA (mg/m³) 0,1 mg/m³ United Kingdom WEL STEL (mg/m³) 0,3 mg/m³ United Kingdom WEL chemical category Potential for cutaneous absorption Czech Republic Expozicní limity (PEL) (mg/m³) 0,1 mg/m³ Czech Republic OEL chemical category (CZ) Potential for cutaneous absorption Denmark Grænseværdie (langvarig) (mg/m³) 0,1 mg/m³ Estonia OEL TWA (mg/m³) 0,1 mg/m³ Estonia OEL STEL (mg/m³) 0,3 mg/m³ Estonia OEL STEL (mg/m³) 0,3 mg/m³ Estonia OEL chemical category (ET) Sensitizer, Skin notation Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³ Finland HTP-arvo (15 min) 0,3 mg/m³ Finland OEL chemical category (FI) Potential for cutaneous absorption	Italy	OEL TWA (mg/m³)	0,1 mg/m³	
Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)  Spain VLA-EC (mg/m³) 0,3 mg/m³  Spain OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland KZGW (mg/m³) 0,4 mg/m³ (inhalable dust)  Switzerland MAK (mg/m³) 0,2 mg/m³ (inhalable dust)  Netherlands Grenswaarde TGG 8H (mg/m³) 0,1 mg/m³  Netherlands Grenswaarde TGG 15MIN (mg/m³) 0,3 mg/m³  United Kingdom WEL TWA (mg/m³) 0,1 mg/m³  United Kingdom WEL STEL (mg/m³) 0,3 mg/m³  United Kingdom WEL stel (mg/m³) 0,1 mg/m³  United Kingdom WEL chemical category Potential for cutaneous absorption  Czech Republic Expozicní limity (PEL) (mg/m³) 0,1 mg/m³  Estonia OEL TWA (mg/m³) 0,1 mg/m³  Estonia OEL TWA (mg/m³) 0,1 mg/m³  Estonia OEL TWA (mg/m³) 0,3 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL chemical category (ET) Sensitizer, Skin notation  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	Italy	OEL STEL (mg/m³)	0,3 mg/m³	
Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)  Spain VLA-EC (mg/m³) 0,3 mg/m³  Spain OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland KZGW (mg/m³) 0,4 mg/m³ (inhalable dust)  Switzerland MAK (mg/m³) 0,2 mg/m³ (inhalable dust)  Netherlands Grenswaarde TGG 8H (mg/m³) 0,1 mg/m³  Netherlands Grenswaarde TGG 15MIN (mg/m³) 0,3 mg/m³  United Kingdom WEL TWA (mg/m³) 0,1 mg/m³  United Kingdom WEL STEL (mg/m³) 0,3 mg/m³  United Kingdom WEL chemical category Potential for cutaneous absorption  Czech Republic Expozicní limity (PEL) (mg/m³) 0,1 mg/m³  Czech Republic OEL chemical category (CZ) Potential for cutaneous absorption  Denmark Grænseværdie (langvarig) (mg/m³) 0,1 mg/m³  Estonia OEL TWA (mg/m³) 0,1 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL chemical category (ET) Sensitizer, Skin notation  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandPotential for cutaneous absorption	Latvia	OEL TWA (mg/m³)	0,1 mg/m³	
SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitzer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
Spain OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland KZGW (mg/m³) 0,4 mg/m³ (inhalable dust)  Switzerland MAK (mg/m³) 0,2 mg/m³ (inhalable dust)  Netherlands Grenswaarde TGG 8H (mg/m³) 0,1 mg/m³  Netherlands Grenswaarde TGG 15MIN (mg/m³) 0,3 mg/m³  United Kingdom WEL TWA (mg/m³) 0,1 mg/m³  United Kingdom WEL STEL (mg/m³) 0,3 mg/m³  United Kingdom WEL chemical category Potential for cutaneous absorption  Czech Republic Expozicní limity (PEL) (mg/m³) 0,1 mg/m³  Czech Republic OEL chemical category (CZ) Potential for cutaneous absorption  Denmark Grænseværdie (langvarig) (mg/m³) 0,1 mg/m³  Estonia OEL TWA (mg/m³) 0,1 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	Spain	VLA-ED (mg/m³)		
SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m²)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Spain	VLA-EC (mg/m³)	0,3 mg/m³	
SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)	
NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)	
United Kingdom  United Kingdom  WEL STEL (mg/m³)  United Kingdom  WEL chemical category  Potential for cutaneous absorption  Czech Republic  Expozicní limity (PEL) (mg/m³)  O,1 mg/m³  Czech Republic  OEL chemical category (CZ)  Potential for cutaneous absorption  Denmark  Grænseværdie (langvarig) (mg/m³)  O,1 mg/m³  Estonia  OEL TWA (mg/m³)  O,1 mg/m³  Estonia  OEL STEL (mg/m³)  O,3 mg/m³  Estonia  OEL chemical category (ET)  Sensitizer, Skin notation  Finland  HTP-arvo (8h) (mg/m³)  O,3 mg/m³  Finland  HTP-arvo (15 min)  OEL chemical category (FI)  Potential for cutaneous absorption	Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m³	
United Kingdom  WEL STEL (mg/m³)  United Kingdom  WEL chemical category  Potential for cutaneous absorption  Czech Republic  Expozicní limity (PEL) (mg/m³)  O,1 mg/m³  Czech Republic  OEL chemical category (CZ)  Potential for cutaneous absorption  Denmark  Grænseværdie (langvarig) (mg/m³)  O,1 mg/m³  Estonia  OEL TWA (mg/m³)  OfL STEL (mg/m³)  OfL STEL (mg/m³)  OfL chemical category (ET)  Sensitizer, Skin notation  Finland  HTP-arvo (8h) (mg/m³)  Finland  HTP-arvo (15 min)  OFL chemical category (FI)  Potential for cutaneous absorption	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m³	
United Kingdom  WEL chemical category  Potential for cutaneous absorption  Czech Republic  Expozicní limity (PEL) (mg/m³)  OEL chemical category (CZ)  Potential for cutaneous absorption  Denmark  Grænseværdie (langvarig) (mg/m³)  OEL TWA (mg/m³)  OEL TWA (mg/m³)  OEL STEL (mg/m³)  OEL STEL (mg/m³)  OEL chemical category (ET)  Finland  HTP-arvo (8h) (mg/m³)  O,3 mg/m³  Finland  HTP-arvo (15 min)  OEL chemical category (FI)  Potential for cutaneous absorption	United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³	
Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	United Kingdom	WEL STEL (mg/m³)	0,3 mg/m³	
Czech Republic  Denmark  Grænseværdie (langvarig) (mg/m³)  Estonia  OEL TWA (mg/m³)  OEL STEL (mg/m³)  OEL chemical category (ET)  Finland  HTP-arvo (8h) (mg/m³)  OEL chemical category (FI)  Finland  OEL chemical category (FI)  Potential for cutaneous absorption  Potential for cutaneous absorption  O,1 mg/m³  O,3 mg/m³  O,1 mg/m³  O,1 mg/m³  Finland  HTP-arvo (15 min)  O,3 mg/m³  OEL chemical category (FI)  Potential for cutaneous absorption	United Kingdom	WEL chemical category	Potential for cutaneous absorption	
DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m³	
Estonia OEL TWA (mg/m³) 0,1 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL chemical category (ET) Sensitizer, Skin notation  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL chemical category (ET) Sensitizer, Skin notation  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³	
Estonia OEL chemical category (ET) Sensitizer, Skin notation  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	Estonia	OEL TWA (mg/m³)	0,1 mg/m³	
Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	Estonia	OEL STEL (mg/m³)	0,3 mg/m³	
Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption	Estonia	OEL chemical category (ET)	Sensitizer, Skin notation	
Finland OEL chemical category (FI) Potential for cutaneous absorption	Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³	
2	Finland	HTP-arvo (15 min)	0,3 mg/m³	
Hungary AK-érték 0,1 mg/m³	Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
	Hungary	AK-érték	0,1 mg/m³	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hungary	CK-érték	0,3 mg/m³	
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m <sup>3</sup>	
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m <sup>3</sup>	
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania	IPRV (mg/m³)	0,1 mg/m³	
Lithuania	TPRV (mg/m³)	0,3 mg/m³	
Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³	
Luxembourg	OEL STEL (mg/m³)	0,3 mg/m³	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
Malta	OEL TWA (mg/m³)	0,1 mg/m³	
Malta	OEL STEL (mg/m³)	0,3 mg/m³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway	Grens everdier (AN) (mg/m³)	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m³ (value from the regulation)	
Poland	NDS (mg/m³)	0,1 mg/m³	
Poland	NDSCh (mg/m³)	0,3 mg/m³	
Romania	OEL TWA (mg/m³)	0,1 mg/m³	
Romania	OEL STEL (mg/m³)	0,3 mg/m³	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³	
Slovenia	OEL STEL (mg/m³)	0,3 mg/m³	
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m <sup>3</sup>	
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³	
Portugal	OEL TWA (mg/m³)	0,1 mg/m³ (indicative limit value)	
Portugal	OEL STEL (mg/m³)	0,3 mg/m³ (indicative limit value)	
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m³	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human	
		Carcinogen,skin - potential for cutaneous	
		exposure indicative limit value	

# 8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment : Gloves. Protective clothing. Protective goggles.







Materials for protective clothing : Chemically resistant materials and fabrics.

Hand protection : Wear protective gloves. Eye and Face Protection : Chemical safety goggles.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory

protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other information : When using, do not eat, drink or smoke.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Neon-pink solid
Odour : Odourless, as water
Odour threshold : No data available

pH : 7.6, when rehydrated with indicated volume of H<sub>2</sub>O

**Evaporation rate** No data available No data available Melting point No data available Freezing point Boiling point No data available No data available Flash point Auto-ignition temperature No data available No data available Decomposition temerature Flammability (solid, gas) No data available No data available Vapour pressure Relative vapour density at 20 °C No data available No data available Relative density

Solubility : Water

Partition coefficent: n-octanol/water : No data available Viscosity : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

## 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-7	9-4)	
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion,	/irritation	:	Not classified
-----------------	-------------	---	----------------

pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O

Serious eye damage/irritation : Not classified

pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified : Not classified

Aspiration hazard : Not classified

Symptoms/Injuries After Inhalation : May be harmful or cause irritation.

Symptoms/Injuries After Skin Contact : Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact : May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion : Ingestion may cause adverse effects. May be harmful if swallowed.

25/04/2024 EN (English) 8 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Chronic Symptoms : None expected under normal conditions of use.

# SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)			
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])		
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])		
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)		
Sodium azide (26628-22-8)			
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
ErC50 (algae)	0,348 mg/l		

#### 12.2. Persistence and degradability

R-Phycoerythrin <sup>†</sup> -conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Goat Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Horse,		
and Mouse Serum Proteins)		
Persistence and degradability Not established.		

#### 12.3. Bioaccumulative potential

R-Phycoerythrin <sup>†</sup> -conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Goat Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Horse,		
and Mouse Serum Proteins)		
Bioaccumulative potential Not established.		
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	

#### 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

Other information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

 $: \ \mathsf{Dispose} \ \mathsf{of} \ \mathsf{contents/container} \ \mathsf{in} \ \mathsf{accordance} \ \mathsf{with} \ \mathsf{local, regional, national, and}$ 

recommendations international regulations.

Ecology - waste materials : Avoid release to the environment of the environment of

: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

environment. Reep out of sewer

# SECTION 14: Transport information

25/04/2024 EN (English) 9 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	IATA	ADN	RID
14.1.	UN number		•		
Not reg	gulated for transp	ort			
14.2.	UN proper sh	ipping name			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	Transport haz	ard class(es)			
Not app	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviror	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

#### 14.6. Special precautions for user

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Sodium chloride (7647-14-5)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Sodium azide (26628-22-8)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

# Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of Preparation or Latest Revision : 25/04/2024

Data sources : Information and data obtained and used in the authoring of this safety data sheet

could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications

according to GHS or their subsequent adoption of GHS.

Other information : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

#### Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

ACGIH – American Conference of Governmental Industrial Hygienists

ADN – European Agreement Concerning the International Carriage of

Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road ATE - Acute Toxicity Estimate

BCF - Bioconcentration Factor

BEI - Biological Exposure Indices (BEI)

BOD - Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

 ${\it CLP-Classification, Labeling} \ and \ {\it Packaging Regulation} \ (EC) \ No$ 

1272/2008

COD - Chemical Oxygen Demand

EC – European Community

EC50 - Median Effective Concentration

EEC - European Economic Community

EINECS – European Inventory of Existing Commercial Chemical

Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU – European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

 ${\it GHS-Globally\,Harmonized\,System\,of\,Classification\,and\,Labeling\,of}$ 

Chemical

IARC - International Agency for Research on Cancer IATA - International Air Transport Association

IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe

NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis

NTP - National Toxicology Program

OEL - Occupational Exposure Limits

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of

Chemicals

RID – Regulations Concerning the International Carriage of Dangerous

Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit

STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK - Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit

TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von

Gefahrstoffen in ortsbeweglichen Behältern

TRGS 552 - Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 -

Arbeitsplatzgrenzwerte



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

 $\label{logPow-Ratio} \mbox{Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible \end{substance}$ 

solvents, in this case octanol and water

 ${\bf MAK-Maximum\ Workplace\ Concentration/Maximum\ Permissible}$ 

Concentration

 ${\bf MARPOL\,\text{-}International\,Convention\,for\,the\,Prevention\,of\,Pollution}$ 

EU GHS SDS

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische

Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE - Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative

WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.