AMCA-conjugated AffiniPure™ F(ab')₂ Fragment Goat Anti-Human





Serum Proteins)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 26/04/2024

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier		
Prod	uct Form	: Mixture	
Prod	uct Name	: AMCA-conjugated AffiniPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5n}	n
		Fragment Specific (minimal cross-reaction to Bovine Serum Proteins)	
Prod	uct Code	: 109-156-129	
1.2.	Relevant identified uses of the subs	stance or mixture and uses advised against	
1.2.1.	Relevant identified uses	-	
Use c	f the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is medical device. Contact supplier for specific applications.	not a
1.2.2.	Uses advised against		
No ado	litional information available		
1.3.	Details of the supplier of the sa	fety data sheet	
Manu	facturer	European Contact	
Jacks	on ImmunoResearch Laboratories, In	c. Jackson ImmunoResearch Europe LTD	
872 \	Vest Baltimore Pike	Cambridge House	
West	Grove, PA 19390	St Thomas' Place	
)-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK	
)-869-0171	T: +44 (0) 1638 782616	
tech@	Djacksonimmuno.com	F: +44 (0) 1353 664675	
	jacksonimmuno.com	info@jacksonimmuno.com	
	,	help@jacksonimmuno.com	
Emai	address for the person responsible f		
	Øjacksonimmuno.com		
1.4.	Emergency telephone number		
		D-869-4024 (USA)	
	TION 2: Hazards identifica		
2.1.	Classification of the substance o		
	cation According to Regulation (EC) No		
•	tic Chronic3	H412	
Full te	kt of hazard classes and H-statements	s: see section 16	
Advers	e physicochemical, human health and	environmental effects	
No ado	litional information available		
2.2.	Label elements		
Labelli	ng According to Regulation (EC) No. 12	272/2008 [CLP]	
Haza	rd statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.	
Preca	autionary statements (CLP)	P273 - Avoid release to the environment.	
		P501 - Dispose of contents/container to hazardous or special waste collect	ion
		point, in accordance with local, regional, national and/or international	
		regulation.	
EUH-	statements	EUH032 - Contact with acids liberates very toxic gas.	
26/04	/2024	EN (English)	1 / 12



Serum Proteins)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
AMCA-conjugated AffiniPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serum Proteins)		1.57	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.71	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.14	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measu	res
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	 Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
	nedical attention and special treatment needed
-	e and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting meas	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
6 6	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
U U	m the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,
	and carbon disulfide to form shock-sensitive compounds. Reacts with acids,
	forming toxic and explosive hydrogen azide. Contact with acids liberates toxic
	gas.
Hazardous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
	protection.
SECTION 6: Accidental releas	
	ve equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	. Fauin cleanup crowwith proper protection
Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Upon arrival at the scene, a first responder is expected to recognize the presence
Emergency procedures	of dangerous goods, protect oneself and the public, secure the area, and call for
	the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for cont	
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry
	into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent
	authorities after a spill.
6.4. Reference to other sections	

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14	4-5)	
Latvia	OEL TWA (mg/m ³)	5 mg/m ³
Lithuania	IPRV (mg/m³)	5 mg/m ³
Sodium azide (26628-22-	8)	
EU	IOELV TWA (mg/m³)	0,1 mg/m³
EU	IOELV STEL (mg/m ³)	0,3 mg/m³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m ³)	0,1 mg/m ³
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m³)	0,1 mg/m ³ (restrictive limit)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GermanyTRGS 900 Occupational exposure limit value (mg/m²)0,2 mg/m²GibraltarEight hours mg/m30,1 mg/m²GibraltarShort-term mg/m30,3 mg/m²GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m²)0,3 mg/m²GreeceOEL TWA (pm)0,1 ppmGreeceOEL STEL (mg/m²)0,3 mg/m²GreeceOEL STEL (mg/m²)0,2 mg/m²USA ACGIHACGIH Ceiling (mg/m²)0,2 mg/m²USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m²USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m²ItalyOEL TWA (mg/m²)0,1 mg/m²ItalyOEL STEL (mg/m²)0,1 mg/m²ItalyOEL TWA (mg/m²)0,1 mg/m²ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m²)0,1 mg/m²SpainVLA-EC (mg/m²)0,3 mg/m²SwitzerlandKZGW (mg/m²)0,2 mg/m² (inklable dust)SwitzerlandMAK (mg/m²)0,2 mg/m²United KingdomWEL TWA (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m² <td< th=""><th>France</th><th>OEL chemical category (FR)</th><th>Risk of cutaneous absorption</th></td<>	France	OEL chemical category (FR)	Risk of cutaneous absorption
GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,29 mg/m³USA ACGIHACGIH Celling (pgm)0,11 ppmUSA ACGIHACGIH Celling (pgm)0,11 ppmUSA ACGIHACGI Celling (pgm)0,11 ppmItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandGrenswaarde TGG SH (mg/m³)0,1 mg/m³United KingdomWEL TVA (mg/m³)0,3 mg/m³United KingdomWEL TVA (mg/m³)0,1 mg/m³United KingdomW	Germany		0,2 mg/m ³
GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m²)0,3 mg/m²GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m²)0,3 mg/m²GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m²)0,2 gm/m²USA ACGIHACGIH Ceiling (mg/m²)0,1 ng/m²ItalyOEL STEL (mg/m²)0,3 mg/m²ItalyOEL STEL (mg/m²)0,3 mg/m²ItalyOEL TWA (mg/m²)0,3 mg/m²ItalyOEL STEL (mg/m²)0,3 mg/m²ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m²)0,1 mg/m² (indicative limit value)SpainVLA-EC (mg/m²)0,3 mg/m²SwitzerlandKZGW (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandKZGW (mg/m²)0,1 mg/m²NetherlandsGrenswaarde TGG SH (mg/m²)0,1 mg/m²United KingdomWEL TWA (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²United KingdomWEL TWA (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²United KingdomWEL TWA (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²StoniaOEL Chemical category (CZ)Potential for cutaneous a	Gibraltar	Eight hours mg/m3	0,1 mg/m³
GreeceOELTWA (mg/m³)0,3 mg/m³GreeceOELTWA (ppm)0,1 ppmGreeceOELSTEL (mg/m³)0,3 mg/m³GreeceOELSTEL (mg/m³)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,11 ppmItalyOELSTEL (mg/m³)0,1 mg/m³ItalyOELSTEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG SH (mg/m³)0,3 mg/m³United KingdomWELTWA (mg/m³)0,3 mg/m³United KingdomWELTWA (mg/m³)0,3 mg/m³United KingdomWELSTEL (mg/m³)0,3 mg/m³United KingdomWELSTEL (mg/m³)0,1 mg/m³United KingdomWELSTEL (mg/m³)0,3 mg/m³United KingdomWELSTEL (mg/m³)0,1 mg/m³United KingdomWELSTE	Gibraltar	Short-term mg/m3	0,3 mg/m³
GreeceOELTWA (ppm)0,1 ppmGreeceOELSTEL (mg/m²)0,3 mg/m³GreeceOELSTEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m²)0,2 9 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,1 ng/m³ItalyOELSTEL (mg/m²)0,3 mg/m³ItalyOELSTEL (mg/m²)0,3 mg/m³ItalyOELSTEL (mg/m²)0,1 mg/m³ItalyOELTWA (mg/m²)0,1 mg/m³ItalyOELTWA (mg/m²)0,1 mg/m³ItalyOELChenical category (IT)skin - potential for cutaneous absorptionLatviaOEL chenical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m²)0,1 mg/m² (indicative limit value)SpainVLA-EC (mg/m²)0,4 mg/m² (indicative limit value)SpainVLA-EC (mg/m²)0,4 mg/m² (indiable dust)SwitzerlandKZGW (mg/m²)0,4 mg/m² (indiable dust)SwitzerlandKAK (mg/m²)0,1 mg/m³United KingdomWELTVA (mg/m²)0,1 mg/m³United KingdomWELTRL (mg/m²)0,1 mg/m³United KingdomWELTRL (mg/m²)0,1 mg/m³Cech RepublicDEL chemical category (CZ)Potential for cutaneous absorptionCech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionCech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionCech RepublicDEL chemical category (CZ)Potential for cutaneous absorptionCech RepublicOEL Chemical category (CZ)Potential for cutaneous absorpt	Gibraltar	OEL chemical category (GI)	Skin notation
GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,4 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG SH (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL themical categor	Greece	OEL TWA (mg/m ³)	0,3 mg/m³
GreeceOEL STEL (pm)0,1 pmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMKK (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical category (C2)Potential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL themical category (ET)Sensitizer, Skin notationEstoniaOEL themical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (Sh) (mg/m³)0,1 mg/m³FinlandHTP-arvo (Sh) (mg/m³) <td>Greece</td> <td>OEL TWA (ppm)</td> <td>0,1 ppm</td>	Greece	OEL TWA (ppm)	0,1 ppm
USA ACGIHACGIH Celling (mg/m³)0,22 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG BH (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrenswardie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationEstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (Bh (mg/m³)0,1 mg/m³FinlandHTP-arvo (Bh (mg/m³)0,1 mg/m³Finlan	Greece	OEL STEL (mg/m ³)	0,3 mg/m³
USAACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (IV)skin - potential for cutaneous exposureSpainOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænsæærdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sen	Greece	OEL STEL (ppm)	0,1 ppm
ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL twa (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m²)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionZeech RepublicExpozinci limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGreasevardie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (5k) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³	USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL rWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionZech RepublicExpozinci limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrenswarder IG (angvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (CZ)Potential for cutaneous absorptionEstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,3 mg/m³EstoniaOEL TWA (mg/m³)0,3 mg/m³EstoniaOEL TWA (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notation <tr<< td=""><td>USA ACGIH</td><td>ACGIH Ceiling (ppm)</td><td>0,11 ppm</td></tr<<>	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TFL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Italy	OEL TWA (mg/m ³)	0,1 mg/m³
LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³	Italy	OEL STEL (mg/m ³)	0,3 mg/m³
LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Latvia	OEL TWA (mg/m ³)	0,1 mg/m ³
SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Spain	VLA-ED (mg/m³)	0,1 mg/m ³ (indicative limit value)
SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Spain	VLA-EC (mg/m³)	0,3 mg/m ³
SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionUnited KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL strel (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Netherlands	Grenswaarde TGG 8H (mg/m ³)	0,1 mg/m³
United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	0,3 mg/m³
United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³
Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m³
Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	United Kingdom	WEL chemical category	Potential for cutaneous absorption
DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m³
EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Denmark	Grænseværdie (langvarig) (mg/m ³)	0,1 mg/m³
EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Estonia	OEL TWA (mg/m ³)	0,1 mg/m³
FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Estonia	OEL STEL (mg/m³)	0,3 mg/m ³
FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption	Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland OEL chemical category (FI) Potential for cutaneous absorption	Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³
	Finland	HTP-arvo (15 min)	0,3 mg/m ³
Hungary AK-érték 0,1 mg/m ³	Finland	OEL chemical category (FI)	Potential for cutaneous absorption
	Hungary	AK-érték	0,1 mg/m ³



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hungary	CK-érték	0,3 mg/m³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m ³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m ³
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m ³)	0,1 mg/m³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m ³)	0,1 mg/m³
Malta	OEL STEL (mg/m ³)	0,3 mg/m³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m³
Poland	NDSCh (mg/m ³)	0,3 mg/m³
Romania	OEL TWA (mg/m³)	0,1 mg/m ³
Romania	OEL STEL (mg/m ³)	0,3 mg/m³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m ³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³
Portugal	OEL TWA (mg/m³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



- Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection
- : Chemically resistant materials and fabrics.

: When using, do not eat, drink or smoke.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

cai	properties
:	Solid
:	Light tan solid
:	Odourless, as water
:	No data available
:	7.6, when rehydrated with indicated volume of H_2O
:	No data available
:	Water
:	No data available

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.



Serum Proteins)

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

LD50 dermal rat

: Not classified

Sodium chloride (7647-14-5)	
LD50 oral rat	3550 mg/kg (Species: Wistar)
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)
LC50 inhalation rat (mg/l)	>42 g/m³ (Exposure time: 1 h)
Sodium azide (26628-22-8)	
LD50 oral rat	27 mg/kg
LD50 oral	45 mg/kg
LD50 dermal rabbit	20 mg/kg
Sodium phosphate dibasic (7558-79-	4)
LD50 oral rat	17 g/kg

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.

>500 mg/kg (50% solution)



Safety Data Sheet

Chronic Symptoms	: None expected under normal conditions of use.
ECTION 12: Ecological in	nformation
2.1. Toxicity	
cology - general	: Harmful to aquatic life with long lasting effects.
Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]]
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)
Sodium azide (26628-22-8)	
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
ErC50 (algae)	0,348 mg/l
2.2. Persistence and degrada	bility
	Not established. al ') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to
Bovine Serum Proteins)	
Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)
2.4. Mobility in soil o additional information available	
 2.4. Mobility in soil o additional information available 2.5. Results of PBT and vPvB are or additional information available 	assessment
 2.4. Mobility in soil o additional information available 2.5. Results of PBT and vPvB at a vailable o additional information available 2.6. Other adverse effects 	assessment
 2.4. Mobility in soil o additional information available 2.5. Results of PBT and vPvB at order of the second second	assessment : Avoid release to the environment.
 2.4. Mobility in soil o additional information available 2.5. Results of PBT and vPvB at a vailable o additional information available 2.6. Other adverse effects 	assessment : : Avoid release to the environment. nsiderations
 2.4. Mobility in soil o additional information available 2.5. Results of PBT and vPvB at o additional information available 2.6. Other adverse effects Other information SECTION 13: Disposal continues 	assessment : : Avoid release to the environment. nsiderations
 2.4. Mobility in soil o additional information available 2.5. Results of PBT and vPvB at o additional information available 2.6. Other adverse effects Other information SECTION 13: Disposal construction 3.1. Waste treatment method 	assessment : Avoid release to the environment. nsiderations ds
 2.4. Mobility in soil o additional information available 2.5. Results of PBT and vPvB at a solution of the solution	assessment : Avoid release to the environment. nsiderations ds : Dispose of contents/container in accordance with local, regional, national, ar

26/04/2024



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number	r			
Not regulated for tran	sport			
14.2. UN proper	shipping name			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	azard class(es)			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	up			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of Preparation or Latest Revision	: 26/04/2024	
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information,	
	and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.	
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment	
	Regulation (EU) 2015/830	

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

Abbie Victoris und Actorigins	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 - Median Lethal Concentration LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution EU GHS SDS

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.