

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 26/04/2024

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Form : Mixture Product Name : Alexa Fluor® 647-conjugated AffiniPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, ErS _{DM} Fragment Specific (minimal cross-reaction to Bovine Serum Proteins) Product Code : 109-60-6129 1.1. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses of the substance or mixture and uses advised against 1.3. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.3. Relevant identified uses European Contact Manifacturer European Contact Manifacturer Lackson ImmunoResearch Europe LTD 3.2 West Baitmore Pike Cambridge House West Grove, PA 19390 St Thomas' Place 7: 800-367-5296, 610-686+4024 Ely, Cambridge House West Grove, PA 19390 St Thomas' Place 7: 800-367-5296, 610-686+4024 Ely, Cambridge House West Grove, PA 19390 F: 444 (0) 1453 664675 www.jacksonimmuno.com F: 444 (0) 1453 786416 tech@jacksonimmuno.com F: 444 (0) 1453 786416 Tech@jacksonimmuno.com Help@jacksonimmuno.com Mutadd Labo					
Product Name : Alexa Fluor® 647-conjugated AffiniPure™ f(ab') ₂ Fragment Goat Anti-Human IgM, FCgm, Fragment Specific (minimal cross-reaction to Bovine Serum Proteins) Product Code : 109-606-129 1.1 Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture inter research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2 Use advised againt No additional information available Evropean Contact 1.3 Details of the supplier of the safety data sheet Manfacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872. West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place 1.800-867-5296, 610-869-4024 Ely, Cambridge House West Grove, PA 19390 Ely@ Cambridge House 1.800-869-0171 T: +44 (0) 1333 564675 www.jacksoninmuno.com F: 444 (0) 1333 564675 www.jacksoninmuno.com F: 444 (0) 1333 66475 West Grove, Palephone number Ely@ Cambridge House 2.1 Lobe Reputation (EC) No. 1272/2008 (CLP) Agatt Chronia <t< th=""><th></th><th>Product identifier</th><th></th><th></th></t<>		Product identifier			
Figure Progrem Especific (minimal cross-reaction to Bovine Serum Proteins) Product Code ::::::::::::::::::::::::::::::::::::					
Product Code : 100-606-129 1.1. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2.1. Vess advised against	Prod	uct Name	: Alexa Fluor® 647-conjugated AffiniPure™ F(ab') ₂ Fragment Goat Anti-Humai	n IgM,	
 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.3. Relevant identified uses Use of the substance/mixture is for in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 2.3. Uses advised against No additronal information available 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. A Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplier of the safety data sheet Manufacture is advised against 3. Details of the supplice of the safety data sheet S. Details of the supplice of the safety data sheet S. Details of the person responsible for this SDS: S. Details of the person responsible for this SDS: S. Details of the substance or mixture Classification of the subs			Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serum Proteins)		
1.2.1. Relevant identified uses : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2.1. Uses advised against : Manufacture or specific applications. 1.3. Details of the supplier of the safety data sheet : Manufacture or Specific applications. 1.3. Details of the supplier of the safety data sheet : Manufacture or Specific applications. 1.3. Details of the supplier of the safety data sheet : Marufacture or Specific applications. 1.4. Statements : Jackson ImmunoResearch Europe ITD 3.7. West Baltimore Pike Cambridge House : Specific 287 4EX, UK F: 610-869-4024 Ely, Cambridge Specific 287 4EX, UK F: 610-869-4024 Ely, Cambridge Specific 287 4EX, UK F: 610-869-0171 T: 444 (0) 1333 664675 www.jacksonimmuno.com info@jacksonimmuno.com Eatil address for the person responsible for this SDS: : tech@jacksonimmuno.com : SECTION 2: Hazards Identification : Aquatic Chronic3 H412 Full tot fhazard classes and H-statements: see section 16 : Adverse physicochemical, human health and environmental effects. No additional information available : 2.1. Label e	Prod	uct Code	109-606-129		
Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2.1. Uses advised againt Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.3. Details of the supplier of the safety data sheet European Contact 1.3. A contails of the supplier of the safety data sheet I ackson ImmunoResearch Laboratories, Inc. 1.3. Contails of the supplier of the safety data sheet I ackson ImmunoResearch Europe ID 1.3. Contails of the supplier of the safety data sheet I ackson ImmunoResearch Europe ID 1.3. Contails of the supplier of the safety data sheet I ackson ImmunoResearch Europe ID 1.3. Contails of the supplier of the safety data sheet I ackson ImmunoResearch Europe ID 1.3. Contails of the supplication is on the	1.2.	Relevant identified uses of the	substance or mixture and uses advised against		
medical device. Contact supplier for specific applications. 1.1. Uses advised against Supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Europe LTD Supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Europe LTD Safeson ImmunoResearch Europe LTD S72 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely., Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 4+4 (0) 1638 782616 techejacksonimmuno.com F: 4+4 (0) 1353 664675 www.jacksonimmuno.com F: 4+4 (0) 1353 664675 www.jacksonimmuno.com F: 4+4 (0) 1353 664675 medical diverse bytosentemical, human beath reson responsible for this SDS: techejjacksonimmuno.com F: 4+4 (0) 1353 664675 Matic Chronic3 H12 Classification of the substance or mixture Classification for the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Adverse physicochemical, human health med nenvironment Vadd	1.2.1.	Relevant identified uses			
No additional information available 1.1 Details of the supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place 1: 800-367-5296, 610-869-4024 Elly, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1638 782616 teche@jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com Enail address for the person responsible for this SDS: teche@jacksonimmuno.com tech@jacksonimmuno.com t: 41-610-869-4024 (USA) SECTION 2: Hazards identification European Contact Store for the person responsible for this SDS: tech@jacksonimmuno.com t: 41-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture Classification for Begulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 At 412 Full text of hazard classes and H-statements: see section 16 Advectoring to Regulation (EC) No. 1272/2008 [CLP]	Usec	f the substance/mixture		not a	
1.3. Details of the supplier of the safety data sheet European Contact Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD. S72 West Baltimore Pike Cambridge House West Gorove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1353 664675 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com help@jacksonimmuno.com Temail address for the person responsible for this SDS: tech@jacksonimmuno.com Ether@jacksonimmuno.com thelp@jacksonimmuno.com Fmergency telephone number Emergency number Emergency number the10 Emergency number H12 Sectorion 2 H412 Soldtional information available H412 Suble elements H412 Soldtional information available P273 - Avoid release to the environment. P123 - Labele leements P213 - Avoid release to the environment. P213 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local,	1.2.2.	Uses advised against			
Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1638 782616 tech@jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com tech@jacksonimmuno.com info@jacksonimmuno.com Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Ketter 21. Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 22 Label lements 21. Label ling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) Hazard statements (CLP) H412 - Harmf	No ado	litional information available			
Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place I: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1638 782616 tech@jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com F: 444 (0) 1353 664675 tech@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com tech@jacksonimmuno.com Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards Identification Autor 21. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1 Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with lo	1.3.	Details of the supplier of th	ne safety data sheet		
872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1638 782616 tech@jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com tech@jacksonimmuno.com F: 444 (0) 1638 782616 Sterron velopeint number F: 444 (0) 1638 782616 Emergency telephone number Emergency telephone number Emergency telephone number Emergency telephone number Stocome 1.1 Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available Z.1 Label elements 2.1 Label elements Event environment. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to haz	Manu	ıfacturer	European Contact		
West Grove, PA 19390 St Thoma' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com meiglacksonimmuno.com help@jacksonimmuno.com Emergency telephone number Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 21. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxi	Jacks	on ImmunoResearch Laboratorie	s, Inc. Jackson ImmunoResearch Europe LTD		
T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1333 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com tech@jacksonimmuno.com tentergency telephone number Emergency telephone number Emergency telephone number Emergency number tentergency telephone number Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-s	872 \	Vest Baltimore Pike	Cambridge House		
F: 610-869-0171 T: 444 (0) 1638 782616 tech@jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com tech@jacksonimmuno.com help@jacksonimmuno.com 1.6 Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 21. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 Ha12 Hazards atements Secording to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements	West	Grove, PA 19390	St Thomas' Place		
tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Label elements Label ling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	T: 800)-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK		
www.jacksonimmuno.com info@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Babelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. Psoin - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	F: 610)-869-0171	T: +44 (0) 1638 782616		
help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 3.1. Classification of the substance or mixture Classification for Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Vaard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	tech@	Øjacksonimmuno.com			
Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.1. Label elements Label ling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	www	jacksonimmuno.com	info@jacksonimmuno.com		
tech@jacksonimmuno.com 1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.			help@jacksonimmuno.com		
1.4. Emergency telephone number Emergency number ±1-610-869-4024 (USA) SECTION 2: Hazards identification Section 2: Hazards identification Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labeling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.			ible for this SDS:		
Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	tech@	-			
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.					
2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Label lements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	Emer	gency number : +2	1-610-869-4024 (USA)		
Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	SEC	TION 2: Hazards identif	fication		
Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	2.1.	Classification of the substan	ce or mixture		
Aquatic Chronic3H412Full text of hazard classes and H-statements: set section 16Adverse physicochemical, human health and environmental effectsNo additional information available2.2. Label elementsLabel lementsH412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.					
Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	-				
No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.					
 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 					
Labelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
 Hazard statements (CLP) Precautionary statements (CLP) H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 			10 1272/2008 [CLP]		
Precautionary statements (CLP)P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.					
point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	TTEEC	futionary statements (cli)		ion	
EUH-statements EUH032 - Contact with acids liberates very toxic gas.					
EUH-statements EUH032 - Contact with acids liberates very toxic gas.					
	FUH-	statements			
26/04/2024 EN (English) 1 / 12	Lonn				
	26/04	/2024	EN (English)	1 / 12	



2/12

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. **Substances**

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic (CAS-No.) 7558-79-4 (EC-No.) 231-448-7		1.51	Not classified
Alexa Fluor® 647-conjugated AffiniPure™ F(ab') ₂ Fragment Goat	(CAS-No.) Not assigned	1.59	Not classified
Anti-Human IgM, Fc _{5m} Fragment Specific (minimal cross-reaction to Bovine Serum Proteins)			
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

Full text H-statements: see section 16

SECTION 4: First aid measures **Description of first aid measures** 4.1. First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. First-aid measures after ingestion Most important symptoms and effects, both acute and delayed 4.2. Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation : May be harmful or cause irritation. Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation. 26/04/2024 EN (English)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Sympt	toms/effects after eye contact	: May cause slight irritation to eyes.			
Sympt	toms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.			
Chror	iic symptoms	: None expected under normal conditions of use.			
4.3.	-	nedical attention and special treatment needed			
If expo	sed or concerned, get medical advid	ce and attention. If medical advice is needed, have product container or label at hand.			
SECT	FION 5: Firefighting meas	sures			
5.1.	Extinguishing media				
Suital	ole extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.			
		Use extinguishing media appropriate for surrounding fire.			
Unsui	table extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.			
5.2.		om the substance or mixture			
Fireh		: Not Assigned			
React		: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,			
		and carbon disulfide to form shock-sensitive compounds. Reacts with acids,			
		forming toxic and explosive hydrogen azide. Contact with acids liberates toxic			
		gas.			
Hazar case o	dous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.			
5.3.	Advice for firefighters				
	utionary measures fire	: Exercise caution when fighting any chemical fire.			
	ghting instructions	: Use water spray or fog for cooling exposed containers.			
	ction during firefighting	: Do not enter fire area without proper protective equipment, including respiratory			
110100	etton during in englitting	protection.			
SECT	FION 6: Accidental releas	se measures			
6.1.	Personal precautions, protect	ive equipment and emergency procedures			
Gener	al measures	: Avoid prolonged contact with eyes, skin and clothing.			
6.1.1.	For non-emergency personnel				
	ctive equipment	: Use appropriate personal protective equipment (PPE).			
	gency procedures	: Evacuate unnecessary personnel.			
	For emergency responders				
	ctive equipment	: Equip cleanup crew with proper protection.			
Emerg	sency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence			
		of dangerous goods, protect oneself and the public, secure the area, and call for			
6.2.	Environmental precautions	the assistance of trained personnel as soon as conditions permit. Ventilate area.			
0.2.	Environmental precautions	: Prevent entry to sewers and public waters. Avoid release to the environment.			
6.3.	Methods and material for con				
	ontainment	: Contain solid spills with appropriate barriers and prevent migration and entry			
10100		into sewers or streams.			
Metho	ods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent			
	U-F	authorities after a spill.			
6.4.	Reference to other sections				

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

Precautions for safe handling 7.1. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. : Handle in accordance with good industrial hygiene and safety procedures. Hygiene measures 7.2. Conditions for safe storage, including any incompatibilities : Comply with applicable regulations. Technical measures Storage conditions : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials. Incompatible materials : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)				
Latvia OEL TWA (mg/m ³)		5 mg/m ³		
Lithuania IPRV (mg/m³)		5 mg/m ³		
Sodium azide (26628-22-	8)			
EU	IOELV TWA (mg/m³)	0,1 mg/m³		
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³		
EU	Notes	Possibility of significant uptake through the skin		
Austria	MAK (mg/m³)	0,1 mg/m ³		
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³		
Austria	OEL chemical category (AT)	Skin notation		
Belgium	OEL chemical category (BE)	Skin, Skin notation		
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³		
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³		
Croatia GVI (granicna vrijednost izloženosti) (mg/m ³)		0,1 mg/m³		
Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m ³)		0,3 mg/m³		
Croatia	OEL chemical category (HR)	Skin notation		
Cyprus	OEL TWA (mg/m ³)	0,1 mg/m ³		
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³		
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption		
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)		
France VME (mg/m³) 0,1 m		0,1 mg/m ³ (restrictive limit)		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ance OEL chemical category (FR)		Risk of cutaneous absorption	
ermany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³	
ibraltar	Eight hours mg/m3	0,1 mg/m ³	
ibraltar	Short-term mg/m3	0,3 mg/m ³	
ibraltar	OEL chemical category (GI)	Skin notation	
reece	OEL TWA (mg/m³)	0,3 mg/m ³	
reece	OEL TWA (ppm)	0,1 ppm	
reece	OEL STEL (mg/m ³)	0,3 mg/m ³	
reece	OEL STEL (ppm)	0,1 ppm	
SA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³	
SA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
aly	OEL TWA (mg/m ³)	0,1 mg/m ³	
aly	OEL STEL (mg/m ³)	0,3 mg/m³	
aly	OEL chemical category (IT)	skin - potential for cutaneous absorption	
itvia	OEL TWA (mg/m ³)	0,1 mg/m ³	
itvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
pain	VLA-ED (mg/m³)	0,1 mg/m ³ (indicative limit value)	
pain	VLA-EC (mg/m ³)	0,3 mg/m³	
pain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
witzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)	
witzerland	MAK (mg/m³)	0,2 mg/m ³ (inhalable dust)	
etherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³	
etherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³	
nited Kingdom	WELTWA (mg/m³)	0,1 mg/m ³	
nited Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³	
nited Kingdom	WEL chemical category	Potential for cutaneous absorption	
zech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³	
zech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
enmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³	
stonia	OEL TWA (mg/m ³)	0,1 mg/m ³	
stonia	OEL STEL (mg/m ³)	0,3 mg/m³	
stonia	OEL chemical category (ET)	Sensitizer, Skin notation	
nland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³	
nland	HTP-arvo (15 min)	0,3 mg/m³	
nland	OEL chemical category (FI)	Potential for cutaneous absorption	
ungary	AK-érték	0,1 mg/m ³	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hungary	CK-érték	0,3 mg/m³	
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m ³	
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³	
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania	IPRV (mg/m³)	0,1 mg/m³	
Lithuania	TPRV (mg/m ³)	0,3 mg/m³	
Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³	
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
Malta	OEL TWA (mg/m³)	0,1 mg/m³	
Malta	OEL STEL (mg/m ³)	0,3 mg/m³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)	
Poland	NDS (mg/m ³)	0,1 mg/m³	
Poland	NDSCh (mg/m ³)	0,3 mg/m ³	
Romania	OEL TWA (mg/m³)	0,1 mg/m³	
Romania	OEL STEL (mg/m ³)	0,3 mg/m³	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³	
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m³	
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³	
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³	
Portugal	OEL TWA (mg/m³)	0,1 mg/m ³ (indicative limit value)	
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)	
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m ³	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chem	licai	properties
Physical state	:	Solid
Colour	:	Strong blue solid
Odour	:	Odourless, as water
Odour threshold	:	No data available
рН	:	7.6, when rehydrated with indicated volume of H_2O
Evaporation rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidising properties :		No data available
Explosive limits	:	No data available
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

Alexa Fluor® 647-conjugated AffiniPure[™] F(ab')₂ Fragment Goat Anti-Human IgM, $Fc_{5\mu}$ Fragment Specific (minimal cross-reaction to



Bovine Serum Proteins)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. **Chemical stability**

Stable under recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions 10.3.

Hazardous polymerization will not occur.

10.4. **Conditions to avoid**

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

Incompatible materials 10.5.

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	>10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	>42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	

LD50 dermal rat	>500 mg/kg (50% solution)
Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified : Not classified
Aspiration hazard Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact	 Not classified May be harmful or cause irritation. Prolonged exposure may cause skin irritation. May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological i	nformation
2.1. Toxicity Ecology - general	: Harmful to aquatic life with long lasting effects.
Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)
Sodium azide (26628-22-8)	
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
ErC50 (algae)	0,348 mg/l
2.2. Persistence and degrad	ability
	iiPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal ∙oteins)
cross-reaction to Bovine Serum Pr Persistence and degradability	-
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent	Not established.
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent	roteins) Not established. tial iPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent Alexa Fluor® 647-conjugated Affin	roteins) Not established. tial iPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent Alexa Fluor® 647-conjugated Affin cross-reaction to Bovine Serum Pr Bioaccumulative potential	roteins) Not established. tial iPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins)
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent Alexa Fluor® 647-conjugated Affin cross-reaction to Bovine Serum Pr Bioaccumulative potential Sodium chloride (7647-14-5)	roteins) Not established. tial iPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins)
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent Alexa Fluor® 647-conjugated Affin cross-reaction to Bovine Serum Pr Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil	roteins) Not established. tial iPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins) Not established. (no bioaccumulation)
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent Alexa Fluor® 647-conjugated Affin cross-reaction to Bovine Serum Pr Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil lo additional information availabl 2.5. Results of PBT and vPvB	roteins) Not established. tial iiPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins) Not established. (no bioaccumulation) e sassessment
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent Alexa Fluor® 647-conjugated Affin cross-reaction to Bovine Serum Pr Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil lo additional information availabl 2.5. Results of PBT and vPvB lo additional information availabl	roteins) Not established. tial iiPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins) Not established. (no bioaccumulation) e sassessment
cross-reaction to Bovine Serum PrPersistence and degradability2.3. Bioaccumulative potentAlexa Fluor® 647-conjugated Affincross-reaction to Bovine Serum PrBioaccumulative potentialSodium chloride (7647-14-5)BCF fish 12.4. Mobility in soillo additional information availabl2.5. Results of PBT and vPvBlo additional information availabl2.6. Other adverse effectsOther information	Not established. tial iPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins) Not established. (no bioaccumulation) e sassessment e : Avoid release to the environment.
cross-reaction to Bovine Serum PrPersistence and degradability2.3. Bioaccumulative potentAlexa Fluor® 647-conjugated Affincross-reaction to Bovine Serum PrBioaccumulative potentialSodium chloride (7647-14-5)BCF fish 12.4. Mobility in soillo additional information available2.5. Results of PBT and vPvBlo additional information available2.6. Other adverse effectsOther information	Not established. tial iiPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins) Not established. (no bioaccumulation) e sassessment e : Avoid release to the environment.
cross-reaction to Bovine Serum Pr Persistence and degradability 2.3. Bioaccumulative potent Alexa Fluor® 647-conjugated Affin cross-reaction to Bovine Serum Pr Bioaccumulative potential Sodium chloride (7647-14-5) BCF fish 1 2.4. Mobility in soil lo additional information availabl 2.5. Results of PBT and vPvB lo additional information availabl 2.6. Other adverse effects Other information SECTION 13: Disposal co 3.1. Waste treatment metho	Not established. tial iPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins) Not established. (no bioaccumulation) e assessment e : Avoid release to the environment. onsiderations
cross-reaction to Bovine Serum PrPersistence and degradability2.3. Bioaccumulative potentAlexa Fluor® 647-conjugated Affincross-reaction to Bovine Serum PrBioaccumulative potentialSodium chloride (7647-14-5)BCF fish 12.4. Mobility in soillo additional information availabl2.5. Results of PBT and vPvBlo additional information availabl2.6. Other adverse effectsOther informationSECTION 13: Disposal co3.1. Waste treatment methorProduct/Packaging disposal	Not established. tial iiPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal ioteins) Not established. (no bioaccumulation) e assessment e : Avoid release to the environment. onsiderations ods : Dispose of contents/container in accordance with local, regional, national, and
cross-reaction to Bovine Serum PrPersistence and degradability2.3. Bioaccumulative potentAlexa Fluor® 647-conjugated Affincross-reaction to Bovine Serum PrBioaccumulative potentialSodium chloride (7647-14-5)BCF fish 12.4. Mobility in soilto additional information availabl2.5. Results of PBT and vPvBto additional information availabl2.6. Other adverse effectsOther informationSECTION 13: Disposal co	Not established. tial iPure™ F(ab') ₂ Fragment Goat Anti-Human IgM, Fc _{5m} Fragment Specific (minimal roteins) Not established. (no bioaccumulation) e assessment e : Avoid release to the environment. onsiderations ods



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated for tran	sport			
14.2. UN proper s	shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	azard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	up			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmer	ntal hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of Preparation or Latest Revision	: 26/04/2024
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information,
	and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Indication of Changes No additional information available

Abbreviations and Acronyms

Abbie Victoris und Actorigins	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 - Median Lethal Concentration LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution EU GHS SDS TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.