Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Date of issue: 25/04/2024 Version: 3.1
SECTION 1: Identification of the substance/mixture and of the company/undertaking

	Product identifier		
Produ	uct Form	: Mixture	
Produ	uct Name	: AMCA-conjugated AffiniPure™ Goat Anti-Rabbit IgG, Fc Fragment Specific (mini	mal
		cross-reaction to Human Serum Proteins)	
Produ	uct Code	: 111-155-046	
1.2.	1.2. Relevant identified uses of the substance or mixture and uses advised against		
1.2.1.	Relevant identified uses		
Use o	f the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not	a
		medical device. Contact supplier for specific applications.	
1.2.2.	Uses advised against		
No ado	litional information available		
1.3.	Details of the supplier of the	safety data sheet	
	facturer	European Contact	
	on ImmunoResearch Laboratories,		
-	Vest Baltimore Pike	Cambridge House	
	Grove, PA 19390	St Thomas' Place	
)-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK	
)-869-0171	T: +44 (0) 1638 782616	
	🤉 🧿 Jacksonimmuno.com	F: +44 (0) 1353 664675	
www.	jacksonimmuno.com	info@jacksonimmuno.com	
		help@jacksonimmuno.com	
	address for the person responsibl	e for this SDS:	
	🦻 jacksonimmuno.com		
1.4.	Emergency telephone number		
		10-869-4024 (USA)	
SEC	TION 2: Hazards identific	ation	
2.1.	Classification of the substance	or mixture	
Classifi	cation According to Regulation (EC)	No. 1272/2008 [CLP]	
Aqua	tic Chronic3	H412	
Full to	kt of hazard classes and H-stateme	nts: see section 16	
Full tex			
	e physicochemical, human health a	nd environmental effects	
Advers	e physicochemical, human health a litional information available	nd environmental effects	
Advers		nd environmental effects	
Advers No ado 2.2.	litional information available		
Advers No ado 2.2. Labelli	litional information available Label elements		
Advers No ado 2.2. Labelli Haza	litional information available Label elements ng According to Regulation (EC) No.	1272/2008 [CLP]	
Advers No ado 2.2. Labelli Haza	litional information available Label elements ng According to Regulation (EC) No. rd statements (CLP)	1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects.	
Advers No ado 2.2. Labelli Haza	litional information available Label elements ng According to Regulation (EC) No. rd statements (CLP)	 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. 	
Advers No ado 2.2. Labelli Haza	litional information available Label elements ng According to Regulation (EC) No. rd statements (CLP)	 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection 	
Advers No ado 2.2. Labelli Haza Preca	litional information available Label elements ng According to Regulation (EC) No. rd statements (CLP)	 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international 	
Advers No ado 2.2. Labelli Haza Preca	litional information available Label elements ng According to Regulation (EC) No. rd statements (CLP) nutionary statements (CLP)	 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 	
Advers No add 2.2. Labelli Haza Preca	litional information available Label elements ng According to Regulation (EC) No. rd statements (CLP) nutionary statements (CLP)	 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. 	

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
AMCA-conjugated AffiniPure™ Goat Anti-Rabbit IgG, Fc Fragment Specific (minimal cross-reaction to Human Serum Proteins)	(CAS-No.) Not assigned	1.60	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

Full text of H-statements: see section 16 SECTION 4: First aid measures

4.1. Description of first aid measures

Description of mist alu measu	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	ION 5: Firefighting meas	sures
5.1.	Extinguishing media	
Suitable extinguishing media		: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
		Use extinguishing media appropriate for surrounding fire.
Unsuit	able extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2.	Special hazards arising fro	om the substance or mixture
Fire ha	azard	: Not Assigned
Reacti	vity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazaro case o	dous decomposition products in f fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3.	Advice for firefighters	
	utionary measures fire	: Exercise caution when fighting any chemical fire.
	hting instructions	: Use water spray or fog for cooling exposed containers.
	tion during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
		protection.
SECT	ION 6: Accidental releas	se measures
6.1.		ive equipment and emergency procedures
-	al measures	: Avoid prolonged contact with eyes, skin and clothing.
5.1.1.	For non-emergency personnel	
	tive equipment	: Use appropriate personal protective equipment (PPE).
	ency procedures	: Evacuate unnecessary personnel.
6.1. 2 . [°]	For emergency responders	
Protec	tive equipment	: Equip cleanup crew with proper protection.
Emerg	ency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area
6.2.	Environmental precautions	
		: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3.	Methods and material for con	tainment and cleaning up
For co	ntainment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Metho	ds for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4.	Reference to other sections	
See Sect	tion 8 for exposure controls and pe	ersonal protection and Section 13 for disposal considerations.
SECT	ION 7: Handling and sto	rage
7.1.	Precautions for safe handling	
	utions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygier	ne measures	: Handle in accordance with good industrial hygiene and safety procedures.

Technical measures : Comply with applicable regulations.

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store
	away from extremely high temperatures and incompatible materials.
Incompatible materials	 Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)				
Latvia	5 mg/m³			
Lithuania IPRV (mg/m³)		5 mg/m ³		
Sodium azide (26628-22-8)				
EU	IOELV TWA (mg/m ³)	0,1 mg/m ³		
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³		
EU	Notes	Possibility of significant uptake through the skin		
Austria	MAK (mg/m³)	0,1 mg/m ³		
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³		
Austria	OEL chemical category (AT)	Skin notation		
Belgium	OEL chemical category (BE)	Skin, Skin notation		
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³		
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³		
Croatia	GVI (granicna vrijednost izloženosti) (mg/m ³)	0,1 mg/m³		
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³		
Croatia OEL chemical category (HR)		Skin notation		
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³		
Cyprus OEL STEL (mg/m ³)		0,3 mg/m³		
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption		
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)		
France	VME (mg/m³)	0,1 mg/m ³ (restrictive limit)		
France	OEL chemical category (FR)	Risk of cutaneous absorption		
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	0,2 mg/m ³		
Gibraltar	Eight hours mg/m3	0,1 mg/m³		
Gibraltar	Short-term mg/m3	0,3 mg/m ³		
Gibraltar	OEL chemical category (GI)	Skin notation		
Greece	OEL TWA (mg/m³)	0,3 mg/m ³		
Greece	OEL TWA (ppm)	0,1 ppm		

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Greece	OEL STEL (mg/m³)	0,3 mg/m³	
Greece	OEL STEL (ppm)	0,1 ppm	
USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³	
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
Italy	OEL TWA (mg/m³)	0,1 mg/m ³	
Italy	OEL STEL (mg/m ³)	0,3 mg/m ³	
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
Latvia	OEL TWA (mg/m³)	0,1 mg/m ³	
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
Spain	VLA-ED (mg/m³)	0,1 mg/m ³ (indicative limit value)	
Spain	VLA-EC (mg/m ³)	0,3 mg/m ³	
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)	
Switzerland	MAK (mg/m³)	0,2 mg/m ³ (inhalable dust)	
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³	
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³	
United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³	
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³	
United Kingdom	WEL chemical category	Potential for cutaneous absorption	
Czech Republic	Expozicní limity (PEL) (mg/m ³) 0,1 mg/m ³		
Czech Republic	oublic OEL chemical category (CZ) Potential for cuta		
Denmark	mark Grænseværdie (langvarig) (mg/m³) 0,1 mg/r		
Estonia	tonia OEL TWA (mg/m³) 0,1 mg,		
Estonia	onia OEL STEL (mg/m³) 0,3 mg/m³		
Estonia OEL chemical category (ET) Sensitizer, Ski		Sensitizer, Skin notation	
Finland HTP-arvo (8h) (mg/m³)		0,1 mg/m ³	
Finland	HTP-arvo (15 min)	0,3 mg/m³	
Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
Hungary	AK-érték	0,1 mg/m³	
Hungary	CK-érték	0,3 mg/m³	
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m³	
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³	
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania	IPRV (mg/m³)	0,1 mg/m ³	
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³	
Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m ³	
Luxembourg	OEL STEL (mg/m³)	0,3 mg/m ³	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Malta	OEL TWA (mg/m ³)	0,1 mg/m ³	
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m ³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)		
Poland	NDS (mg/m ³)	0,1 mg/m³	
Poland	NDSCh (mg/m ³)	0,3 mg/m ³	
Romania	OEL TWA (mg/m ³)	0,1 mg/m ³	
Romania	OEL STEL (mg/m ³)	0,3 mg/m ³	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m ³)	0,1 mg/m ³	
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m³	
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption	
Sweden	n nivågränsvärde (NVG) (mg/m³) 0,1 mg/m³		
Sweden	n kortidsvärde (KTV) (mg/m ³) 0,3 mg/m ³		
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)	
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)	
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human	
		Carcinogen, skin - potential for cutaneous	
		exposure indicative limit value	

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection

Other information


- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
 - : Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
- : When using, do not eat, drink or smoke.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Sodium chloride (7647-14-5)

LD50 oral rat	3550 mg/kg (Species: Wistar)

ImmunoResearch

LABORATORIES, INC.

lackson





According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit	>10000 mg/kg (Species: New Zealand White)			
LC50 inhalation rat (mg/l)	>42 g/m ³ (Exposure time: 1 h)			
Sodium azide (26628-22-8)				
LD50 oral rat	27 mg/kg			
LD50 oral	45 mg/kg			
LD50 dermal rabbit	20 mg/kg			
Sodium phosphate dibasic (7558-79-4)				
LD50 oral rat	17 g/kg			
LD50 dermal rat	>500 mg/kg (50% solution)			
Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O			
Serious eye damage/irritation	 Not classified pH: 7,6 when rehydrated with indicated volume of H₂O 			
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified 			
Reproductive toxicity STOT-single exposure	 Not classified Not classified Not classified 			
Aspiration hazard	: Not classified			
Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion Chronic Symptoms	 May be harmful or cause irritation. Prolonged exposure may cause skin irritation. May cause slight irritation to eyes. Ingestion may cause adverse effects. May be harmful if swallowed. None expected under normal conditions of use. 			
SECTION 12: Ecological information	ation			
12.1. Toxicity Ecology - general	: Harmful to aquatic life with long lasting effects.			
Sodium chloride (7647-14-5)				
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])			
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])			
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)			
Sodium azide (26628-22-8)				
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)			
	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)			
LC50 fish 2	0,7 mg/1 (exposure time. 96 fr - species: Leponis macrochirus)			



Jackson ImmunoResearch

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Persistence and degradability	Not established.
2.3. Bioaccumulative potential	
	nti-Rabbit IgG, Fc Fragment Specific (minimal cross-reaction to Human Serum Proteins)
Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)
12.4. Mobility in soil No additional information available	
12.5. Results of PBT and vPvB ass No additional information available	essment
12.6. Other adverse effects Other information	: Avoid release to the environment.
SECTION 13: Disposal consi	derations
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local, regional, national, and international regulations.
	: Avoid release to the environment. This material is hazardous to the aquatic

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	ulated for trans	port			
14.2.	UN proper sl	hipping name			
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	Transport ha	zard class(es)			
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	Packing grou	p			
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviror	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **15.1.1.** EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Date of Preparation or Latest Revision	: 25/04/2024
Data sources	: Information and data obtained and used in the authoring of this safety data shee could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of

NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dangerous Goods by Inland Waterways NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe ADR - European Agreement Concerning the International Carriage of NOAEL - No-Observed Adverse Effect Level Dangerous Goods by Road NOEC - No-Observed Effect Concentration ATE - Acute Toxicity Estimate NRD - Nevirsytinas Ribinis Dydis BCF - Bioconcentration Factor NTP - National Toxicology Program BEI - Biological Exposure Indices (BEI) **OEL - Occupational Exposure Limits** BOD - Biochemical Oxygen Demand PBT - Persistent, Bioaccumulative and Toxic CAS No. - Chemical Abstracts Service Number PEL - Permissible Exposure Limit CLP - Classification, Labeling and Packaging Regulation (EC) No pH-Potential Hydrogen REACH - Registration, Evaluation, Authorisation, and Restriction of 1272/2008 COD – Chemical Oxygen Demand Chemicals EC – European Community RID – Regulations Concerning the International Carriage of Dangerous EC50 - Median Effective Concentration Goods by Rail SADT - Self Accelerating Decomposition Temperature EEC – European Economic Community EINECS – European Inventory of Existing Commercial Chemical SDS - Safety Data Sheet STEL - Short Term Exposure Limit Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire STOT - Specific Target Organ Toxicity EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft EU – European Union TEL TRK – Technical Guidance Concentrations ErC50 - EC50 in Terms of Reduction Growth Rate ThOD - Theoretical Oxygen Demand GHS – Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit Chemicals TLV - Threshold Limit Value TPRD - Trumpalaikio Poveikio Ribinis Dydis IARC - International Agency for Research on Cancer IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV – Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische 1D50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC – Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse FU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.