lgG (H+L)

Product Form

1.1.

Safety Data Sheet

Product identifier

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Date of issue: 25/04/2024

: Mixture

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name : Cy[™]3-conjugated AffiniPure[™] F(ab')₂ Fragment Goat Anti-Rabbit IgG (H+L) Product Code : 111-166-003 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. **Relevant identified uses** Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Manufacturer **European Contact** Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike **Cambridge House** West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. **Emergency telephone number** : +1-610-869-4024 (USA) **Emergency** number SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 2.3. Other hazards Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

lgG (H+L)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification According to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------|---|
| Sodium azide | (CAS-No.) 26628-22-8 | 0.54 | Acute Tox. 2 (Oral), H300 |
| | (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7 | | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Sodium phosphate dibasic | (CAS-No.) 7558-79-4 (EC-No.) 231-448-7 | 1.51 | Not classified |
| Cy™3-conjugated AffiniPure™ F(ab') ₂ | (CAS-No.) Not assigned | 1.61 | Not classified |
| Fragment Goat Anti-Rabbit IgG (H+L) | | | |
| Sodium chloride | (CAS-No.) 7647-14-5 (EC-No.) 231-598-3 | 15.7 | Not classified |
| Albumins, blood serum | (CAS-No.) 9048-46-8 (EC-No.) 232-936-2 | 16.13 | Not classified |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
|---------------------------------------|--|
| First-aid measures after inhalation | Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. |
| First-aid measures after skin contact | : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. |
| First-aid measures after eye contact | : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. |
| 4.2. Most important symptoms an | d effects, both acute and delayed |
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after inhalation | : May be harmful or cause irritation. |
| Symptoms/effects after skin contact | : Prolonged exposure may cause skin irritation. |
| Symptoms/effects after eye contact | : May cause slight irritation to eyes. |
| Symptoms/effects after ingestion | : Ingestion may cause adverse effects. May be harmful if swallowed. |
| Chronic symptoms | : None expected under normal conditions of use. |
| 4.3. Indication of any immediate | nedical attention and special treatment needed |

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media



lgG (H+L)



Suitable extinguishing media

According to Regulation (EC) No. 1907/2006 (REACH) with

| F(ab') ₂ Fragment Goat Anti-Rabbit | Jackson | ImmunoResearch Laboratories, INC. |
|--|---------------|--------------------------------------|
| CH) with its amendment Regulation (EU) 2015/830 | | |
| : Water spray, fog, carbon dioxide (CO ₂), alcohol-r | esistant foan | n, or dry chemical. |

| | Use extinguishing media appropriate for surrounding fire. |
|--|--|
| Unsuitable extinguishing media | : Do not use a heavy water stream. Use of heavy stream of water may spread fire. |
| 5.2. Special hazards arisin | g from the substance or mixture |
| Fire hazard | : Not Assigned |
| Reactivity | : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. |
| Hazardous decomposition products case of fire | in : Hydrogen chloride. Sodium oxides. Nitrogen oxides. |
| 5.3. Advice for firefighter | 5 |
| Precautionary measures fire | : Exercise caution when fighting any chemical fire. |
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

| 6.1. | Personal precautions, protective | ve equipment and emergency procedures |
|--------|----------------------------------|--|
| Gener | al measures | : Avoid prolonged contact with eyes, skin and clothing. |
| 6.1.1. | For non-emergency personnel | |
| Protec | tive equipment | : Use appropriate personal protective equipment (PPE). |
| Emerg | ency procedures | : Evacuate unnecessary personnel. |
| 6.1.2. | For emergency responders | |
| Protec | tive equipment | : Equip cleanup crew with proper protection. |
| Emerg | ency procedures | : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. |
| 6.2. | Environmental precautions | |
| | | : Prevent entry to sewers and public waters. Avoid release to the environment. |
| 6.3. | Methods and material for cont | ainment and cleaning up |
| For co | ntainment | : Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. |
| Metho | ods for cleaning up | : Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. |

6.4. **Reference to other sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

| SECTION 7: Handling and sto | rage |
|--------------------------------------|---|
| 7.1. Precautions for safe handling | |
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. |
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. |
| 7.2. Conditions for safe storage, ir | cluding any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials. |

lgG (H+L)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Incompatible materials

: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Sodium chloride (7647-14-5) | | |
|-----------------------------|---|--|
| Latvia | OEL TWA (mg/m³) | 5 mg/m ³ |
| Lithuania | IPRV (mg/m³) | 5 mg/m ³ |
| Sodium azide (26628-22-8) | | |
| EU | IOELV TWA (mg/m³) | 0,1 mg/m ³ |
| EU | IOELV STEL (mg/m ³) | 0,3 mg/m³ |
| EU | Notes | Possibility of significant uptake through the skin |
| Austria | MAK (mg/m³) | 0,1 mg/m ³ |
| Austria | MAK Short time value (mg/m³) | 0,3 mg/m³ |
| Austria | OEL chemical category (AT) | Skin notation |
| Belgium | OEL chemical category (BE) | Skin, Skin notation |
| Bulgaria | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Bulgaria | OEL STEL (mg/m ³) | 0,3 mg/m³ |
| Croatia | GVI (granicna vrijednost izloženosti) (mg/m ³) | 0,1 mg/m³ |
| Croatia | KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) | 0,3 mg/m³ |
| Croatia | OEL chemical category (HR) | Skin notation |
| Cyprus | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Cyprus | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Cyprus | OEL chemical category (CY) | Skin-potential for cutaneous absorption |
| France | VLE (mg/m ³) | 0,3 mg/m ³ (restrictive limit) |
| France | VME (mg/m ³) | 0,1 mg/m ³ (restrictive limit) |
| France | OEL chemical category (FR) | Risk of cutaneous absorption |
| Germany | TRGS 900 Occupational exposure limit value (mg/m³) | 0,2 mg/m ³ |
| Gibraltar | Eight hours mg/m3 | 0,1 mg/m ³ |
| Gibraltar | Short-term mg/m3 | 0,3 mg/m³ |
| Gibraltar | OEL chemical category (GI) | Skin notation |
| Greece | OEL TWA (mg/m ³) | 0,3 mg/m ³ |
| Greece | OEL TWA (ppm) | 0,1 ppm |
| Greece | OEL STEL (mg/m ³) | 0,3 mg/m³ |
| Greece | OEL STEL (ppm) | 0,1 ppm |



Jackson ImmunoResearch LABORATORIES, INC.

IgG (H+L) Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| USA ACGIH | ACGIH Ceiling (mg/m ³) | 0,29 mg/m ³ |
|----------------|--|--|
| USA ACGIH | ACGIH Ceiling (ppm) | 0,11 ppm |
| Italy | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Italy | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Italy | OEL chemical category (IT) | skin - potential for cutaneous absorption |
| Latvia | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Latvia | OEL chemical category (LV) | skin - potential for cutaneous exposure |
| Spain | VLA-ED (mg/m ³) | 0,1 mg/m ³ (indicative limit value) |
| Spain | VLA-EC (mg/m ³) | 0,3 mg/m ³ |
| Spain | OEL chemical category (ES) | skin - potential for cutaneous absorption |
| Switzerland | KZGW (mg/m ³) | 0,4 mg/m³ (inhalable dust) |
| Switzerland | MAK (mg/m³) | 0,2 mg/m³ (inhalable dust) |
| Netherlands | Grenswaarde TGG 8H (mg/m³) | 0,1 mg/m ³ |
| Netherlands | Grenswaarde TGG 15MIN (mg/m ³) | 0,3 mg/m ³ |
| United Kingdom | WEL TWA (mg/m ³) | 0,1 mg/m ³ |
| United Kingdom | WEL STEL (mg/m ³) | 0,3 mg/m ³ |
| United Kingdom | WEL chemical category | Potential for cutaneous absorption |
| Czech Republic | Expozicní limity (PEL) (mg/m³) | 0,1 mg/m ³ |
| Czech Republic | OEL chemical category (CZ) | Potential for cutaneous absorption |
| Denmark | Grænseværdie (langvarig) (mg/m³) | 0,1 mg/m ³ |
| Estonia | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Estonia | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Estonia | OEL chemical category (ET) | Sensitizer, Skin notation |
| Finland | HTP-arvo (8h) (mg/m³) | 0,1 mg/m ³ |
| Finland | HTP-arvo (15 min) | 0,3 mg/m ³ |
| Finland | OEL chemical category (FI) | Potential for cutaneous absorption |
| Hungary | AK-érték | 0,1 mg/m ³ |
| Hungary | CK-érték | 0,3 mg/m ³ |
| Ireland | OEL (8 hours ref) (mg/m ³) | 0,1 mg/m ³ |
| Ireland | OEL (15 min ref) (mg/m3) | 0,3 mg/m ³ |
| Ireland | OEL chemical category (IE) | Potential for cutaneous absorption |
| Lithuania | IPRV (mg/m ³) | 0,1 mg/m ³ |
| Lithuania | TPRV (mg/m ³) | 0,3 mg/m ³ |
| Lithuania | OEL chemical category (LT) | Skin notation |
| Luxembourg | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Luxembourg | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Luxembourg | OEL chemical category (LU) | Possibility of significant uptake through the skin |
| Malta | OEL TWA (mg/m³) | 0,1 mg/m ³ |



IgG (H+L) Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Malta | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
|----------|---|--|
| Malta | OEL chemical category (MT) | Possibility of significant uptake through the skin |
| Norway | Grenseverdier (AN) (mg/m ³) | 0,1 mg/m³ |
| Norway | Grenseverdier (Korttidsverdi) (mg/m3) | 0,3 mg/m ³ (value from the regulation) |
| Poland | NDS (mg/m ³) | 0,1 mg/m³ |
| Poland | NDSCh (mg/m ³) | 0,3 mg/m ³ |
| Romania | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Romania | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Romania | OEL chemical category (RO) | Skin notation |
| Slovakia | NPHV (priemerná) (mg/m³) | 0,1 mg/m³ (Sodium azide) |
| Slovakia | NPHV (Hranicná) (mg/m³) | 0,3 mg/m ³ |
| Slovakia | OEL chemical category (SK) | Potential for cutaneous absorption |
| Slovenia | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Slovenia | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Slovenia | OEL chemical category (SL) | Potential for cutaneous absorption |
| Sweden | nivågränsvärde (NVG) (mg/m³) | 0,1 mg/m ³ |
| Sweden | kortidsvärde (KTV) (mg/m³) | 0,3 mg/m ³ |
| Portugal | OEL TWA (mg/m ³) | 0,1 mg/m ³ (indicative limit value) |
| Portugal | OEL STEL (mg/m ³) | 0,3 mg/m ³ (indicative limit value) |
| Portugal | OEL - Ceilings (mg/m³) | 0,29 mg/m ³ |
| Portugal | OEL - Ceilings (ppm) | 0,11 ppm (vapor) |
| Portugal | OEL chemical category (PT) | A4 - Not Classifiable as a Human |
| | | Carcinogen, skin - potential for cutaneous |
| | | exposure indicative limit value |

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection

Other information

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
- : When using, do not eat, drink or smoke.

lgG (H+L)



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state Solid : Colour : Strong pink solid Odour : Odourless, as water Odour threshold : No data available рΗ 7.6, when rehydrated with indicated volume of H₂O **Evaporation rate** No data available No data available Melting point : Freezing point · No data available **Boiling point** No data available Flash point : No data available Auto-ignition temperature No data available : No data available Decomposition temerature : No data available Flammability (solid, gas) • No data available Vapour pressure Relative vapour density at 20 °C : No data available No data available Relative density : Solubility Water : Partition coefficent: n-octanol/water No data available : No data available Viscosity : **Explosive properties** • No data available No data available **Oxidising properties** : **Explosive limits** No data available :

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Sodium chloride (7647-14-5) | |
|--|--|
| LD50 oral rat 3550 mg/kg (Species: Wistar) | |





IgG (H+L) Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| LD50 dermal rabbit | > 10000 mg/kg (Species: New Zealand White) | |
|--|--|--|
| LC50 inhalation rat (mg/l) | >42 g/m ³ (Exposure time: 1 h) | |
| Sodium azide (26628-22-8) | | |
| LD50 oral rat | 27 mg/kg | |
| LD50 oral | 45 mg/kg | |
| LD50 dermal rabbit | 20 mg/kg | |
| Sodium phosphate dibasic (7558-79-4) | | |
| LD50 oral rat | 17 g/kg | |
| LD50 dermal rat | >500 mg/kg (50% solution) | |
| Skin corrosion/irritation Serious eye damage/irritation | Not classified pH: 7,6 when rehydrated with indicated volume of H₂O Not classified | |
| serious eye damage/initation | pH: 7,6 when rehydrated with indicated volume of H ₂ O | |
| Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity | Not classified Not classified Not classified | |
| Reproductive toxicity STOT-single exposure | Not classified Not classified Not classified | |
| Aspiration hazard | : Not classified | |
| Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion Chronic Symptoms | May be harmful or cause irritation. Prolonged exposure may cause skin irritation. May cause slight irritation to eyes. Ingestion may cause adverse effects. May be harmful if swallowed. None expected under normal conditions of use. | |
| SECTION 12: Ecological inforr | nauon | |
| Ecology - general | : Harmful to aquatic life with long lasting effects. | |
| Sodium chloride (7647-14-5) | | |
| LC50 fish 1 | 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) | |
| EC50 Daphnia 1 | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC50 fish 2 | 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | |
| EC50 Daphnia 2 | 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) | |
| NOEC chronic fish | 252 mg/l (Species: Pimephales promelas) | |
| Sodium azide (26628-22-8) | | |
| LC50 fish 1 | 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) | |
| LC50 fish 2 | 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) | |
| ErC50 (algae) | 0,348 mg/l | |

lgG (H+L)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



12.2. Persistence and degradability

| 12.2. Persistence and degradability Cy™3-conjugated AffiniPure™ F(ab') ₂ Fragment Goat Anti-Rabbit IgG (H+L) | |
|--|--|
| | |
| 12.3. Bioaccumulative potential | |
| Cy™3-conjugated AffiniPure™ F(ab') ₂ Fr | agment Goat Anti-Rabbit IgG (H+L) |
| Bioaccumulative potential | Not established. |
| Sodium chloride (7647-14-5) | |
| BCF fish 1 | (no bioaccumulation) |
| 12.4. Mobility in soil No additional information available | |
| 12.5. Results of PBT and vPvB asse No additional information available | essment |
| 12.6. Other adverse effects | |
| Other information : Avoid release to the environment. | |
| SECTION 13: Disposal consid | derations |
| 13.1. Waste treatment methods | |
| Product/Packaging disposal recommendations | : Dispose of contents/container in accordance with local, regional, national, and international regulations. |
| Ecology - waste materials | : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. |

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | ΙΑΤΑ | ADN | RID |
|------------------------|-----------------------|-------------------|-------------------|-------------------|
| 14.1. UN number | | | | |
| Not regulated for tran | sport | | | |
| 14.2. UN proper s | shipping name | | | |
| Notapplicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport h | azard class(es) | | | |
| Notapplicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing gro | ир | | | |
| Notapplicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmer | ntal hazards | | | |
| Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the |
| environment : No | environment : No | environment : No | environment : No | environment : No |
| | Marine pollutant : No | | | |
| 6 Special proce | utions for user | • | 1 | 1 |

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

lgG (H+L)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

CECTION 4C

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

| SECTION 16: Other Information | | | | |
|--|---|--|--|--|
| Date of Preparation or Latest Revision | : 25/04/2024 | | | |
| Data sources | : Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS. | | | |
| Other information | : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 | | | |

Full Text of H- and EUH-statements:

| Acute Tox. 2 (Oral) | Acute toxicity (oral), Category 2 | |
|---------------------|---|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 | |
| H300 | Fatal if swallowed. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| EUH032 | Contact with acids liberates very toxic gas. | |

Indication of Changes No additional information available

Abbreviations and Acronyms



Cy[™]3-conjugated AffiniPure[™] F(ab')₂ Fragment Goat Anti-Rabbit

IgG (H+L)

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| ACGIH – American Conference of Governmental Industrial Hygienists | NDS - Najwyzsze Dopuszczalne Stezenie |
|--|--|
| ADN – European Agreement Concerning the International Carriage of | NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe |
| Dangerous Goods by Inland Waterways | NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe |
| ADR - European Agreement Concerning the International Carriage of | NOAEL - No-Observed Adverse Effect Level |
| Dangerous Goods by Road | NOAL - No-Observed Effect Concentration |
| | |
| ATE - Acute Toxicity Estimate | NRD - Nevirsytinas Ribinis Dydis |
| BCF - Bioconcentration Factor | NTP – National Toxicology Program |
| BEI - Biological Exposure Indices (BEI) | OEL - Occupational Exposure Limits |
| BOD – Biochemical Oxygen Demand | PBT - Persistent, Bioaccumulative and Toxic |
| CAS No Chemical Abstracts Service Number | PEL - Permissible Exposure Limit |
| CLP – Classification, Labeling and Packaging Regulation (EC) No | pH – Potential Hydrogen |
| 1272/2008 | REACH – Registration, Evaluation, Authorisation, and Restriction of |
| COD – Chemical Oxygen Demand | Chemicals |
| EC – European Community | RID – Regulations Concerning the International Carriage of Dangerous |
| EC50 - Median Effective Concentration | Goods by Rail |
| EEC – European Economic Community | SADT - Self Accelerating Decomposition Temperature |
| EINECS – European Inventory of Existing Commercial Chemical | SDS - Safety Data Sheet |
| Substances | STEL - Short Term Exposure Limit |
| EmS-No. (Fire) - IMDG Emergency Schedule Fire | STOT - Specific Target Organ Toxicity |
| EmS-No. (Spillage) - IMDG Emergency Schedule Spillage | TA-Luft - Technische Anleitung zur Reinhaltung der Luft |
| EU – European Union | TEL TRK – Technical Guidance Concentrations |
| ErC50 - EC50 in Terms of Reduction Growth Rate | ThOD – Theoretical Oxygen Demand |
| GHS – Globally Harmonized System of Classification and Labeling of | TLM - Median Tolerance Limit |
| Chemicals | TLV - Threshold Limit Value |
| IARC - International Agency for Research on Cancer | TPRD - Trumpalaikio Poveikio Ribinis Dydis |
| IATA - International Air Transport Association | TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von |
| IBC Code - International Bulk Chemical Code | Gefahrstoffen in ortsbeweglichen Behältern |
| IMDG - International Maritime Dangerous Goods | TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine |
| IPRV - Ilgalaikio Poveikio Ribinis Dydis | TRGS 900 - Technische Regel für Gefahrstoffe 900 – |
| IOELV – Indicative Occupational Exposure Limit Value | Arbeitsplatzgrenzwerte |
| LC50 - Median Lethal Concentration | TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische |
| LD50 - Median Lethal Dose | Grenzwerte |
| LOAEL - Lowest Observed Adverse Effect Level | TSCA - Toxic Substances Control Act |
| LOEC - Lowest-Observed-Effect Concentration | TWA - Time Weighted Average |
| Log Koc - Soil Organic Carbon-water Partitioning Coefficient | VOC – Volatile Organic Compounds |
| Log Kow - Octanol/water Partition Coefficient | VLA-EC - Valor Límite Ambiental Exposición de Corta Duración |
| Log Pow - Ratio of the equilibrium concentration (C) of a dissolved | VLA-ED - Valor Límite Ambiental Exposición Diaria |
| substance in a two-phase system consisting of two largely immiscible | VLE – Valeur Limite D'exposition |
| solvents, in this case octanol and water | VME – Valeur Limite De Moyenne Exposition |
| MAK – Maximum Workplace Concentration/Maximum Permissible | vPvB - Very Persistent and Very Bioaccumulative |
| Concentration | WEL – Workplace Exposure Limit |
| MARPOL - International Convention for the Prevention of Pollution | WGK - Wassergefährdungsklasse |
| EU GHS SDS | |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.