

Safety Data Sheet According to Regulation (EC) No. 190	07/2006 (REACH) with its amend	ment Regulation (EU) 2015/830
	Date of issue: 26/04/2024	Version: 3.1
SECTION 1: Identificat		e/mixture and of the company/undertaking
1.1. Product identifier		
Product Form	: Mixture	
Product Name	: Alexa Fluor <sup>®</sup> 43	88-conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Goat Anti-Rabbit IgG,
		ecific (minimal cross-reaction to Human Serum Proteins)
Product Code	: 111-546-046	
	s of the substance or mixture	and uses advised against
1.2.1. Relevant identified uses		-
Use of the substance/mixture		earch use only. Not for diagnostic or therapeutic use. This is not a e. Contact supplier for specific applications.
1.2.2. Uses advised against		
No additional information avail		
	er of the safety data sheet	
Manufacturer		European Contact
Jackson ImmunoResearch Labo	ratories, Inc.	Jackson ImmunoResearch Europe LTD
872 West Baltimore Pike		Cambridge House
West Grove, PA 19390		St Thomas' Place
T: 800-367-5296, 610-869-4024	4	Ely, Cambridgeshire CB7 4EX, UK
F: 610-869-0171		T: +44 (0) 1638 782616
tech@jacksonimmuno.com		F: +44 (0) 1353 664675
www.jacksonimmuno.com		info@jacksonimmuno.com help@jacksonimmuno.com
Email address for the person re	esponsible for this SDS:	http://www.com
tech@jacksonimmuno.com		
1.4. Emergency telephon	e number	
Emergency number	: +1-610-869-4024 (USA)	
SECTION 2: Hazards id		
2.1. Classification of the su		
<b>Classification According to Regula</b>	ation (EC) No. 1272/2008 [CLI	P]
Aquatic Chronic3	H412	
Full text of hazard classes and H	-statements: see section 16	
Adverse physicochemical, human	health and environmental e	ffects
No additional information avail	able	
2.2. Label elements		
Labelling According to Regulation	n (EC) No. 1272/2008 [CLP]	
Hazard statements (CLP)		I to aquatic life with long lasting effects.
Precautionary statements (CLP)	) P273 - Avoid re	elease to the environment.
	P501 - Dispose	of contents/container to hazardous or special waste collection
	point, in accor	dance with local, regional, national and/or international
	regulation.	

EUH-statements EUH032 - Contact with acids liberates very toxic gas.



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

# SECTION 3: Composition/information on ingredients

3.1. Substances

Notapplicable

## 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Alexa Fluor® 488-conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Goat	(CAS-No.) Not assigned	1.59	Not classified
Anti-Rabbit IgG, Fc Fragment Specific (minimal cross-reaction to Human Serum Proteins)			
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

## Full text H-statements: see section 16 SECTION 4: First aid measures

#### 4.1. **Description of first aid measures** First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. 4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation : May be harmful or cause irritation. Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation. Symptoms/effects after eye contact : May cause slight irritation to eyes.

Alexa Fluor® 488-conjugated	AffiniPure <sup>™</sup> F(ab') <sub>2</sub> Fragment Goat Jackson ImmunoResearch
	Specific (minimal cross-reaction to
According to Regulation (EC) No. 1907/2006 (RE	ACH) with its amendment Regulation (EU) 2015/830
Symptoms/effects after ingestion Chronic symptoms	: Ingestion may cause adverse effects. May be harmful if swallowed. : None expected under normal conditions of use.
-	edical attention and special treatment needed e and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting meas	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	m the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazardous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	
5.3. Advice for firefighters	. Eventing and the fighting and the fight
Precautionary measures fire Firefighting instructions	<ul><li>Exercise caution when fighting any chemical fire.</li><li>Use water spray or fog for cooling exposed containers.</li></ul>
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
rocetion during in engining	protection.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, protectiv	ve equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for cont	
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry
Methods for closning up	into sewers or streams.
Methods for cleaning up	<ul> <li>Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.</li> </ul>
6.4. Reference to other sections	
See Section 8 for exposure controls and per	sonal protection and Section 13 for disposal considerations.

# **SECTION 7: Handling and storage** 7.1. Precautions for safe handling

# 7.1.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.
7.3. Specific end use(s)	

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Sodium chloride (7647-14-5)			
Latvia	OEL TWA (mg/m³)	5 mg/m <sup>3</sup>	
Lithuania	IPRV (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>	
Sodium azide (26628-22-8)			
EU	IOELV TWA (mg/m³)	0,1 mg/m³	
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
EU	Notes	Possibility of significant uptake through the skin	
Austria	MAK (mg/m³)	0,1 mg/m³	
Austria	MAK Short time value (mg/m³)	0,3 mg/m³	
Austria	OEL chemical category (AT)	Skin notation	
Belgium	OEL chemical category (BE)	Skin, Skin notation	
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³	
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
Croatia	GVI (granicna vrijednost izloženosti) (mg/m <sup>3</sup> )	0,1 mg/m³	
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³	
Croatia	OEL chemical category (HR)	Skin notation	
Cyprus	OEL TWA (mg/m³)	0,1 mg/m³	
Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption	
France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)	
France	VME (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (restrictive limit)	
France	OEL chemical category (FR)	Risk of cutaneous absorption	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	0,2 mg/m³	
Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>	
Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>	
Gibraltar	OEL chemical category (GI)	Skin notation	
Greece	OEL TWA (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Greece	OEL TWA (ppm)	0,1 ppm	
Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Greece	OEL STEL (ppm)	0,1 ppm	
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>	
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
Italy	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
Latvia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
Spain	VLA-ED (mg/m <sup>3</sup> )	0,1 mg/m³ (indicative limit value)	
Spain	VLA-EC (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)	
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)	
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m³	
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m³	
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
United Kingdom	WEL chemical category	Potential for cutaneous absorption	
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m <sup>3</sup>	
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³	
Estonia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³	
Estonia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation	
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³	
Finland	HTP-arvo (15 min)	0,3 mg/m <sup>3</sup>	
Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
Hungary	AK-érték	0,1 mg/m <sup>3</sup>	
Hungary	CK-érték	0,3 mg/m <sup>3</sup>	
8,			



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³	
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania	IPRV (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Lithuania	TPRV (mg/m³)	0,3 mg/m <sup>3</sup>	
Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
Malta	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)	
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Poland	NDSCh (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Romania	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³	
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m <sup>3</sup>	
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m <sup>3</sup>	
Portugal	OEL TWA (mg/m³)	0,1 mg/m³ (indicative limit value)	
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)	
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m <sup>3</sup>	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	

#### 8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



- Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection
- : Chemically resistant materials and fabrics.

: When using, do not eat, drink or smoke.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and cher	nicai	properties
Physical state	:	Solid
Colour	:	Neon green solid
Odour	:	Odourless, as water
Odour threshold	:	No data available
рН	:	7.6, when rehydrated with indicated volume of $H_2O$
Evaporation rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available
9.2. Other information		

No additional information available

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

## **10.3.** Possibility of hazardous reactions

Hazardous polymerization will not occur.

## 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### **10.5.** Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

#### **10.6.** Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

# SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m <sup>3</sup> (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	

Sodium phosphate dibasic (7558-79-4)	
LD50 oral rat	17 g/kg
LD50 dermal rat	>500 mg/kg (50% solution)

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified : Not classified
Reproductive toxicity STOT-single exposure	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion Chronic Symptoms	<ul> <li>May be harmful or cause irritation.</li> <li>Prolonged exposure may cause skin irritation.</li> <li>May cause slight irritation to eyes.</li> <li>Ingestion may cause adverse effects. May be harmful if swallowed.</li> <li>None expected under normal conditions of use.</li> </ul>



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### SECTION 12: Ecological information 12.1. Toxicity : Harmful to aquatic life with long lasting effects. Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) EC50 Daphnia 1 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) LC50 fish 2 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) EC50 Daphnia 2 252 mg/l (Species: Pimephales promelas) NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) LC50 fish 2 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) ErC50 (algae) 0,348 mg/l Persistence and degradability 12.2. Alexa Fluor<sup>®</sup> 488-conjugated AffiniPure<sup>™</sup> F(ab')<sub>2</sub> Fragment Goat Anti-Rabbit IgG, Fc Fragment Specific (minimal cross-reaction to Human Serum Proteins) Persistence and degradability Not established. **Bioaccumulative potential** 12.3. Alexa Fluor<sup>®</sup> 488-conjugated AffiniPure<sup>™</sup> F(ab')<sub>2</sub> Fragment Goat Anti-Rabbit IgG, Fc Fragment Specific (minimal cross-reaction to Human Serum Proteins) Bioaccumulative potential Not established. Sodium chloride (7647-14-5) BCF fish 1 (no bioaccumulation) 12.4. Mobility in soil No additional information available 12.5. **Results of PBT and vPvB assessment** No additional information available 12.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations Waste treatment methods 13.1. Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and recommendations international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

# SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN numbe	r			
Not regulated for tra	nsport			
14.2. UN proper	shipping name			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport	nazard class(es)			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	oup			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Notapplicable

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Date of Preparation or Latest Revision : 26/04/2024



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

## Indication of Changes No additional information available

## **Abbreviations and Acronyms**

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC – European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU – European Union ErC50 - EC50 in Terms of Reduction Growth Rate GHS – Globally Harmonized System of Classification and Labeling of	NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit
EU – European Union	TEL TRK – Technical Guidance Concentrations



Safety Data Sheet

EU GHS SDS

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution

Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.