

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Date of issue: 24/04/2024

Version: 3.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier         Product form       : Mixture         Product Name       : PerCP-conjugated AffiniPure <sup>m</sup> F(ab') <sub>2</sub> Fragment Goat Anti-Rat IgG, Fcg Fragment Specific (innimal cross-reaction to Human, Bovine, and Horse Serum Proteins)         Product Code       : 112-126-071         1.1. Relevant identified uses of the substance or mixture and uses advised against       :         1.2.1. Relevant identified uses       : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         1.2.1. Uses advised against       :         No additional information available       :         1.3. Details of the supplier of the safety data sheet       :         Manufacturer       :       :         'stakson ImmunoResearch Laboratories, Inc.       :       :         'stakson ImmunoResearch Europe LTD       :       :         'stakson ImmunoResearch Science       :       :         'stakson Immuno.com       :       :       :         'stakson Immuno.com       :       :       :         'stakson ImmunoResearch Europe LTD <t< th=""><th></th><th></th><th></th><th></th></t<>				
Product Name       PerCP-conjugated AffiniPure"" F(ab)2 Fragment Goat Anti-Rat IgG, Fc.g. Fragment. Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Proteins)         Product Code       112-126-01 <b>1.12-10. Relevant identified uses of the substance or mixture and uses advised against 1.12-10. Relevant identified uses 1.12-126-01</b> Beed the substance/mixture         For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. <b>1.12-126-01 1.12-126-01</b>	1.1.	Product identifier		
Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Proteins)         Product Code       1: 12:126-071         State Relevant identified uses of the substance or mixture and uses advised against       State S				
Product Code       : 112-126-071         1.1. Relevant identified uses of the substance or mixture and uses advised against         1.2.1. Relevant identified uses         Use of the substance/mixture       : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         1.2.1. Uses advised against       : Solution available         3.3. Details of the supplier of the safety data sheet       : Manufacture         Jackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         S72 West Baltimore Pike       CambridgeHouse         West Grove, PA 1930       St Thomas' Place         T. 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F. 610-869-0171       T: r+44 (0) 1333 646675         www.jacksoninmuno.com       : Info@jacksonimmuno.com         help@jacksonimmuno.com       : Help@jacksonimmuno.com         tech@jacksonimmuno.com       : Help@jacksonimmuno.com         Mautic Chronic3       H12         Autic Chronic3       H412         Full text of hazard classes and H-statements: see settion 16         Cassification of the substance or mixture         Cassification of available         Date Information available         Date Information available         2.1. Label elements	Product Name :		: PerCP-conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Goat Anti-Rat IgG, Fc <sub>g</sub> Frag	ment
1.1. Relevant identified uses of the substance or mixture and uses advised against         1.2. Relevant identified uses         Use of the substance/mixture       : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         1.2. Uses advised against       Na additional information available         No additional information available       European Contact         1.3. Details of the supplier of the safety data sheet       Manufacturer         Manufacturer       Jackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         872 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         T: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: 444 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         tech@jacksonimmuno.com       info@jacksonimmuno.com         tech@jacksonimmuno.com       tels1616 et 01038 782616         Classification of the substance or mixture       Cassification of the substance or mixture         Classification on umber       Emergency telephone number         Emergency telephone number       Advise agains         Mautic Chronic3       H412         Full text of hazard classes and H-statements: see section 16 </th <th></th> <th></th> <th>Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Prote</th> <th>eins)</th>			Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Prote	eins)
1.1. Relevant identified uses         Use of the substance/mixture       For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         1.2. Uses advised against       Modified additional information available         1.3. Details of the supplier of the safety data sheet       European Contact         Manufacture       Lackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         3.2. West Grove, PA 19390       St Thomas' Place         West Grove, PA 19390       St Thomas' Place         F: 610.869-0171       T: +44 (0) 1533 8782616         tech@jacksonimmuno.com       F: +44 (0) 1533 8782616         www.jacksonimmuno.com       F: +44 (0) 1533 8782616         stackmontimuno.com       F: +44 (0) 1533 8782616         tech@jacksonimmuno.com       F: +44 (0) 1533 8782616         tech@jacksonimmuno.com       F: +44 (0) 1533 878216         tech@jacksonimmuno.com       F: +44 (0) 1533 878216         Tergency telephone number       Autor thergency telephone number         Casification According to Regulation (EC) No. 1272/2008 [CLP]       Aquatic Chronica         Aquatic Chronica       H412         Full text of hazard classes and H-statements: see section 16       Adverse physicochemical, human health and environmental effects         Nadditional informati	Produ	ict Code	: 112-126-071	
Use of the substance/mixture       For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         1.2.1. Uses advised against       Image: Contact supplier for specific applications.         1.3. Octails of the supplier of the safety data sheet       Image: Contact supplier for specific applications.         1.3. Octails of the supplier of the safety data sheet       Image: Contact supplier for specific applications.         1.3. Octails of the supplier of the safety data sheet       Image: Contact supplier for specific applications.         1.3. Octails of the supplier of the safety data sheet       Image: Contact supplier for specific applications.         1.3. Octails of the supplier of the safety data sheet       Image: Contact supplier for specific applications.         2.3. Octails of the supplier of the safety data sheet       Image: Contact supplier for specific applications.         2.3. Octails data sheet       Image: Contact supplier for specific applications.         3.3. Octails data sheet       Image: Contact supplier for specific applications.         3.3. Octails data sheet       Image: Contact supplier for specific applications.         3.3. Octails data sheet       Image: Contact supplier for specific applications.         3.3. Octails data sheet       Image: Contact supplier for specific applications.         3.3. Octails data sheet       Image: Contact supplier for specific applications.	1.2.	Relevant identified uses of the s	ubstance or mixture and uses advised against	
nedical device. Contact supplier for specific applications.         1.1         Na dditional information available         1.3. Details of the supplier of the safety data sheet         Markaturer       European Contact         Jackson ImmunoResearch Laboratories, Inc.       Sackson ImmunoResearch Europe LTD         872 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         T: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (0) 1538 782616         tech@jacksonimmuno.com       F: +44 (0) 1333 664675         www.jacksonimmuno.com       F: +44 (0) 1333 664675         www.jacksonimmuno.com       F: +44 (0) 1333 664675         tech@jacksonimmuno.com       Halp@jacksonimmuno.com         tech@jacksonimmuno.com       F: +44 (0) 1333 664675         Madite for the person responsible for this SDS:       tech@jacksonimmuno.com         tech@jacksonimmuno.com       F: +44 (0) 1538 782616         Temegrency number       : 1-610-869-4024 (USA)         Cambridge House       St Thomas' Place         Mautic Chronic 3       H412         Youtic Korhonal information available       H412         Sudditional information available       H412         Hazard Statements (CLP) <td< th=""><th>1.2.1.</th><th>Relevant identified uses</th><th></th><th></th></td<>	1.2.1.	Relevant identified uses		
No additional information available  1.3. Details of the supplier of the safety data sheet  Manufacturer  Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD  3.2 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridge House West Grove, PA 19390 F: 800-367-5296, 610-869-4024 F: 610-869-0171 F: 444 (0) 1638 782616 tech@jacksonimmuno.com F: 444 (0) 1533 664675 www.jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com F: 444 (0) 1353 664675 www.jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com F: ±1-610-869-4024 (USA)  Emergency telephone number Emergency number Emergency telephone number Emergency number Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 Autor and heatt and environmental effects No additional information available 2.1 Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Haard statements (CLP) Hat2 - Harriful to aquatic life with long lasting effects. Precautionary statements (CLP) Hat2 - Advide Clease to the environment. PS01 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH-statem	Use o	f the substance/mixture		s not a
1.3. Details of the supplier of the safety data sheet       European Contact         Manufacturer       Jackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD.         372 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         T: 600-865-9296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (1) 6138 782616         tech@jacksonimmuno.com       F: +44 (1) 6138 782616         www.jacksonimmuno.com       F: +44 (1) 1353 664675         www.jacksonimmuno.com       F: +44 (1) 1353 664675         www.jacksonimmuno.com       Hejp@jacksonimmuno.com         Emergency number       F: +1-610-869-4024 (USA)         Emergency number       : +1-610-869-4024 (USA)         Emergency number       : +1-610-869-4024 (USA)         Editoria for for the substance or mixture       Cassification of the substance or mixture         Classification of the substance or mixture       Cassification at classes and H-statements: see section 16         Advatic thronic3       H412         Full text of hazard classes and H-statements: see section 16         Cabelelements       H412 - Harmful to aquatic life with long lasting effects.         Precautional information available       St Avoid release to the environment.         Pisol - Dispose of content	1.2.2.	Uses advised against		
Manufacturer       European Contact         Jackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         872 West Baltimore Pike       Cambridge House         West Grove, PA 1930       St Thomas' Piace         T: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: r44 (0) 1638 782616         tech@jacksonimmuno.com       F: r44 (0) 1533 664675         www.jacksonimmuno.com       Info@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         Cassification According to Regulation (EC) No. 1272/2008 [CLP]       Aquatic Chronic3         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16       Adverse physicochemical, human health and environmental effects         No additional information available       Z22.         Label elements       Experimental to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         Poil - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	No ado	litional information available		
Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: 444 (0) 1638 782616 tech@jacksonimmuno.com F: 444 (0) 1333 664675 www.jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com <b>1.4.</b> Emergency telephone number Emergency number Emergency number Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available <b>2.1.</b> Label elements Elabeling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	1.3.	Details of the supplier of the	e safety data sheet	
872 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         T: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (0) 1353 664675         tech@jacksonimmuno.com       info@jacksonimmuno.com         help@jacksonimmuno.com       help@jacksonimmuno.com         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         tech@jacksonimmuno.com       help@jacksonimmuno.com <b>1.4. Emergency telephone number</b> Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification       Statements         21. Classification of the substance or mixture       Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment. <th>Manu</th> <th>facturer</th> <th>European Contact</th> <th></th>	Manu	facturer	European Contact	
West Grove, PA 19390       St Thomas' Place         F: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         mail address for the person responsible for this SDS:       tech@jacksonimmuno.com         tech@jacksonimmuno.com       thelp@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         tech@jacksonimmuno.com       thelp@jacksonimmuno.com         Messification of the substance or mixture       SECTION 2: Hazards identification         21.       Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.1.       Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. <th>Jacks</th> <th>on ImmunoResearch Laboratories</th> <th>Inc. Jackson ImmunoResearch Europe LTD</th> <th></th>	Jacks	on ImmunoResearch Laboratories	Inc. Jackson ImmunoResearch Europe LTD	
T: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         help@jacksonimmuno.com       help@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         tech@jacksonimmuno.com       tech@jacksonimmuno.com <b>1.4. Emergency telephone number</b> Emergency telephone number         Emergency Telephone number       Emergency telephone number         Classification of the substance or mixture       Classification for the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]       Aquatic Chronic3         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16       Adverse physicochemical, human health and environmental effects         No additional information available       Elselling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       P1412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	872 V	Vest Baltimore Pike	Cambridge House	
F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         help@jacksonimmuno.com       help@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         tech@jacksonimmuno.com       tech@jacksonimmuno.com <b>1.4. Emergency telephone number</b> Emergency number       : +1-610-869-4024 (USA) <b>SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP]</b> Aquatic Chronic3         Adverse physicochemical, human health and environmental effects         No additional information available <b>2.2. Label elements</b> Labeling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	West	Grove, PA 19390	St Thomas' Place	
tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com <b>1.4.</b> Emergency telephone number         Emergency number       : +1-610-869-4024 (USA) <b>SECTION 2: Hazards identification 2.1.</b> Classification of the substance or mixture <b>Classification According to Regulation (EC) No. 1272/2008 [CLP]</b> Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16 <b>Adverse physicochemical, human health and environmental effects</b> No additional information available <b>2.2.</b> Label elements <b>Label ling According to Regulation (EC) No. 1272/2008 [CLP]</b> Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	T: 800	)-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK	
www.jacksonimmuno.com         Info@jacksonimmuno.com         Email address for the person responsible for this SDS:         tech@jacksonimmuno.com         Image: State in the person responsible for this SDS:         tech@jacksonimmuno.com         Image: State in the person responsible for this SDS:         tech@jacksonimmuno.com         Image: State in the person responsible for this SDS:         tech@jacksonimmuno.com         Image: State in the person responsible for this SDS:         tech@jacksonimmuno.com         Image: State in the person responsible for this SDS:         tech@jacksonimmuno.com         Image: State in the person responsible for this SDS:         tech@jacksonimmuno.com         Image: State in the person responsible for this SDS:         State in the person responsible for this SDS:         Adverse physicochemical, human health and environmental effects         No additional information available         2.1         Label lements         Label ling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P301 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, nati	F: 610	)-869-0171	T: +44 (0) 1638 782616	
help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com I.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	tech@	jacksonimmuno.com	F: +44 (0) 1353 664675	
Email address for the person responsible for this SDS:         tech@jacksonimmuno.com <b>1.4.</b> Emergency telephone number         Emergency number       : +1-610-869-4024 (USA) <b>SECTION 2: Hazards identification 2.1.</b> Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available <b>2.1.</b> Label elements         Labeling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	www.	jacksonimmuno.com	info@jacksonimmuno.com	
tech@jacksonimmuno.com         1.4. Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labeling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.			help@jacksonimmuno.com	
1.4. Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.1. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	Email	address for the person responsib	le for this SDS:	
Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	tech@	jacksonimmuno.com		
SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16       Adverse physicochemical, human health and environmental effects         No additional information available       2.2.       Label elements         2.1.       Label elements       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.				
2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Label elements         Label statements (CLP)         Ha12 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)         P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.				
2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.1. Label elements         Label elements         Label statements (CLP)         Hazard statements (CLP)         Precautionary statements (CLP)         P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	SEC	ΓΙΟΝ 2: Hazards identifi	cation	
Classification According to Regulation (EC) No. 1272/2008 [CLP]Aquatic Chronic3H412Full text of hazard classes and H-statements: see section 16Adverse physicochemical, human health and environmental effectsNo additional information available2.2. Label elementsLabel elementsLabel ing According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.				
Aquatic Chronic3H412Full text of hazard classes and H-statements: see section 16Adverse physicochemical, human health and environmental effectsNo additional information available2.2. Label elementsLabel lementsLabel ling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.				
Full text of hazard classes and H-statements: see section 16Adverse physicochemical, human health and environmental effectsNo additional information available2.2. Label elementsLabelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.				
Adverse physicochemical, human health and environmental effectsNo additional information available2.2. Label elementsLabelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.				
No additional information available2.2. Label elementsLabelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.				
2.2. Label elementsLabelling According to Regulation (EC) No. 127/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.				
Labelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.				
<ul> <li>Hazard statements (CLP)</li> <li>Precautionary statements (CLP)</li> <li>P273 - Avoid release to the environment.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> <li>EUH-statements</li> <li>EUH032 - Contact with acids liberates very toxic gas.</li> </ul>				
Precautionary statements (CLP)P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.				
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.				
point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.	FIELd			tion
EUH-statements EUH032 - Contact with acids liberates very toxic gas.				,0011
EUH-statements EUH032 - Contact with acids liberates very toxic gas.			-	
	FUH-4	statements	-	
24/04/2024 EN (English) 1 / 12	LOIT			
	24/04/	2024	EN (English)	1 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PerCP-conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Goat Anti-Rat IgG, Fc <sub>g</sub> Fragment Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Proteins)		1.06	Not classified
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.79	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.22	Not classified

## Full text of H-statements: see section 16

# SECTION 4: First aid measures

4.1. Description of first aid measur	es
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.

#### PerCP-conjugated AffiniPure<sup>™</sup> F(ab')<sub>2</sub> Fragment Goat Anti-Rat ImmunoResearch lackson ABORATORIES, INC. IgG, Fc<sub>v</sub> Fragment Specific (minimal cross-reaction to Human, **Bovine, and Horse Serum Proteins)** Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Symptoms/effects after eye contact : May cause slight irritation to eyes. Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic symptoms : None expected under normal conditions of use. 4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. SECTION 5: Firefighting measures 5.1. **Extinguishing media** Suitable extinguishing media : Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in : Hydrogen chloride. Sodium oxides. Nitrogen oxides. case of fire 5.3. Advice for firefighters Precautionary measures fire : Exercise caution when fighting any chemical fire. **Firefighting instructions** : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. General measures 6.1.1. For non-emergency personnel Protective equipment : Use appropriate personal protective equipment (PPE). Emergency procedures : Evacuate unnecessary personnel. 6.1.2. For emergency responders : Equip cleanup crew with proper protection. Protective equipment : Upon arrival at the scene, a first responder is expected to recognize the presence **Emergency procedures** of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. **Environmental precautions** : Prevent entry to sewers and public waters. Avoid release to the environment. 6.3. Methods and material for containment and cleaning up For containment : Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. : Clean up spills immediately and dispose of waste safely. Contact competent Methods for cleaning up authorities after a spill. **Reference to other sections** 6.4.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 7: Handling and storage

#### Precautions for safe handling 7.1. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. : Handle in accordance with good industrial hygiene and safety procedures. Hygiene measures 7.2. Conditions for safe storage, including any incompatibilities : Comply with applicable regulations. Technical measures Storage conditions : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials. Incompatible materials : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

## 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Sodium chloride (7647-14-5)				
Latvia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>		
Lithuania IPRV (mg/m <sup>3</sup> )		5 mg/m <sup>3</sup>		
Sodium azide (26628-22-8)				
EU	IOELV TWA (mg/m³)	0,1 mg/m³		
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>		
EU	Notes	Possibility of significant uptake through the skin		
Austria	MAK (mg/m³)	0,1 mg/m <sup>3</sup>		
Austria	MAK Short time value (mg/m³)	0,3 mg/m <sup>3</sup>		
Austria	OEL chemical category (AT)	Skin notation		
Belgium	OEL chemical category (BE)	Skin, Skin notation		
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>		
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>		
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³		
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³		
Croatia	OEL chemical category (HR)	Skin notation		
Cyprus	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>		
Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>		
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption		
France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)		
France	VME (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (restrictive limit)		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

France	OEL chemical category (FR)	Risk of cutaneous absorption	
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m <sup>3</sup>	
Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>	
Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>	
Gibraltar	OEL chemical category (GI)	Skin notation	
Greece	OEL TWA (mg/m³)	0,3 mg/m <sup>3</sup>	
Greece	OEL TWA (ppm)	0,1 ppm	
Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Greece	OEL STEL (ppm)	0,1 ppm	
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>	
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
Italy	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
Latvia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
Spain	VLA-ED (mg/m³)	0,1 mg/m <sup>3</sup> (indicative limit value)	
Spain	VLA-EC (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)	
Switzerland	MAK (mg/m³)	0,2 mg/m <sup>3</sup> (inhalable dust)	
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m <sup>3</sup>	
United Kingdom WEL TWA (mg/m <sup>3</sup> )		0,1 mg/m <sup>3</sup>	
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
United Kingdom	WEL chemical category	Potential for cutaneous absorption	
Czech Republic Expozicní limity (PEL) (mg/m³)		0,1 mg/m <sup>3</sup>	
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m <sup>3</sup>	
Estonia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Estonia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation	
Finland		0.1	
	HTP-arvo (8h) (mg/m³)	0,1 mg/m³	
Finland	HTP-arvo (8h) (mg/m³) HTP-arvo (15 min)	0,1 mg/m <sup>3</sup>	
Finland Finland			



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hungary	CK-érték	0,3 mg/m³	
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	0,1 mg/m³	
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³	
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania	IPRV (mg/m <sup>3</sup> )	0,1 mg/m³	
Lithuania	TPRV (mg/m <sup>3</sup> )	0,3 mg/m³	
Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³	
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
Malta	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)	
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m³	
Poland	NDSCh (mg/m <sup>3</sup> )	0,3 mg/m³	
Romania	OEL TWA (mg/m³)	0,1 mg/m³	
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³	
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³	
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	0,3 mg/m³	
Portugal	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup> (indicative limit value)	
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)	
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m <sup>3</sup>	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



- Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection
- : Chemically resistant materials and fabrics.

: When using, do not eat, drink or smoke.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

#### Other information

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties				
Physical state	:	Solid		
Colour	:	Orange solid		
Odour	:	Odourless, as water		
Odour threshold	:	No data available		
рН	:	7.6, when rehydrated with indicated volume of $H_2O$		
Evaporation rate	:	No data available		
Melting point	:	No data available		
Freezing point	:	No data available		
Boiling point	:	No data available		
Flash point	:	No data available		
Auto-ignition temperature	:	No data available		
Decomposition temerature	:	No data available		
Flammability (solid, gas)	:	No data available		
Vapour pressure	:	No data available		
Relative vapour density at 20 °C	:	No data available		
Relative density	:	No data available		
Solubility	:	Water		
Partition coefficent: n-octanol/water	:	No data available		
Viscosity	:	No data available		
Explosive properties :		No data available		
Oxidising properties :		No data available		
Explosive limits	:	No data available		
9.2. Other information				

## No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### PerCP-conjugated AffiniPure<sup>™</sup> F(ab')<sub>2</sub> Fragment Goat Anti-Rat ImmunoResearch lackson IgG, $Fc_{\gamma}$ Fragment Specific (minimal cross-reaction to Human, **Bovine, and Horse Serum Proteins)** Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 10.2. **Chemical stability** Stable under recommended handling and storage conditions (see section 7). Possibility of hazardous reactions 10.3. Hazardous polymerization will not occur. 10.4. **Conditions to avoid** Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition. Incompatible materials 10.5. Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons. 10.6. Hazardous decomposition products Sodium oxides. Hydrogen chloride gas. Nitrogen oxides. SECTION 11: Toxicological information Information on toxicological effects 11.1.

Acute toxicity

LD50 dermal rat

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified : Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified : Not classified
Aspiration hazard Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact	<ul> <li>Not classified</li> <li>May be harmful or cause irritation.</li> <li>Prolonged exposure may cause skin irritation.</li> <li>May cause slight irritation to eyes.</li> </ul>
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.

>500 mg/kg (50% solution)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Chronic Symptoms	: None expected under normal conditions of use.
SECTION 12: Ecological i	nformation
2.1. Toxicity	: Harmful to aquatic life with long lasting effects.
Ecology - general	
Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)
Sodium azide (26628-22-8)	
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
ErC50 (algae)	0,348 mg/l
2.2. Persistence and degrada	ability
Bovine, and Horse Serum Proteins	
Persistence and degradability	Not established.
2.3. Bioaccumulative potent	
PerCP-conjugated AffiniPure™ F(al Bovine, and Horse Serum Proteins	b') <sub>2</sub> Fragment Goat Anti-Rat IgG, Fc <sub>g</sub> Fragment Specific (minimal cross-reaction to Human, ;)
Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)
<b>.2.4. Mobility in soil</b> Io additional information availabl	e
<b>2.5. Results of PBT and vPvB</b> No additional information availabl	
2.6. Other adverse effects	
Other information	: Avoid release to the environment.
Other information SECTION 13: Disposal co	
Other information	onsiderations
Other information SECTION 13: Disposal co 3.1. Waste treatment metho Product/Packaging disposal	onsiderations ods : Dispose of contents/container in accordance with local, regional, national, and
Other information SECTION 13: Disposal co 3.1. Waste treatment metho Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with local, regional, national, and international regulations.</li> </ul>
Other information SECTION 13: Disposal co 3.1. Waste treatment metho Product/Packaging disposal	onsiderations ods : Dispose of contents/container in accordance with local, regional, national, and



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN numbe	r			
Not regulated for tra	nsport			
14.2. UN proper	shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport	hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	oup			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ental hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of Preparation or Latest Revision	: 24/04/2024
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information,
	and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Indication of Changes No additional information available

## **Abbreviations and Acronyms**

Abbie Mations and Actonyms	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS–Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 - Median Lethal Concentration LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution EU GHS SDS

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.