

	Date of issue: 26/04/2024	Version: 3.1	
SECTION 1: Identification	on of the substance	e/mixture and of the company/undertaking	
1.1. Product identifier			
Product Form	: Mixture		
Product Name	: Cy™3-conjuga	: Cy™3-conjugated AffiniPure™ Goat Anti-Rat IgG (H+L) (minimal cross-reaction to	
	Human, Bovin	Human, Bovine, Horse, Mouse and Rabbit Serum Proteins)	
Product Code	: 112-165-167	: 112-165-167	
1.2. Relevant identified uses o	f the substance or mixture	e and uses advised against	
1.2.1. Relevant identified uses			
Use of the substance/mixture		search use only. Not for diagnostic or therapeutic use. This is not e. Contact supplier for specific applications.	
1.2.2. Uses advised against			
No additional information availab			
<b>1.3.</b> Details of the supplier	of the safety data sheet		
Manufacturer		European Contact	
Jackson ImmunoResearch Labora	tories, Inc.	Jackson ImmunoResearch Europe LTD	
872 West Baltimore Pike		Cambridge House St Thomas' Place	
West Grove, PA 19390			
T: 800-367-5296, 610-869-4024 F: 610-869-0171		Ely, Cambridgeshire CB7 4EX, UK T: +44 (0) 1638 782616	
tech@jacksonimmuno.com		F: +44 (0) 1353 664675	
www.jacksonimmuno.com		info@jacksonimmuno.com	
,		help@jacksonimmuno.com	
Email address for the person resp	oonsible for this SDS:	help@jacksonimmuno.com	
-	oonsible for this SDS:	help@jacksonimmuno.com	
Email address for the person resp tech@jacksonimmuno.com		help@jacksonimmuno.com	
Email address for the person resp tech@jacksonimmuno.com			
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone</b> i	number : +1-610-869-4024 (USA)		
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone i</b> Emergency number <b>SECTION 2: Hazards ide</b>	number : +1-610-869-4024 (USA) ntification		
Email address for the person resp tech@jacksonimmuno.com 1.4. Emergency telephone of Emergency number SECTION 2: Hazards ide 2.1. Classification of the subs	number : +1-610-869-4024 (USA) ntification stance or mixture		
Email address for the person resp tech@jacksonimmuno.com 1.4. Emergency telephone of Emergency number SECTION 2: Hazards ide 2.1. Classification of the subs	number : +1-610-869-4024 (USA) ntification stance or mixture		
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone of</b> Emergency number <b>SECTION 2: Hazards ide</b> <b>2.1. Classification of the subs</b> <b>Classification According to Regulation</b> Aquatic Chronic3	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412		
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone of</b> Emergency number <b>SECTION 2: Hazards ide</b> <b>2.1. Classification of the subs</b> <b>Classification According to Regulatio</b> Aquatic Chronic3 Full text of hazard classes and H-st <b>Adverse physicochemical, human h</b>	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412 tatements: see section 16 ealth and environmental e	P]	
Email address for the person resp tech@jacksonimmuno.com 1.4. Emergency telephone of Emergency number SECTION 2: Hazards ide 2.1. Classification of the subs Classification According to Regulation	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412 tatements: see section 16 ealth and environmental e	P]	
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone of</b> Emergency number <b>SECTION 2: Hazards ide</b> <b>2.1. Classification of the subs</b> <b>Classification According to Regulationed</b> Aquatic Chronic3 Full text of hazard classes and H-site <b>Adverse physicochemical, human h</b> No additional information availab	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412 tatements: see section 16 ealth and environmental ender le	P]	
Email address for the person resp tech@jacksonimmuno.com I.4. Emergency telephone in Emergency number SECTION 2: Hazards ide 2.1. Classification of the subs Classification According to Regulation Aquatic Chronic3 Full text of hazard classes and H-st Adverse physicochemical, human h No additional information availab 2.2. Label elements	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412 tatements: see section 16 ealth and environmental end le EC) No. 1272/2008 [CLP]	P]	
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone of</b> Emergency number <b>SECTION 2: Hazards ide</b> <b>2.1. Classification of the subs</b> <b>Classification According to Regulation</b> Aquatic Chronic3 Full text of hazard classes and H-si <b>Adverse physicochemical, human h</b> No additional information availab <b>2.2. Label elements</b> <b>Label ling According to Regulation (I</b>	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412 tatements: see section 16 ealth and environmental e le EC) No. 1272/2008 [CLP] H412 - Harmfu P273 - Avoid r	P] effects Il to aquatic life with long lasting effects. elease to the environment.	
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone of</b> Emergency number <b>SECTION 2: Hazards ide</b> <b>2.1. Classification of the subs</b> <b>Classification According to Regulation</b> Aquatic Chronic3 Full text of hazard classes and H-si <b>Adverse physicochemical, human h</b> No additional information availab <b>2.2. Label elements</b> <b>Labelling According to Regulation (I</b> Hazard statements (CLP)	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412 tatements: see section 16 ealth and environmental envitat environmental environmental environmental environmental	P] effects Il to aquatic life with long lasting effects. elease to the environment. e of contents/container to hazardous or special waste collection	
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone of</b> Emergency number <b>SECTION 2: Hazards ide</b> <b>2.1. Classification of the subs</b> <b>Classification According to Regulation</b> Aquatic Chronic3 Full text of hazard classes and H-si <b>Adverse physicochemical, human h</b> No additional information availab <b>2.2. Label elements</b> <b>Labelling According to Regulation (I</b> Hazard statements (CLP)	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412 tatements: see section 16 ealth and environmental envita environmental environmental environmental environmental	P] effects Il to aquatic life with long lasting effects. elease to the environment.	
Email address for the person resp tech@jacksonimmuno.com <b>1.4. Emergency telephone of</b> Emergency number <b>SECTION 2: Hazards ide</b> <b>2.1. Classification of the subs</b> <b>Classification According to Regulation</b> Aquatic Chronic3 Full text of hazard classes and H-site <b>Adverse physicochemical, human h</b> No additional information availab <b>2.2. Label elements</b> <b>Labelling According to Regulation (If</b> Hazard statements (CLP)	number : +1-610-869-4024 (USA) ntification stance or mixture on (EC) No. 1272/2008 [CL H412 tatements: see section 16 ealth and environmental environm	P] effects Il to aquatic life with long lasting effects. elease to the environment. e of contents/container to hazardous or special waste collection	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Cy™3-conjugated AffiniPure™ Goat Anti-Rat IgG (H+L) (minimal cross-reaction to Human, Bovine, Horse, Mouse and Rabbit Serum Proteins)	(CAS-No.) Not assigned	1.59	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

#### Full text H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

	163
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	<ul> <li>Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.</li> </ul>
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting m	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising	g from the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazardous decomposition products i case of fire	n : Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respirator protection.
SECTION 6: Accidental rel	ease measures
	ective equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personne	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence
	of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area
6.2. Environmental precaution	
p. couddon	<ul> <li>Prevent entry to sewers and public waters. Avoid release to the environment.</li> </ul>
6.3. Methods and material for	containment and cleaning up
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry
ror contaminent	into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent
Methous for creating up	authorities after a spill.
6.4. Reference to other sectior	•

7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage, ir	ncluding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

5 mg/m<sup>3</sup> 5 mg/m<sup>3</sup>

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Sodium chloride (7647-14-5)	
Latvia	OEL TWA (mg/m <sup>3</sup> )
Lithuania	IPRV (mg/m <sup>3</sup> )
Sodium azide (26628-22-8)	

		0,
Sodium azide (26628-22-8)		
EU	IOELV TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Austria	MAK Short time value (mg/m³)	0,3 mg/m <sup>3</sup>
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Croatia	GVI (granicna vrijednost izloženosti) (mg/m <sup>3</sup> )	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)
France	VME (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m <sup>3</sup>
Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>
Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m³)	0,1 mg/m <sup>3</sup> (indicative limit value)
Spain	VLA-EC (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m <sup>3</sup> )	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m <sup>3</sup>
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m <sup>3</sup>
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m <sup>3</sup>
Estonia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Estonia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min)	0,3 mg/m <sup>3</sup>
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m <sup>3</sup>
Hungary	CK-érték	0,3 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m <sup>3</sup>
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m³)	0,1 mg/m³



### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³
Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Poland	NDSCh (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m <sup>3</sup>
Portugal	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL - Ceilings (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

#### 8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



Materials for protective clothing Hand protection Eye and Face Protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory
	protection should be worn. In case of inadequate ventilation, oxygen deficient
	atmosphere, or where exposure levels are not known wear approved respiratory
	protection.

Other information : When u	: When using, do not eat, drink or smoke.			
SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Physical state	: Solid			
Colour	: Strong pink solid			
Odour	: Odourless, as water			
Odour threshold	: No data available			
рН	: 7.6, when rehydrated with indicated volume of H <sub>2</sub> O			
Evaporation rate	: No data available			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: No data available			
Auto-ignition temperature	: No data available			

No data available

:

:

:

•

:

:

:

:

:

Water

9.2. Other information

Decomposition temerature

Relative vapour density at 20 °C

Partition coefficent: n-octanol/water

Flammability (solid, gas)

Vapour pressure

**Relative density** 

**Explosive properties** 

**Oxidising properties** 

**Explosive limits** 

Solubility

Viscosity

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	>42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		

Source prospirate dibasic (7556-75-4)	
LD50 oral rat	17 g/kg
LD50 dermal rat	>500 mg/kg (50% solution)

Skin corrosion/irritation	: Not classified
	pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Serious eye damage/irritation	: Not classified
	pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.

## SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

#### 12.2. Persistence and degradability

Cy™3-conjugated AffiniPure™ Goat Anti-Rat IgG (H+L) (minimal cross-reaction to Human, Bovine, Horse, Mouse and Rabbit Serum Proteins)

Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

Cy<sup>™</sup>3-conjugated AffiniPure<sup>™</sup> Goat Anti-Rat IgG (H+L) (minimal cross-reaction to Human, Bovine, Horse, Mouse and Rabbit Serum Proteins)

Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other information	
-------------------	--

: Avoid release to the environment.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
	environment. Keep out of sewers and waterways.

### **SECTION 14: Transport information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	ulated for transp	ort			
14.2.	UN proper shi	ipping name			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	14.3. Transport hazard class(es)				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable



### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmenta	al hazards			
Dangerous for the environment : NoDangerous for the environment : NoDangerous for the environment : NoMarine pollutant : No		Dangerous for the environment : No	Dangerous for the environment : No	

#### 14.6. Special precautions for user

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Date of Preparation or Latest Revision	: 26/04/2024
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information,
	and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

#### Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische
LD50 - Median Lethal Dose	Grenzwerte
LOAEL - Lowest Observed Adverse Effect Level	TSCA - Toxic Substances Control Act
LOEC - Lowest-Observed-Effect Concentration	TWA - Time Weighted Average
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VOC – Volatile Organic Compounds
Log Kow - Octanol/water Partition Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved	VLA-ED - Valor Límite Ambiental Exposición Diaria
substance in a two-phase system consisting of two largely immiscible	VLE – Valeur Limite D'exposition
solvents, in this case octanol and water	VME – Valeur Limite De Moyenne Exposition
MAK – Maximum Workplace Concentration/Maximum Permissible	vPvB - Very Persistent and Very Bioaccumulative
Concentration	WEL – Workplace Exposure Limit
MARPOL - International Convention for the Prevention of Pollution	WGK - Wassergefährdungsklasse
EU GHS SDS	



Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.