

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 23/04/2024

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier	
Produ	uct Form	: Mixture
Produ	uct Name	: DyLight™405-conjugated AffiniPure™ F(ab') ₂ Fragment Goat Anti-Rat IgG, F(ab') ₂
		Fragment Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Proteins)
Produ	uct Code	: 112-476-072
1.2.	Relevant identified uses of the subs	tance or mixture and uses advised against
1.2.1.	Relevant identified uses	
Use o	f the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.
1.2.2.	Uses advised against	
No add	ditional information available	
1.3.	Details of the supplier of the sa	ety data sheet
Manu	Ifacturer	European Contact
Jacks	on ImmunoResearch Laboratories, Ind	. Jackson ImmunoResearch Europe LTD
872 V	Vest Baltimore Pike	Cambridge House
West	Grove, PA 19390	St Thomas' Place
T. 800	1-367-5296 610-869-4024	Ely Cambridgeshire CB7 4EX LIK

T: 800-367-5296, 610-869-4024 F: 610-869-0171 tech@jacksonimmuno.com www.jacksonimmuno.com Jackson ImmunoResearch Europe LTI Cambridge House St Thomas' Place Ely, Cambridgeshire CB7 4EX, UK T: +44 (0) 1638 782616 F: +44 (0) 1353 664675 info@jacksonimmuno.com help@jacksonimmuno.com

Email address for the person responsible for this SDS: tech@jacksonimmuno.com

1.4. Emergency telephone number

Emergency number : +1-610-869-4024 (USA)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3 H412

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international
	regulation.
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
DyLight™405-conjugated AffiniPure™ F(ab') ₂ Fragment Goat Anti-Rat IgG,	(CAS-No.) Not assigned	1.58	Not classified
F(ab') ₂ Fragment Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Proteins)			
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measu	ires
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	 Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms ar	nd effects, both acute and delayed
Symptoms/effects	 Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation Symptoms/effects after skin contact	: May be harmful or cause irritation. : Prolonged exposure may cause skin irritation.

DyLight⊺	[™] 405-conjugated Aff	iniPure [™] F(ab') ₂ Fragment Goat Jackson ImmunoResearch		
Anti-Rat	IgG, F(ab') ₂ Fragme	nt Specific (minimal cross-reaction to		
	Bovine, and Horse S			
Safety Dat				
•		REACH) with its amendment Regulation (EU) 2015/830		
	effects after eye contact	: May cause slight irritation to eyes.		
	effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.		
Chronic syr		: None expected under normal conditions of use.		
	-	medical attention and special treatment needed ce and attention. If medical advice is needed, have product container or label at hand.		
	_			
	15: Firefighting mea	sures		
	inguishing media			
Suitable ext	tinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.		
		Use extinguishing media appropriate for surrounding fire.		
	extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.		
5.2.	•	om the substance or mixture		
Fire hazard		: Not Assigned		
Reactivity		: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,		
		and carbon disulfide to form shock-sensitive compounds. Reacts with acids,		
		forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.		
Hazardous	decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.		
case of fire		. Hydrogen emorael souran oxides. Mitrogen oxides.		
5.3.	Advice for firefighters			
	ary measures fire	: Exercise caution when fighting any chemical fire.		
	instructions	: Use water spray or fog for cooling exposed containers.		
	, during firefighting	: Do not enter fire area without proper protective equipment, including respiratory		
		protection.		
SECTION	6: Accidental relea	se measures		
6.1. Per	sonal precautions, protec	tive equipment and emergency procedures		
General me		: Avoid prolonged contact with eyes, skin and clothing.		
6.1.1. For	non-emergency personnel			
Protective e	equipment	: Use appropriate personal protective equipment (PPE).		
Emergency	procedures	: Evacuate unnecessary personnel.		
	emergency responders			
Protective e		: Equip cleanup crew with proper protection.		
Emergency	procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence		
		of dangerous goods, protect oneself and the public, secure the area, and call for		
6 6 5	• • • • • • • • • • • • • • • • • • • •	the assistance of trained personnel as soon as conditions permit. Ventilate area.		
6.2. Env	ironmental precautions			
6.2 Ma	the de and westerial for so.	: Prevent entry to sewers and public waters. Avoid release to the environment.		
		ntainment and cleaning up		
For contain	IIIEIII	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.		
Methods fo	Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent			
Wiethous 10	authorities after a spill.			
6.4. Ref	erence to other sections			

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

Precautions for safe handling 7.1. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. : Handle in accordance with good industrial hygiene and safety procedures. Hygiene measures 7.2. Conditions for safe storage, including any incompatibilities : Comply with applicable regulations. Technical measures Storage conditions : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials. Incompatible materials : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)				
Latvia	OEL TWA (mg/m ³)	5 mg/m ³		
Lithuania	IPRV (mg/m ³)	5 mg/m ³		
Sodium azide (26628-22-8)				
EU	IOELV TWA (mg/m³)	0,1 mg/m³		
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³		
EU	Notes	Possibility of significant uptake through the skin		
Austria	MAK (mg/m³)	0,1 mg/m ³		
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³		
Austria	OEL chemical category (AT)	Skin notation		
Belgium	OEL chemical category (BE)	Skin, Skin notation		
Bulgaria OEL TWA (mg/m³)		0,1 mg/m ³		
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³		
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³		
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³		
Croatia	OEL chemical category (HR)	Skin notation		
Cyprus	OEL TWA (mg/m ³)	0,1 mg/m ³		
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³		
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption		
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)		
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³
Gibraltar	Eight hours mg/m3	0,1 mg/m ³
Gibraltar	Short-term mg/m3	0,3 mg/m ³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m ³
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m ³
Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m ³)	0,1 mg/m ³
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	0,1 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m ³)	0,1 mg/m ³
Estonia	OEL TWA (mg/m³)	0,1 mg/m ³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³
Finland	HTP-arvo (15 min)	0,3 mg/m ³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m ³



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hungary	CK-érték	0,3 mg/m³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m³)	0,1 mg/m³
Lithuania	TPRV (mg/m ³)	0,3 mg/m³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m³
Malta	OEL STEL (mg/m ³)	0,3 mg/m³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m³
Poland	NDSCh (mg/m ³)	0,3 mg/m³
Romania	OEL TWA (mg/m³)	0,1 mg/m³
Romania	OEL STEL (mg/m ³)	0,3 mg/m³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³
Portugal	OEL TWA (mg/m³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection

- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

: When using, do not eat, drink or smoke. SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties ۵ 1

9.1. Information on basic physical and chemic	cai	properties
Physical state	:	Solid
Colour	:	Light tan solid
Odour	:	Odourless, as water
Odour threshold	:	No data available
рН	:	7.6, when rehydrated with indicated volume of H_2O
Evaporation rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidising properties		No data available
Explosive limits	:	No data available
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

Anti-Rat IgG, F(ab') ₂ Fragmen Human, Bovine, and Horse Se Safety Data Sheet	hiPure [™] F(ab') ₂ Fragment Goat t Specific (minimal cross-reaction to rum Proteins) ACH) with its amendment Regulation (EU) 2015/830			
10.2. Chemical stability				
Stable under recommended handling and st				
10.3. Possibility of hazardous re	actions			
Hazardous polymerization will not occur.				
10.4. Conditions to avoid				
	ible materials. Sparks, heat, open flame and other sources of ignition.			
10.5. Incompatible materials Strong acids, strong bases, strong oxidizers	Heavy metals, halogonated hydrocarbons			
10.6. Hazardous decomposition				
Sodium oxides. Hydrogen chloride gas. Nitr	•			
SECTION 11: Toxicological info	-			
11.1. Information on toxicological ef				
Acute toxicity	: Not classified			
Sodium chloride (7647-14-5)				
LD50 oral rat 3550 mg/kg (Species: Wistar)				
LD50 dermal rabbit	LD50 dermal rabbit > 10000 mg/kg (Species: New Zealand White)			
LC50 inhalation rat (mg/l) >42 g/m ³ (Exposure time: 1 h)				
Sodium azide (26628-22-8)				
LD50 oral rat 27 mg/kg				

LD50 oral45 mg/kgLD50 dermal rabbit20 mg/kg	Cadium uhambata dibasia (7550 70 A)		
LD50 oral 45 mg/kg	LD50 dermal rabbit	20 mg/kg	
	LD50 oral	45 mg/kg	
LD50 oral rat 27 mg/kg	LD50 oral rat	27 mg/kg	

Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	 Not classified pH: 7,6 when rehydrated with indicated volume of H₂O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified : Not classified
Reproductive toxicity STOT-single exposure	 Not classified Not classified Not classified
Aspiration hazard Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion	 Not classified May be harmful or cause irritation. Prolonged exposure may cause skin irritation. May cause slight irritation to eyes. Ingestion may cause adverse effects. May be harmful if swallowed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Chronic Symptoms SECTION 12: Ecological inf	: None expected under normal conditions of use.
2.1. Toxicity	ormation
Ecology - general	: Harmful to aquatic life with long lasting effects.
Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)
Sodium azide (26628-22-8)	
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
ErC50 (algae)	0,348 mg/l
2.2. Persistence and degradabi	lity
	F(ab') ₂ Fragment Goat Anti-Rat IgG, F(ab') ₂ Fragment Specific (minimal cross-reaction to
Human, Bovine, and Horse Serum Pro	
Persistence and degradability	Not established.
2.3. Bioaccumulative potential	
	F(ab') ₂ Fragment Goat Anti-Rat IgG, F(ab') ₂ Fragment Specific (minimal cross-reaction to
Human, Bovine, and Horse Serum Pro	
Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)
2.4. Mobility in soil	
L2.4. Mobility in soil No additional information available	sessment
L2.4. Mobility in soil No additional information available L2.5. Results of PBT and vPvB as	sessment
 L2.4. Mobility in soil No additional information available L2.5. Results of PBT and vPvB as a solution of the solut	sessment
 L2.4. Mobility in soil No additional information available L2.5. Results of PBT and vPvB as No additional information available 	sessment : Avoid release to the environment.
 2.4. Mobility in soil No additional information available 2.5. Results of PBT and vPvB as the additional information available 2.6. Other adverse effects Other information 	: Avoid release to the environment.
 L2.4. Mobility in soil No additional information available L2.5. Results of PBT and vPvB as a solution of the s	: Avoid release to the environment.
 L2.4. Mobility in soil No additional information available L2.5. Results of PBT and vPvB as: No additional information available L2.6. Other adverse effects Other information SECTION 13: Disposal constitution 	: Avoid release to the environment.
 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB as: No additional information available 12.6. Other adverse effects Other information SECTION 13: Disposal cons 13.1. Waste treatment methods Product/Packaging disposal recommendations 	 Avoid release to the environment. iderations Dispose of contents/container in accordance with local, regional, national, and international regulations.
 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB as: No additional information available 12.6. Other adverse effects Other information SECTION 13: Disposal cons 13.1. Waste treatment methods Product/Packaging disposal 	: Avoid release to the environment. Siderations : : Dispose of contents/container in accordance with local, regional, national

SECTION 14: Transport information



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated for tran	sport			
14.2. UN proper s	shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	azard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	up			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmer	ntal hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of Preparation or Latest Revision	: 23/04/2024
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body
	websites, product/ingredient manufacturer or supplier specific information,
	and/or resources that include substance specific data and classifications
	according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment
	Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

Abbie Mations and Actonyms	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC50 - Median Lethal Concentration LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution EU GHS SDS TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.