

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 26/04/2024 Version: 3.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product identifier** 1.1.

**Product Form** : Mixture

**Product Name** : Brilliant Violet™ 421-conjugated AffiniPure™ Goat Anti-Rat IgG (H+L) (minimal

cross-reaction to Human, Bovine, Horse, Mouse and Rabbit Serum Proteins)

**Product Code** : 112-675-167

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a

medical device. Contact supplier for specific applications.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer **European Contact** 

Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD

872 West Baltimore Pike Cambridge House St Thomas' Place West Grove, PA 19390

T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK

T: +44 (0) 1638 782616 F: 610-869-0171 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com

help@jacksonimmuno.com

Email address for the person responsible for this SDS:

tech@jacksonimmuno.com

**Emergency telephone number** 

: +1-610-869-4024 (USA) **Emergency number** 

## SECTION 2: Hazards identification

#### Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3 Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation.

**EUH-statements** EUH032 - Contact with acids liberates very toxic gas.

2.3. Other hazards

26/04/2024 1 / 12 EN (English)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

classification

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Polyoxyethylene sorbitan	(CAS-No.) 9005-64-5	0.06	Not classified
monolaurate	(EC-No.) 500-018-3		
Brilliant Violet™ 421-conjugated	(CAS-No.) Not assigned	0.54	Not classified
AffiniPure™ Goat Anti-Rat IgG (H+L)			
(minimal cross-reaction to Human,			
Bovine, Horse, Mouse and Rabbit			
Serum Proteins)			
Sodium azide	(CAS-No.) 26628-22-8	0.59	Acute Tox. 2 (Oral), H300
	(EC-No.) 247-852-1		Aquatic Acute 1, H400
	(EC Index-No.)		Aquatic Chronic 1, H410
	011-004-00-7		
Sodium phosphate dibasic	(CAS-No.) 7558-79-4	1.65	Not classified
	(EC-No.) 231-448-7		
Sodium chloride	(CAS-No.) 7647-14-5	8.62	Not classified
	(EC-No.) 231-598-3		
Albumins, blood serum	(CAS-No.) 9048-46-8	17.71	Not classified
	(EC-No.) 232-936-2		

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. **Description of first aid measures**

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation : Immediately call a poison center or doctor/physician.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 15

minutes. Obtain medical attention if irritation develops or persists.

: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if First-aid measures after eye contact

present and easy to do. Continue rinsing. Obtain medical attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### Most important symptoms and effects, both acute and delayed 4.2.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of

normal use.

Symptoms/effects after inhalation : May be harmful or cause irritation.

Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation.

Symptoms/effects after eye contact : May cause slight irritation to eyes. Symptoms/effects after ingestion : Ingestion may cause adverse effects.

Chronic symptoms : None expected under normal conditions of use.

26/04/2024 2 / 12 EN (English)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not considered flammable but may burn at high temperatures.

Explosion hazard : Product is not explosive.

Reactivity : Contact with acids liberates toxic gas.

Hazardous decomposition products in : Carbon oxides (CO, CO<sub>2</sub>). Sodium oxides. Phosphorus oxides.

case of fire

#### 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid prolonged contact with eyes, skin and clothing.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

**6.1.2.** For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence

of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

**6.2.** Environmental precautions

: Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain solid spills with appropriate barriers and prevent migration and entry

into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent

authorities after a spill.

#### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work. Avoid prolonged contact with eyes,

skin and clothing.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for safe storage, including any incompatibilities

26/04/2024 EN (English) 3 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Keep/Store away from low temperatures

and incompatible materials. Store at 2 - 8 °C.

Incompatible materials : Acids. Strong oxidizers.

#### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or thereapeutic use. This is not a medical device. Contact supplier for specific applications.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Sodium azide (26628-2	2-8)		
EU	IOELV TWA (mg/m³)	0,1 mg/m³	
EU	IOELV STEL (mg/m³)	0,3 mg/m³	
EU	Notes	Possibility of significant uptake through the skin	
Austria	MAK (mg/m³)	0,1 mg/m³	
Austria	MAK Short time value (mg/m³)	0,3 mg/m³	
Austria	OEL chemical category (AT)	Skin notation	
Belgium	OEL chemical category (BE)	Skin, Skin notation	
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³	
Bulgaria	OEL STEL (mg/m³)	0,3 mg/m³	
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³	
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³	
Croatia	OEL chemical category (HR)	Skin notation	
Cyprus	OEL TWA (mg/m³)	0,1 mg/m³	
Cyprus	OEL STEL (mg/m³)	0,3 mg/m³	
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption	
France	VLE (mg/m³)	0,3 mg/m³ (restrictive limit)	
France	VME (mg/m³)	0,1 mg/m³ (restrictive limit)	
France	OEL chemical category (FR)	Risk of cutaneous absorption	
Germany	Occupational exposure limit value (mg/m³)	0,2 mg/m <sup>3</sup>	
Gibraltar	Eight hours mg/m3	0,1 mg/m³	
Gibraltar	Short-term mg/m3	0,3 mg/m³	
Gibraltar	OEL chemical category (GI)	Skin notation	
Greece	OEL TWA (mg/m³)	0,3 mg/m³	
Greece	OEL TWA (ppm)	0,1 ppm	
Greece	OEL STEL (mg/m³)	0,3 mg/m³	
Greece	OEL STEL (ppm)	0,1 ppm	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

USA ACGIH         ACGIH Ceiling (ppm)         0.11 ppm           Italy         OEL TWA (mg/m²)         0,1 mg/m²           Italy         OEL STEL (mg/m²)         0,3 mg/m²           Italy         OEL STEL (mg/m²)         0,3 mg/m²           Italy         OEL Chemical category (IT)         skin - potential for cutaneous absorption           Latvia         OEL Chemical category (IV)         skin - potential for cutaneous exposure           Spain         VLAED (mg/m²)         0,1 mg/m² (indialate limit value)           Spain         VLAEC (mg/m²)         0,3 mg/m²           Spain         VLAED (mg/m²)         0,3 mg/m²           Spain         VLAED (mg/m²)         0,4 mg/m² (inhalable dust)           Switzerland         KZGW (mg/m²)         0,2 mg/m² (inhalable dust)           Switzerland         KAK (mg/m²)         0,2 mg/m² (inhalable dust)           Netherlands         Grenswarde TGG 8H (mg/m²)         0,1 mg/m² (inhalable dust)           Netherlands         Grenswarde TGG 8H (mg/m²)         0,1 mg/m² (inhalable dust)           Netherlands         Grenswarde TGG 8H (mg/m²)         0,1 mg/m²           Netherlands         Grenswarde TGG 15MIN (mg/m²)         0,1 mg/m²           United Kingdom         WEL TWA (mg/m²)         0,1 mg/m²           United Kingdo	USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m³	
Italy OEL STEL (mg/m²) 0,3 mg/m³  Italy OEL chemical category (IT) skin - potential for cutaneous absorption  Latvia OEL TWA (mg/m²) 0,1 mg/m²  Spain VLA-ED (mg/m²) 0,3 mg/m² (indicative limit value)  Spain VLA-EC (mg/m²) 0,3 mg/m² (indicative limit value)  Spain OEL chemical category (ES) skin - potential for cutaneous exposure  Spain OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland KZGW (mg/m²) 0,4 mg/m² (indicative limit value)  Switzerland KZGW (mg/m²) 0,4 mg/m² (inhalable dust)  Switzerland MAK (mg/m²) 0,2 mg/m² (inhalable dust)  Netherlands Grenswaarde TGG 8H (mg/m²) 0,1 mg/m²  Netherlands Grenswaarde TGG SHMIN (mg/m²) 0,3 mg/m²  United Kingdom WEL TWA (mg/m²) 0,3 mg/m²  United Kingdom WEL STEL (mg/m²) 0,3 mg/m²  United Kingdom WEL STEL (mg/m²) 0,1 mg/m²  Czech Republic Expozicni limity (PEL) (mg/m²) 0,1 mg/m²  Czech Republic OEL chemical category Potential for cutaneous absorption  Czech Republic OEL chemical category (CZ) Potential for cutaneous absorption  Denmark Grænseverdie (langvarig) (mg/m²) 0,1 mg/m²  Estonia OEL TWA (mg/m²) 0,1 mg/m²  Estonia OEL STEL (mg/m²) 0,3 mg/m²  Estonia OEL Chemical category (ET) Sensitizer, Skin notation  HTP-arvo (8h) (mg/m²) 0,1 mg/m²  Finland HTP-arvo (15 min) 0,3 mg/m²  Finland HTP-arvo (15 min) 0,3 mg/m²  Ireland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m²  Ireland OEL (shours ref) (mg/m3) 0,3 mg/m²  Ireland OEL (shours ref) (mg/m3) 0,3 mg/m²  Ireland OEL chemical category (EI) Potential for cutaneous absorption  Uthuania PRV (mg/m²) 0,1 mg/m²  Uthuania PRV (mg/m²) 0,1 mg/m²  Uthuania OEL Chemical category (IT) Skin notation  Utwambourg OEL TWA (mg/m²) 0,1 mg/m²  Uxembourg OEL STEL (mg/m²) 0,3 mg/m²  Uxembourg OEL STEL (mg/m²) 0,3 mg/m²  Uxembourg OEL Chemical category (UT) Possibility of significant uptake through the skin	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
Italy         OEL chemical category (IT)         skin - potential for cutaneous absorption           Latvia         OEL TWA (mg/m²)         0,1 mg/m²           Latvia         OEL chemical category (LV)         skin - potential for cutaneous exposure           Spain         VLA-ED (mg/m²)         0,1 mg/m² (indicative limit value)           Spain         VLA-EC (mg/m²)         0,3 mg/m²           Spain         OEL chemical category (ES)         skin - potential for cutaneous absorption           Switzerland         KZGW (mg/m²)         0,4 mg/m² (inhalable dust)           Switzerland         MAK (mg/m²)         0,2 mg/m² (inhalable dust)           Netherlands         Grenswaarde TGG 8H (mg/m²)         0,1 mg/m²           Netherlands         Grenswaarde TGG 8H (mg/m²)         0,2 mg/m² (inhalable dust)           Netherlands         Grenswaarde TGG 8H (mg/m²)         0,1 mg/m²           Netherlands         Grenswaarde TGG 8H (mg/m²)         0,1 mg/m²           United Kingdom         WEL TWA (mg/m²)         0,1 mg/m²           United Kingdom         WEL TWA (mg/m²)         0,1 mg/m²           United Kingdom         WEL chemical category         Potential for cutaneous absorption           Czech Republic         Expozical limity (PEL) (mg/m²)         0,1 mg/m²           Czech Republic         O	Italy	OEL TWA (mg/m³)	0,1 mg/m³	
Latvia OEL TWA (mg/m³) 0,1 mg/m³  Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m³) 0,1 mg/m³ (indicative limit value)  Spain OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland VLA-EC (mg/m²) 0,3 mg/m³  Spain OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland KZGW (mg/m²) 0,4 mg/m³ (inhalable dust)  Switzerland MAK (mg/m²) 0,2 mg/m³ (inhalable dust)  Switzerland MAK (mg/m²) 0,1 mg/m³  Netherlands Grenswaarde TGG BH (mg/m³) 0,1 mg/m³  United Kingdom WEL TWA (mg/m²) 0,1 mg/m³  United Kingdom WEL TWA (mg/m²) 0,1 mg/m³  United Kingdom WEL STEL (mg/m²) 0,1 mg/m³  United Kingdom WEL chemical category Potential for cutaneous absorption  Czech Republic Expozicní limity (PEL) (mg/m²) 0,1 mg/m³  Czech Republic Expozicní limity (PEL) (mg/m²) 0,1 mg/m³  Estonia OEL TWA (mg/m²) 0,1 mg/m³  Finland HTP-arvo (8h (mg/m²) 0,1 mg/m³  Finland HTP-arvo (8h (mg/m²) 0,1 mg/m³  Finland HTP-arvo (8h (mg/m²) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m³  Ireland OEL (shours ref) (mg/m²) 0,3 mg/m³  Ithuania TPRV (mg/m²) 0,1 mg/m²  Uxwembourg OEL TWA (mg/m²) 0,1 mg/m²  Uxwembourg OEL TWA (mg/m²) 0,1 mg/m²  Uxwembourg OEL Chemical	Italy	OEL STEL (mg/m³)	0,3 mg/m³	
Latvia OEL chemical category (LV) skin - potential for cutaneous exposure  Spain VLA-ED (mg/m²) 0,1 mg/m³ (indicative limit value)  Spain VLA-EC (mg/m²) 0,3 mg/m³  OEL chemical category (ES) skin - potential for cutaneous absorption  Switzerland KZGW (mg/m²) 0,4 mg/m³ (inhalable dust)  Switzerland MAK (mg/m²) 0,2 mg/m³ (inhalable dust)  Switzerland MAK (mg/m²) 0,2 mg/m³ (inhalable dust)  Netherlands Grenswaarde TGG 8H (mg/m²) 0,1 mg/m³  Netherlands Grenswaarde TGG 15MIN (mg/m²) 0,3 mg/m³  United Kingdom WEL TEL (mg/m²) 0,3 mg/m³  United Kingdom WEL STEL (mg/m²) 0,3 mg/m³  United Kingdom WEL STEL (mg/m²) 0,3 mg/m³  United Kingdom WEL chemical category Potential for cutaneous absorption  Czech Republic Expozicní limity (PEL) (mg/m²) 0,1 mg/m³  Estonia Grænseværdie (langvarig) (mg/m²) 0,1 mg/m³  Estonia OEL TWA (mg/m²) 0,1 mg/m³  Finland HTP-arvo (8h) (mg/m²) 0,3 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m³  Ireland OEL (shours ref) (mg/m²) 0,1 mg/m³  Ireland OEL (shours ref) (mg/m²) 0,1 mg/m³  Ireland OEL (shours ref) (mg/m²) 0,3 mg/m³  Ireland OEL (shours ref) (mg/m²) 0,3 mg/m³  Ireland OEL (shours ref) (mg/m²) 0,3 mg/m³  Ireland OEL (shours ref) (mg/m²) 0,1 mg/m³  Ireland OEL (shours ref) (mg/m²) 0,3 mg/m³  Ireland	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
Spain         VIA-ED (mg/m²)         0,1 mg/m² (indicative limit value)           Spain         VIA-EC (mg/m²)         0,3 mg/m²           Spain         OEL chemical category (ES)         skin – potential for cutaneous absorption           Switzerland         KZGW (mg/m²)         0,4 mg/m² (inhalable dust)           Switzerland         MAK (mg/m²)         0,2 mg/m² (inhalable dust)           Netherlands         Grenswaarde TGG 8H (mg/m²)         0,1 mg/m²           Netherlands         Grenswaarde TGG 15MIN (mg/m²)         0,3 mg/m²           United Kingdom         WELTWA (mg/m²)         0,1 mg/m²           United Kingdom         WELTWA (mg/m²)         0,1 mg/m²           United Kingdom         WEL TWA (mg/m²)	Latvia	OEL TWA (mg/m³)	0,1 mg/m³	
Spain         VLA-EC (mg/m²)         0,3 mg/m³           Spain         OEL chemical category (ES)         skin - potential for cutaneous absorption           Switzerland         KZGW (mg/m²)         0,4 mg/m² (inhalable dust)           Switzerland         MAK (mg/m²)         0,2 mg/m² (inhalable dust)           Netherlands         Grenswaarde TGG 8H (mg/m²)         0,1 mg/m² (inhalable dust)           Netherlands         Grenswaarde TGG 15MIN (mg/m²)         0,3 mg/m²           United Kingdom         WEL TWA (mg/m²)         0,1 mg/m²           United Kingdom         WEL TWA (mg/m²)         0,3 mg/m³           United Kingdom         WEL STEL (mg/m²)         0,3 mg/m³           United Kingdom         WEL Chemical category         Potential for cutaneous absorption           United Kingdom         WEL Chemical category (CT)         Potential for cutaneous absorption           United Kingdom         WEL Chemical category (CT)         Potential for cutaneous absorption           United Kingdom         WEL Chemical category (ET)         Sensitizer, Skin notation           Czech Republic         GE TWA (mg/m²)         0,1 mg/m²           Extonia         OEL STEL (mg/m²)         0,3 mg/m²           Estonia         OEL STEL (mg/m²)         0,3 mg/m²           Estonia         OEL chemical category (	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
Spain         OEL chemical category (ES)         skin - potential for cutaneous absorption           Switzerland         KZGW (mg/m³)         0.4 mg/m³ (inhalable dust)           Switzerland         MAK (mg/m³)         0.2 mg/m³ (inhalable dust)           Netherlands         Grenswaarde TGG 8H (mg/m³)         0.1 mg/m³           Netherlands         Grenswaarde TGG 15MIN (mg/m³)         0.1 mg/m³           United Kingdom         WEL TWA (mg/m³)         0.1 mg/m³           United Kingdom         WEL STEL (mg/m³)         0.3 mg/m³           United Kingdom         WEL chemical category         Potential for cutaneous absorption           Czech Republic         Expozicní limity (PEL) (mg/m³)         0.1 mg/m³           Czech Republic         Grænseværdie (langvarig) (mg/m³)         0.1 mg/m³           Estonia         OEL TWA (mg/m³)         0.1 mg/m³           Estonia         OEL TWA (mg/m³)         0.1 mg/m³           Estonia         OEL STEL (mg/m³)         0.3 mg/m³           Estonia         OEL chemical category (ET)         Sensitizer, Skin notation           Finland         HTP-arvo (8h) (mg/m³)         0.1 mg/m³           Finland         HTP-arvo (15 min)         0.3 mg/m³           Finland         OEL chemical category (FI)         Potential for cutaneous absorption </td <td>Spain</td> <td>VLA-ED (mg/m³)</td> <td>0,1 mg/m³ (indicative limit value)</td>	Spain	VLA-ED (mg/m³)	0,1 mg/m³ (indicative limit value)	
Switzerland       KZGW (mg/m³)       0,4 mg/m³ (inhalable dust)         Switzerland       MAK (mg/m³)       0,2 mg/m³ (inhalable dust)         Netherlands       Grenswaarde TGG 8H (mg/m²)       0,1 mg/m³         Netherlands       Grenswaarde TGG 15MIN (mg/m³)       0,3 mg/m³         United Kingdom       WEL TWA (mg/m³)       0,1 mg/m³         United Kingdom       WEL STEL (mg/m³)       0,3 mg/m³         United Kingdom       WEL chemical category       Potential for cutaneous absorption         Czech Republic       Expozicní limity (PEL) (mg/m³)       0,1 mg/m³         Czech Republic       OEL chemical category (CZ)       Potential for cutaneous absorption         Denmark       Grænseværdie (langvarig) (mg/m³)       0,1 mg/m³         Estonia       OEL TWA (mg/m³)       0,1 mg/m³         Estonia       OEL STEL (mg/m³)       0,3 mg/m³         Estonia       OEL Chemical category (ET)       Sensitizer, Skin notation         Finland       HTP-arvo (8h) (mg/m³)       0,1 mg/m³         Finland       HTP-arvo (8h) (mg/m³)       0,3 mg/m³         Finland       OEL chemical category (FI)       Potential for cutaneous absorption         Hungary       AK-érték       0,1 mg/m³         Hungary       CK-érték       0,3 mg/m³      <	Spain	VLA-EC (mg/m³)	0,3 mg/m³	
Switzerland       MAK (mg/m³)       0,2 mg/m³ (inhalable dust)         Netherlands       Grenswaarde TGG 8H (mg/m³)       0,1 mg/m³         Netherlands       Grenswaarde TGG 15MIN (mg/m³)       0,3 mg/m³         United Kingdom       WEL TWA (mg/m³)       0,1 mg/m³         United Kingdom       WEL STEL (mg/m³)       0,3 mg/m³         United Kingdom       WEL STEL (mg/m³)       0,3 mg/m³         United Kingdom       WEL STEL (mg/m³)       0,1 mg/m³         United Kingdom       DEL Chemical category (ET)       Sensitizer, Skin notation         Estonia       DEL TWA (mg/m³)       0,3 mg/m³         Estonia       DEL chemical category (ET)       Sensitizer, Skin notation         Hungary       AK-érték       0,1 mg/m³         Hungary       AK-érték       0,1 mg/m³ <td>Spain</td> <td>OEL chemical category (ES)</td> <td>skin - potential for cutaneous absorption</td>	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
Netherlands       Grenswaarde TGG 8H (mg/m³)       0,1 mg/m³         Netherlands       Grenswaarde TGG 15MIN (mg/m³)       0,3 mg/m³         United Kingdom       WEL TWA (mg/m³)       0,1 mg/m³         United Kingdom       WEL STEL (mg/m³)       0,3 mg/m³         United Kingdom       WEL STEL (mg/m³)       0,3 mg/m³         United Kingdom       WEL chemical category       Potential for cutaneous absorption         Czech Republic       Expozicní limity (PEL) (mg/m³)       0,1 mg/m³         Czech Republic       OEL chemical category (CZ)       Potential for cutaneous absorption         Demark       Grænseværdie (langvarig) (mg/m³)       0,1 mg/m³         Estonia       OEL TWA (mg/m³)       0,1 mg/m³         Estonia       OEL STEL (mg/m³)       0,3 mg/m³         Estonia       OEL STEL (mg/m³)       0,3 mg/m³         Estonia       OEL chemical category (ET)       Sensitzer, Skin notation         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       DEL chemical category (FI)       Potential for cutaneous absorption         Hungary       AK-érték       0,1 mg/m³         Hungary       CK-érték       0,3 mg/m³         Ireland <th< td=""><td>Switzerland</td><td>KZGW (mg/m³)</td><td>0,4 mg/m³ (inhalable dust)</td></th<>	Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)	
Netherlands       Grenswaarde TGG 15MlN (mg/m³)       0,3 mg/m³         United Kingdom       WEL TWA (mg/m³)       0,1 mg/m³         United Kingdom       WEL STEL (mg/m³)       0,3 mg/m³         United Kingdom       WEL chemical category       Potential for cutaneous absorption         Czech Republic       Expozicní limity (PEL) (mg/m³)       0,1 mg/m³         Czech Republic       OEL chemical category (CZ)       Potential for cutaneous absorption         Denmark       Grænseværdie (langvarig) (mg/m³)       0,1 mg/m³         Estonia       OEL TWA (mg/m³)       0,1 mg/m³         Estonia       OEL TWA (mg/m³)       0,1 mg/m³         Estonia       OEL STEL (mg/m³)       0,3 mg/m³         Estonia       OEL STEL (mg/m³)       0,1 mg/m³         Estonia       OEL chemical category (ET)       Sensitizer, Skin notation         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       OEL chemical category (FI)       Potential for cutaneous absorption         Hungary       AK-érték       0,1 mg/m³         Hungary       CK-érték       0,3 mg/m³         Ireland       OEL (8 hours ref) (mg/m³)       0,1 mg/m³         Ireland       OEL (5 min	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)	
United Kingdom       WEL TWA (mg/m³)       0,1 mg/m³         United Kingdom       WEL STEL (mg/m³)       0,3 mg/m³         United Kingdom       WEL chemical category       Potential for cutaneous absorption         Czech Republic       Expozicní limity (PEL) (mg/m³)       0,1 mg/m³         Czech Republic       OEL chemical category (CZ)       Potential for cutaneous absorption         Denmark       Grænseværdie (langvarig) (mg/m³)       0,1 mg/m³         Estonia       OEL TWA (mg/m³)       0,1 mg/m³         Estonia       OEL STEL (mg/m³)       0,3 mg/m³         Estonia       OEL chemical category (ET)       Sensitizer, Skin notation         Finland       HTP-arvo (8h) (mg/m³)       0,1 mg/m³         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       OEL chemical category (FI)       Potential for cutaneous absorption         Hungary       AK-érték       0,1 mg/m³         Hungary       CK-érték       0,3 mg/m³         Ireland       OEL (8 hours ref) (mg/m³)       0,1 mg/m³         Ireland       OEL (15 min ref) (mg/m³)       0,3 mg/m³         Ireland       OEL (15 min ref) (mg/m³)       0,1 mg/m³         Ithuania       IPRV (mg/m³)       0,3 mg/m³         Ithuania       OEL chem	Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m³	
United Kingdom       WEL STEL (mg/m³)       0,3 mg/m³         United Kingdom       WEL chemical category       Potential for cutaneous absorption         Czech Republic       Expozicní limity (PEL) (mg/m³)       0,1 mg/m³         Czech Republic       OEL chemical category (CZ)       Potential for cutaneous absorption         Denmark       Grænseværdie (langvarig) (mg/m³)       0,1 mg/m³         Estonia       OEL TWA (mg/m³)       0,1 mg/m³         Estonia       OEL STEL (mg/m³)       0,3 mg/m³         Estonia       OEL chemical category (ET)       Sensitizer, Skin notation         Finland       HTP-arvo (8h) (mg/m³)       0,1 mg/m³         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       OEL chemical category (FI)       Potential for cutaneous absorption         Hungary       AK-érték       0,1 mg/m³         Hungary       CK-érték       0,3 mg/m³         Ireland       OEL (8 hours ref) (mg/m³)       0,1 mg/m³         Ireland       OEL (5 min ref) (mg/m³)       0,3 mg/m³         Ireland       OEL chemical category (IE)       Potential for cutaneous absorption         Lithuania       IPRV (mg/m³)       0,1 mg/m³         Lithuania<	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m³	
United Kingdom       WEL chemical category       Potential for cutaneous absorption         Czech Republic       Expozicní limity (PEL) (mg/m³)       0,1 mg/m³         Czech Republic       OEL chemical category (CZ)       Potential for cutaneous absorption         Denmark       Grænseværdie (langvarig) (mg/m³)       0,1 mg/m³         Estonia       OEL TWA (mg/m³)       0,1 mg/m³         Estonia       OEL STEL (mg/m³)       0,3 mg/m³         Estonia       OEL chemical category (ET)       Sensitizer, Skin notation         Finland       HTP-arvo (8h) (mg/m³)       0,1 mg/m³         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       OEL chemical category (FI)       Potential for cutaneous absorption         Hungary       AK-érték       0,1 mg/m³         Hungary       CK-érték       0,3 mg/m³         Ireland       OEL (8 hours ref) (mg/m³)       0,1 mg/m³         Ireland       OEL (15 min ref) (mg/m³)       0,3 mg/m³         Ireland       OEL chemical category (IE)       Potential for cutaneous absorption         Lithuania       IPRV (mg/m³)       0,1 mg/m³         Lithuania       TPRV (mg/m³)       0,3 mg/m³         Lithuania       OEL chemical category (LT)       Skin notation         Lux	United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³	
Czech Republic       Expozicní limity (PEL) (mg/m³)       0,1 mg/m³         Czech Republic       OEL chemical category (CZ)       Potential for cutaneous absorption         Denmark       Grænseværdie (langvarig) (mg/m³)       0,1 mg/m³         Estonia       OEL TWA (mg/m³)       0,1 mg/m³         Estonia       OEL STEL (mg/m³)       0,3 mg/m³         Estonia       OEL chemical category (ET)       Sensitizer, Skin notation         Finland       HTP-arvo (8h) (mg/m³)       0,1 mg/m³         Finland       HTP-arvo (15 min)       0,3 mg/m³         Finland       OEL chemical category (FI)       Potential for cutaneous absorption         Hungary       AK-érték       0,1 mg/m³         Hungary       CK-érték       0,3 mg/m³         Ireland       OEL (8 hours ref) (mg/m³)       0,1 mg/m³         Ireland       OEL (8 hours ref) (mg/m³)       0,3 mg/m³         Ireland       OEL chemical category (IE)       Potential for cutaneous absorption         Lithuania       IPRV (mg/m³)       0,1 mg/m³         Lithuania       TPRV (mg/m³)       0,1 mg/m³         Lithuania       OEL chemical category (LT)       Skin notation         Luxembourg       OEL STEL (mg/m³)       0,3 mg/m³         Luxembourg       OEL chemic	United Kingdom	WEL STEL (mg/m³)	0,3 mg/m³	
Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skin	United Kingdom	WEL chemical category	Potential for cutaneous absorption	
DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitzer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL Chemical category (LU)Possibility of significant uptake through the skin	Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m³	
Estonia OEL TWA (mg/m³) 0,1 mg/m³  Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL chemical category (ET) Sensitizer, Skin notation  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m³  Ireland OEL (8 hours ref) (mg/m³) 0,1 mg/m³  Ireland OEL (15 min ref) (mg/m³) 0,3 mg/m³  Ireland OEL chemical category (IE) Potential for cutaneous absorption  Lithuania IPRV (mg/m³) 0,1 mg/m³  Lithuania IPRV (mg/m³) 0,3 mg/m³  Lithuania TPRV (mg/m³) 0,1 mg/m³  Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL Chemical category (LU) Possibility of significant uptake through the skin	Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
Estonia OEL STEL (mg/m³) 0,3 mg/m³  Estonia OEL chemical category (ET) Sensitizer, Skin notation  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m³  Hungary CK-érték 0,3 mg/m³  Ireland OEL (8 hours ref) (mg/m³) 0,1 mg/m³  Ireland OEL (15 min ref) (mg/m3) 0,3 mg/m³  Ireland OEL chemical category (IE) Potential for cutaneous absorption  Lithuania IPRV (mg/m³) 0,3 mg/m³  Lithuania IPRV (mg/m³) 0,3 mg/m³  Lithuania TPRV (mg/m³) 0,1 mg/m³  Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL TWA (mg/m³) 0,1 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³	
Estonia OEL chemical category (ET) Sensitizer, Skin notation  Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m³  Hungary CK-érték 0,3 mg/m³  Ireland OEL (8 hours ref) (mg/m³) 0,1 mg/m³  Ireland OEL (15 min ref) (mg/m3) 0,3 mg/m³  Ireland OEL chemical category (IE) Potential for cutaneous absorption  Lithuania IPRV (mg/m³) 0,1 mg/m³  Lithuania IPRV (mg/m³) 0,1 mg/m³  Lithuania TPRV (mg/m³) 0,3 mg/m³  Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL TWA (mg/m³) 0,3 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Estonia	OEL TWA (mg/m³)	0,1 mg/m³	
Finland HTP-arvo (8h) (mg/m³) 0,1 mg/m³  Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m³  Hungary CK-érték 0,3 mg/m³  Ireland OEL (8 hours ref) (mg/m³) 0,1 mg/m³  Ireland OEL (15 min ref) (mg/m³) 0,3 mg/m³  Ireland OEL chemical category (IE) Potential for cutaneous absorption  Lithuania IPRV (mg/m³) 0,1 mg/m³  Lithuania TPRV (mg/m³) 0,3 mg/m³  Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Estonia	OEL STEL (mg/m³)	0,3 mg/m³	
Finland HTP-arvo (15 min) 0,3 mg/m³  Finland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m³  Hungary CK-érték 0,3 mg/m³  Ireland OEL (8 hours ref) (mg/m³) 0,1 mg/m³  Ireland OEL (15 min ref) (mg/m3) 0,3 mg/m³  Ireland OEL chemical category (IE) Potential for cutaneous absorption  Lithuania IPRV (mg/m³) 0,1 mg/m³  Lithuania TPRV (mg/m³) 0,3 mg/m³  Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Estonia	OEL chemical category (ET)	Sensitizer, Skin notation	
Finland OEL chemical category (FI) Potential for cutaneous absorption  Hungary AK-érték 0,1 mg/m³  Hungary CK-érték 0,3 mg/m³  Ireland OEL (8 hours ref) (mg/m³) 0,1 mg/m³  Ireland OEL (15 min ref) (mg/m3) 0,3 mg/m³  Ireland OEL chemical category (IE) Potential for cutaneous absorption  Lithuania IPRV (mg/m³) 0,1 mg/m³  Lithuania TPRV (mg/m³) 0,3 mg/m³  Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL TWA (mg/m³) 0,1 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³	
HungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skin	Finland	HTP-arvo (15 min)	0,3 mg/m³	
Hungary  CK-érték  0,3 mg/m³  Ireland  OEL (8 hours ref) (mg/m³)  OEL (15 min ref) (mg/m3)  OEL chemical category (IE)  Potential for cutaneous absorption  Lithuania  IPRV (mg/m³)  OEL chemical category (LT)  Lithuania  TPRV (mg/m³)  OEL chemical category (LT)  Skin notation  Luxembourg  OEL TWA (mg/m³)  OEL STEL (mg/m³)  OEL STEL (mg/m³)  OEL chemical category (LU)  Possibility of significant uptake through the skin	Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skin	Hungary	AK-érték	0,1 mg/m³	
IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skin	Hungary	CK-érték	0,3 mg/m³	
IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skin	Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³	
Lithuania IPRV (mg/m³) 0,1 mg/m³  Lithuania TPRV (mg/m³) 0,3 mg/m³  Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL TWA (mg/m³) 0,1 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³	
Lithuania TPRV (mg/m³) 0,3 mg/m³  Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL TWA (mg/m³) 0,1 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania OEL chemical category (LT) Skin notation  Luxembourg OEL TWA (mg/m³) 0,1 mg/m³  Luxembourg OEL STEL (mg/m³) 0,3 mg/m³  Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Lithuania	IPRV (mg/m³)	0,1 mg/m³	
Luxembourg       OEL TWA (mg/m³)       0,1 mg/m³         Luxembourg       OEL STEL (mg/m³)       0,3 mg/m³         Luxembourg       OEL chemical category (LU)       Possibility of significant uptake through the skin	Lithuania	TPRV (mg/m³)	0,3 mg/m³	
Luxembourg  OEL STEL (mg/m³)  OEL chemical category (LU)  Possibility of significant uptake through the skin	Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg OEL chemical category (LU) Possibility of significant uptake through the skin	Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³	
	Luxembourg	OEL STEL (mg/m³)	0,3 mg/m³	
Malta OEL TWA (mg/m³) 0,1 mg/m³	Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
	Malta	OEL TWA (mg/m³)	0,1 mg/m³	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Malta	OEL STEL (mg/m³)	0,3 mg/m³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skir	
Norway	Grenseverdier (AN) (mg/m³)	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m³ (value from the regulation)	
Poland	NDS (mg/m³)	0,1 mg/m³	
Poland	NDSCh (mg/m³)	0,3 mg/m³	
Romania	OEL TWA (mg/m³)	0,1 mg/m³	
Romania	OEL STEL (mg/m³)	0,3 mg/m³	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³	
Slovenia	OEL STEL (mg/m³)	0,3 mg/m <sup>3</sup>	
Slovenia	OEL chemical category (SI)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³	
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³	
Portugal	OEL TWA (mg/m³)	0,1 mg/m³ (indicative limit value)	
Portugal	OEL STEL (mg/m³)	0,3 mg/m³ (indicative limit value)	
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m³	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value	
Sodium chloride (7647-14-5)			
Latvia	OEL TWA (mg/m³)	5 mg/m³	
Lithuania	IPRV (mg/m³)	5 mg/m³	

#### 8.2. Exposure controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal protective equipment : Gloves. Protective clothing. Protective goggles.



Materials for protective clothing

Hand protection

Eye and Face Protection

Skin and body protection

: Chemically resistant materials and fabrics.

: Wear protective gloves.

: Chemical safety goggles.

: Wear suitable protective clothing.



#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory

protection should be worn.

Other information : When using, do not eat, drink or smoke.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Colorless solid
Odour : Odourless, as water
Odour threshold : No data available

pH : 7.6, when rehydrated with indicated volume of H<sub>2</sub>O

**Evaporation rate** No data available Melting point No data available No data available Freezing point Boiling point No data available Flash point No data available Auto-ignition temperature No data available No data available Decomposition temerature Flammability (solid, gas) No data available No data available Vapour pressure Relative vapour density at 20 °C No data available No data available Relative density

Solubility : Water

Partition coefficent: n-octanol/water : No data available Viscosity : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

#### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

# SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

26/04/2024 EN (English) 7 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity : Not classified (Based on available data, the classification criteria are not met)

Polyoxyethylene sorbitan monolaurate (9005-64-5)			
LD50 oral rat	> 18000 mg/kg		
Sodium azide (26628-22-8)			
LD50 oral rat	27 mg/kg		
LD50 oral	45 mg/kg		
LD50 dermal rabbit	20 mg/kg		
LC50 inhalation rat (mg/l)	0,054 - 0,52 mg/l/4h (Dust/Mist - mg/l/4h)		
Phosphoric acid, disodium salt (755	58-79-4)		
LD50 oral rat	17 g/kg		
LD50 dermal rat	> 5000 mg/kg (50% solution)		
Sodium chloride (7647-14-5)			
LD50 oral rat	3550 mg/kg (Species: Wistar)		
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)		
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)		

Skin corrosion/irritation : Not classified

pH: 7,2 when rehydrated with indicated volume of H<sub>2</sub>O

Serious eye damage/irritation : Not classified

pH: 7,2 when rehydrated with indicated volume of  $H_2O$ 

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Symptoms/Injuries After Inhalation : May be harmful or cause irritation.

Symptoms/Injuries After Skin Contact : Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact : May cause slight irritation to eyes. Symptoms/Injuries After Ingestion : Ingestion may cause adverse effects.

Chronic Symptoms : None expected under normal conditions of use.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

#### 12.2. Persistence and degradability

Brilliant Violet™ 421-conjugated AffiniPure™ Goat Anti-Rat IgG (H+L) (minimal cross-reaction to Human, Bovine, Horse, Mouse and Rabbit Serum Proteins)		
Persistence and degradability	Not established.	

### 12.3. Bioaccumulative potential

Brilliant Violet™ 421-conjugated AffiniPure™ Goat Anti-Rat IgG (H+L) (minimal cross-reaction to Human, Bovine, Horse, Mouse and Rabbit Serum Proteins)		
Bioaccumulative potential	Not established.	
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

 $: \ \mathsf{Dispose} \ \mathsf{of} \ \mathsf{contents/container} \ \mathsf{in} \ \mathsf{accordance} \ \mathsf{with} \ \mathsf{local, regional, national, and}$ 

international regulations.

Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic

environment. Keep out of sewers and waterways.

# SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	IATA	ADN	RID
14.1.	UN number				
Not reg	gulated for transp	ort			
14.2.	UN proper sh	ipping name			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	Transport haz	ard class(es)			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	Packing group	0			



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	
environment : No	environment : No	environment : No	environment : No	environment : No	
	Marine pollutant : No				

### 14.6. Special precautions for user

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium azide (26628-22-8)	
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	

#### Phosphoric acid, disodium salt (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Date of Preparation or Latest Revision : 26/04/2024

Data sources : Information and data obtained and used in the authoring of this safety data sheet

could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications

according to GHS or their subsequent adoption of GHS.

Other information : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1

26/04/2024 EN (English) 10 / 12



#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

### Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

 ${\bf ACGIH-American\ Conference\ of\ Governmental\ Industrial\ Hygienists\ ADN-European\ Agreement\ Concerning\ the\ International\ Carriage\ of\ Concerning\ Carriage\ of\ Concerning\ Carriage\ Ca$ 

Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

ATE - Acute Toxicity Estimate
BCF - Bioconcentration Factor
BEI - Biological Exposure Indices (BEI)
BOD – Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

CLP – Classification, Labeling and Packaging Regulation (EC) No

1272/2008

COD – Chemical Oxygen Demand EC – European Community

EC50 - Median Effective Concentration EEC – European Economic Community

EINECS – European Inventory of Existing Commercial Chemical

Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU – European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

 ${\sf GHS-Globally\,Harmonized\,System\,of\,Classification\,and\,Labeling\,of}$ 

Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

 $Log\ Kow\ -\ Octanol/water\ Partition\ Coefficient$ 

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible

solvents, in this case octanol and water

MAK - Maximum Workplace Concentration/Maximum Permissible

Concentration

MARPOL - International Convention for the Prevention of Pollution EU GHS SDS

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis

NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

 ${\sf REACH-Registration, Evaluation, Authorisation, and \, Restriction \, of }$ 

Chemicals

RID - Regulations Concerning the International Carriage of Dangerous

Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK - Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von

Gefahrstoffen in ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 -

Arbeitsplatzgrenzwerte

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische

Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE - Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative

WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.