

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 24/04/2024 Version: 3.1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Form : Mixture

Product Name : Alexa Fluor® 594-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG2c,

Fcg Fragment Specific

Product Code : 115-587-188

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a

medical device. Contact supplier for specific applications.

T: +44 (0) 1638 782616

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ManufacturerEuropean ContactJackson ImmunoResearch Laboratories, Inc.Jackson ImmunoResearch Europe LTD

872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place

T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK

F: 610-869-0171

tech@jacksonimmuno.com F: +44 (0) 1353 664675
www.jacksonimmuno.com info@jacksonimmuno.com
help@jacksonimmuno.com

Email address for the person responsible for this SDS:

tech@jacksonimmuno.com

L.4. Emergency telephone number

Emergency number : +1-610-869-4024 (USA)

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation.

EUH-statements EUH032 - Contact with acids liberates very toxic gas.

#### 2.3. Other hazards

24/04/2024 EN (English) 1 / 11



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

## SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixture

| Name                                                                                                                       | Product identifier                                                           | %     | Classification According to Regulation (EC) No. 1272/2008 [CLP]               |
|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------|
| Sodi um azi de                                                                                                             | (CAS-No.) 26628-22-8<br>(EC-No.) 247-852-1<br>(EC Index-No.)<br>011-004-00-7 | 0.54  | Acute Tox. 2 (Oral), H300<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |
| Sodium phosphate dibasic                                                                                                   | (CAS-No.) 7558-79-4<br>(EC-No.) 231-448-7                                    | 1.5   | Not classified                                                                |
| Alexa Fluor® 594-conjugated Affini Pure™ Fab Fragment Goat Anti-Mouse IgG2c, Fcg Fragment Specific  (CAS-No.) Not assigned |                                                                              | 1.65  | Not classified                                                                |
| Sodium chloride                                                                                                            | (CAS-No.) 7647-14-5<br>(EC-No.) 231-598-3                                    | 15.69 | Not classified                                                                |
| Albumins, blood serum (CAS-No.) 9048-46-8 (EC-No.) 232-936-2                                                               |                                                                              | 16.12 | Not classified                                                                |

Full text of H-statements: see section 16

### SECTION 4: First aid measures

| 4.1. | Description | of first aid | measures |
|------|-------------|--------------|----------|
|      |             |              |          |

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once.

Immediately call a poison center, physician, or emergency medical service.

First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5

minutes. Obtain medical attention if irritation develops or persists.

First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention if irritation

develops or persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of

normal use.

Symptoms/effects after inhalation : May be harmful or cause irritation.

Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation.

Symptoms/effects after eye contact : May cause slight irritation to eyes.

Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed.

Chronic symptoms : None expected under normal conditions of use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

24/04/2024 EN (English) 2 / 11



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

Use extinguishing media appropriate for surrounding fire.

: Hydrogen chloride. Sodium oxides. Nitrogen oxides.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not Assigned

Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,

and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic

gas.

Hazardous decomposition products in

case of fire

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid prolonged contact with eyes, skin and clothing.

6.1.1. For non-emergency personnel

Protective equipment : Use appropriate personal protective equipment (PPE).

Emergency procedures : Evacuate unnecessary personnel.

**6.1.2.** For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence

of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental precautions

: Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Contain solid spills with appropriate barriers and prevent migration and entry

into sewers or streams.

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent

authorities after a spill.

#### 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work. Avoid prolonged contact with eyes,

skin and clothing.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

24/04/2024 EN (English) 3 / 11



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage conditions : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store

away from extremely high temperatures and incompatible materials.

Incompatible materials : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated

hydrocarbons.

#### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| Lativa         OEL TWA (mg/m³)         5 mg/m³           Buthuania         IPRV (mg/m³)         5 mg/m³           Sodium azide (26628-22-8)           EU         IOELV TWA (mg/m³)         0,1 mg/m³           EU         Notes         Possibility of significant uptake through the skin           Austria         MAK (mg/m³)         0,1 mg/m³           Austria         MAK Short time value (mg/m³)         0,3 mg/m³           Austria         OEL chemical category (AT)         Skin notation           Belgium         OEL chemical category (BE)         Skin, Skin notation           Bulgaria         OEL STEL (mg/m³)         0,1 mg/m³           Bulgaria         OEL STEL (mg/m³)         0,3 mg/m³           Croatia         GVI (granicna vrijednost izloženosti) (mg/m³)         0,3 mg/m³           Croatia         GVI (granicna vrijednost izloženosti) (mg/m³)         0,3 mg/m³           Croatia         GEL themical category (HR)         Skin notation           Cyprus         OEL TWA (mg/m³)         0,3 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³           Cyprus         OEL STEL (mg/m³)         0,3 mg/m³ (restrictive limit)           France         <                                                            | Sodium chloride (7647-14 | -5)                                   |                                                    |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------------------------------|----------------------------------------------------|--|
| EU IOELV TWA (mg/m³) 0,1 mg/m³ EU IOELV STEL (mg/m³) 0,3 mg/m³ EU Notes Possibility of significant uptake through the skin Austria MAK (mg/m³) 0,1 mg/m³ Austria MAK (mg/m³) 0,1 mg/m³ Austria MAK Short time value (mg/m³) 0,3 mg/m³ Austria OEL chemical category (AT) Skin notation Belgium OEL chemical category (BE) Skin, Skin notation Bulgaria OEL TWA (mg/m³) 0,3 mg/m³ Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³ Croatia (GVI (granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³ Croatia (KSVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³ Croatia OEL chemical category (HR) Skin notation Cyprus OEL STEL (mg/m³) 0,3 mg/m³ Cyprus OEL Chemical category (CY) Skin-potential for cutaneous absorption France VLE (mg/m³) 0,1 mg/m³ (restrictive limit) France OEL chemical category (FR) Risk of cutaneous absorption France OEL chemical category (FR) Risk of cutaneous absorption Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³ Gibraltar Eight hours mg/m3 0,3 mg/m³ Gibraltar Eight hours mg/m3 0,3 mg/m³ Gibraltar Short-term mg/m3 0,3 mg/m³ Gibraltar OEL chemical category (GI) Skin notation Greece OEL TWA (mg/m³) Skin notation            | Latvia                   | OEL TWA (mg/m³)                       | 5 mg/m³                                            |  |
| EU     IOELV TWA (mg/m³)     0,1 mg/m³       EU     IOELV STEL (mg/m³)     0,3 mg/m³       EU     Notes     Possibility of significant uptake through the skin       Austria     MAK (mg/m³)     0,1 mg/m³       Austria     MAK Short time value (mg/m³)     0,3 mg/m³       Austria     OEL chemical category (AT)     Skin notation       Belgium     OEL chemical category (BE)     Skin, Skin notation       Bulgaria     OEL TWA (mg/m³)     0,1 mg/m³       Bulgaria     OEL STEL (mg/m²)     0,3 mg/m³       Croatia     GVI (granicna vrijednost izloženosti) (mg/m³)     0,1 mg/m³       Croatia     KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)     0,3 mg/m³       Croatia     KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)     0,3 mg/m³       Cyprus     OEL chemical category (HR)     Skin notation       Cyprus     OEL chemical category (HR)     Skin notation       Cyprus     OEL STEL (mg/m³)     0,1 mg/m³       Cyprus     OEL chemical category (CY)     Skin-potential for cutaneous absorption       France     VLE (mg/m³)     0,3 mg/m³ (restrictive limit)       France     VLE (mg/m³)     0,1 mg/m³ (restrictive limit)       France     VLE (mg/m³)     0,1 mg/m³       Germany     TRGS 900 Occupational exposure limit value (mg/m³)                                      | Lithuania                | IPRV (mg/m³)                          | 5 mg/m³                                            |  |
| EU       IOELY STEL (mg/m³)       0,3 mg/m³         EU       Notes       Possibility of significant uptake through the skin         Austria       MAK (mg/m³)       0,1 mg/m³         Austria       MAK Short time value (mg/m³)       0,3 mg/m³         Austria       OEL chemical category (AT)       Skin notation         Belgium       OEL chemical category (BE)       Skin, Skin notation         Bulgaria       OEL TWA (mg/m³)       0,1 mg/m³         Bulgaria       OEL TWA (mg/m³)       0,3 mg/m³         Croatia       GVI (granicna vrijednost izloženosti) (mg/m³)       0,1 mg/m³         Croatia       KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)       0,1 mg/m³         Croatia       OEL chemical category (HR)       Skin notation         Cyprus       OEL chemical category (HR)       Skin notation         Cyprus       OEL STEL (mg/m³)       0,3 mg/m³         Cyprus       OEL STEL (mg/m³)       0,3 mg/m³         Cyprus       OEL chemical category (CY)       Skin-potential for cutaneous absorption         France       VLE (mg/m³)       0,1 mg/m³ (restrictive limit)         France       VME (mg/m³)       0,1 mg/m³ (restrictive limit)         France       OEL chemical category (FR)       Risk of cutaneous absorption <th>Sodium azide (26628-22-8</th> <th>)</th> <th></th> | Sodium azide (26628-22-8 | )                                     |                                                    |  |
| EU Notes Possibility of significant uptake through the skin Austria MAK (mg/m³) 0,1 mg/m³  Austria MAK Short time value (mg/m³) 0,3 mg/m³  Austria OEL chemical category (AT) Skin notation  Belgium OEL chemical category (BE) Skin, Skin notation  Bulgaria OEL TWA (mg/m³) 0,1 mg/m³  Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL TWA (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,1 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,3 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) Skin notation                                                                                                                                                                                                           | EU                       | IOELV TWA (mg/m³)                     | 0,1 mg/m³                                          |  |
| Austria MAK (mg/m³) 0,1 mg/m³  Austria MAK Short time value (mg/m³) 0,3 mg/m³  Austria OEL chemical category (AT) Skin notation  Belgium OEL chemical category (BE) Skin, Skin notation  Bulgaria OEL TWA (mg/m³) 0,1 mg/m³  Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KSVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,1 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                            | EU                       | IOELV STEL (mg/m³)                    | 0,3 mg/m³                                          |  |
| Austria MAK Short time value (mg/m³) 0,3 mg/m³  Austria OEL chemical category (AT) Skin notation  Belgium OEL chemical category (BE) Skin, Skin notation  Bulgaria OEL TWA (mg/m³) 0,1 mg/m³  Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                  | EU                       | Notes                                 | Possibility of significant uptake through the skin |  |
| Austria OEL chemical category (AT) Skin notation  Belgium OEL chemical category (BE) Skin, Skin notation  Bulgaria OEL TWA (mg/m³) 0,1 mg/m³  Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,1 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                | Austria                  | MAK (mg/m³)                           | 0,1 mg/m³                                          |  |
| Belgium OEL chemical category (BE) Skin, Skin notation  Bulgaria OEL TWA (mg/m³) 0,1 mg/m³  Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m²)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³  Skin notation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Austria                  | MAK Short time value (mg/m³)          | 0,3 mg/m³                                          |  |
| Bulgaria OEL TWA (mg/m³) 0,1 mg/m³  Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,3 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,1 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Austria                  | OEL chemical category (AT)            | Skin notation                                      |  |
| Bulgaria OEL STEL (mg/m³) 0,3 mg/m³  Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Belgium                  | OEL chemical category (BE)            | Skin, Skin notation                                |  |
| Croatia GVI (granicna vrijednost izloženosti) (mg/m³) 0,1 mg/m³  Croatia KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) 0,3 mg/m³  Croatia OEL chemical category (HR) Skin notation  Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Bulgaria                 | OEL TWA (mg/m³)                       | 0,1 mg/m³                                          |  |
| (mg/m³)       0,1 mg/m³         Croatia       KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)       0,3 mg/m³         Croatia       OEL chemical category (HR)       Skin notation         Cyprus       OEL TWA (mg/m³)       0,1 mg/m³         Cyprus       OEL STEL (mg/m³)       0,3 mg/m³         Cyprus       OEL chemical category (CY)       Skin-potential for cutaneous absorption         France       VLE (mg/m³)       0,3 mg/m³ (restrictive limit)         France       VME (mg/m³)       0,1 mg/m³ (restrictive limit)         France       OEL chemical category (FR)       Risk of cutaneous absorption         Germany       TRGS 900 Occupational exposure limit value (mg/m³)       0,2 mg/m³         Gibraltar       Eight hours mg/m3       0,1 mg/m³         Gibraltar       Short-term mg/m3       0,3 mg/m³         Gibraltar       OEL chemical category (GI)       Skin notation         Greece       OEL TWA (mg/m³)       0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                | Bulgaria                 | OEL STEL (mg/m³)                      | 0,3 mg/m³                                          |  |
| CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Croatia                  | 1 - 1                                 | 0,1 mg/m³                                          |  |
| Cyprus OEL TWA (mg/m³) 0,1 mg/m³  Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Croatia                  | , , , , ,                             | 0,3 mg/m³                                          |  |
| Cyprus OEL STEL (mg/m³) 0,3 mg/m³  Cyprus OEL chemical category (CY) Skin-potential for cutaneous absorption  France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Croatia                  | OEL chemical category (HR)            | Skin notation                                      |  |
| Cyprus       OEL chemical category (CY)       Skin-potential for cutaneous absorption         France       VLE (mg/m³)       0,3 mg/m³ (restrictive limit)         France       VME (mg/m³)       0,1 mg/m³ (restrictive limit)         France       OEL chemical category (FR)       Risk of cutaneous absorption         Germany       TRGS 900 Occupational exposure limit value (mg/m³)       0,2 mg/m³         Gibraltar       Eight hours mg/m3       0,1 mg/m³         Gibraltar       Short-term mg/m3       0,3 mg/m³         Gibraltar       OEL chemical category (GI)       Skin notation         Greece       OEL TWA (mg/m³)       0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Cyprus                   | OEL TWA (mg/m³)                       | 0,1 mg/m³                                          |  |
| France VLE (mg/m³) 0,3 mg/m³ (restrictive limit)  France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Cyprus                   | OEL STEL (mg/m³)                      | 0,3 mg/m³                                          |  |
| France VME (mg/m³) 0,1 mg/m³ (restrictive limit)  France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Cyprus                   | OEL chemical category (CY)            | Skin-potential for cutaneous absorption            |  |
| France OEL chemical category (FR) Risk of cutaneous absorption  Germany TRGS 900 Occupational exposure limit value (mg/m³) 0,2 mg/m³  Gibraltar Eight hours mg/m3 0,1 mg/m³  Gibraltar Short-term mg/m3 0,3 mg/m³  Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | France                   | VLE (mg/m³)                           | 0,3 mg/m³ (restrictive limit)                      |  |
| Germany  TRGS 900 Occupational exposure limit value (mg/m³)  Gibraltar  Eight hours mg/m3  O,1 mg/m³  Gibraltar  Short-term mg/m3  O,3 mg/m³  Gibraltar  OEL chemical category (GI)  Skin notation  Greece  OEL TWA (mg/m³)  0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | France                   | VME (mg/m³)                           | 0,1 mg/m³ (restrictive limit)                      |  |
| value (mg/m³)value (mg/m³)GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | France                   | OEL chemical category (FR)            | Risk of cutaneous absorption                       |  |
| Gibraltar Short-term mg/m3 0,3 mg/m³ Gibraltar OEL chemical category (GI) Skin notation Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Germany                  | · · · · · · · · · · · · · · · · · · · | 0,2 mg/m <sup>3</sup>                              |  |
| Gibraltar OEL chemical category (GI) Skin notation  Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Gibraltar                | Eight hours mg/m3                     | 0,1 mg/m³                                          |  |
| Greece OEL TWA (mg/m³) 0,3 mg/m³                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Gibraltar                | Short-term mg/m3                      | 0,3 mg/m³                                          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Gibraltar                | OEL chemical category (GI)            | Skin notation                                      |  |
| Greece OEL TWA (ppm) 0,1 ppm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Greece                   | OEL TWA (mg/m³)                       | 0,3 mg/m³                                          |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Greece                   | OEL TWA (ppm)                         | 0,1 ppm                                            |  |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Greece         | OEL STEL (mg/m³) 0,3 mg/m³       |                                           |  |
|----------------|----------------------------------|-------------------------------------------|--|
| Greece         | OEL STEL (ppm)                   | 0,1 ppm                                   |  |
| USA ACGIH      | ACGIH Ceiling (mg/m³)            | 0,29 mg/m³                                |  |
| USA ACGIH      | ACGIH Ceiling (ppm)              | 0,11 ppm                                  |  |
| Italy          | OEL TWA (mg/m³)                  | 0,1 mg/m³                                 |  |
| Italy          | OEL STEL (mg/m³)                 | 0,3 mg/m³                                 |  |
| Italy          | OEL chemical category (IT)       | skin - potential for cutaneous absorption |  |
| Latvia         | OEL TWA (mg/m³)                  | 0,1 mg/m³                                 |  |
| Latvia         | OEL chemical category (LV)       | skin - potential for cutaneous exposure   |  |
| Spain          | VLA-ED (mg/m³)                   | 0,1 mg/m³ (indicative limit value)        |  |
| Spain          | VLA-EC (mg/m³)                   | 0,3 mg/m³                                 |  |
| Spain          | OEL chemical category (ES)       | skin - potential for cutaneous absorption |  |
| Switzerland    | KZGW (mg/m³)                     | 0,4 mg/m³ (inhalable dust)                |  |
| Switzerland    | MAK (mg/m³)                      | 0,2 mg/m³ (inhalable dust)                |  |
| Netherlands    | Grenswaarde TGG 8H (mg/m³)       | 0,1 mg/m³                                 |  |
| Netherlands    | Grenswaarde TGG 15MIN (mg/m³)    | 0,3 mg/m³                                 |  |
| United Kingdom | WEL TWA (mg/m³)                  | 0,1 mg/m³                                 |  |
| United Kingdom | WEL STEL (mg/m³)                 | 0,3 mg/m³                                 |  |
| United Kingdom | WEL chemical category            | Potential for cutaneous absorption        |  |
| Czech Republic | Expozicní limity (PEL) (mg/m³)   | 0,1 mg/m³                                 |  |
| Czech Republic | OEL chemical category (CZ)       | Potential for cutaneous absorption        |  |
| Denmark        | Grænseværdie (langvarig) (mg/m³) | 0,1 mg/m³                                 |  |
| Estonia        | OEL TWA (mg/m³)                  | 0,1 mg/m³                                 |  |
| Estonia        | OEL STEL (mg/m³)                 | 0,3 mg/m <sup>3</sup>                     |  |
| Estonia        | OEL chemical category (ET)       | Sensitizer, Skin notation                 |  |
| Finland        | HTP-arvo (8h) (mg/m³)            | 0,1 mg/m³                                 |  |
| Finland        | HTP-arvo (15 min)                | 0,3 mg/m <sup>3</sup>                     |  |
| Finland        | OEL chemical category (FI)       | Potential for cutaneous absorption        |  |
| Hungary        | AK-érték                         | 0,1 mg/m³                                 |  |
| Hungary        | CK-érték                         | 0,3 mg/m <sup>3</sup>                     |  |
| Ireland        | OEL (8 hours ref) (mg/m³)        | 0,1 mg/m³                                 |  |
| Ireland        | OEL (15 min ref) (mg/m3)         | 0,3 mg/m³                                 |  |
| Ireland        | OEL chemical category (IE)       | Potential for cutaneous absorption        |  |
| Lithuania      | IPRV (mg/m³)                     | 0,1 mg/m <sup>3</sup>                     |  |
| Lithuania      | TPRV (mg/m³)                     | 0,3 mg/m³                                 |  |
| Lithuania      | OEL chemical category (LT)       | Skin notation                             |  |
| Luxembourg     | OEL TWA (mg/m³)                  | 0,1 mg/m³                                 |  |
| Luxembourg     | OEL STEL (mg/m³)                 | 0,3 mg/m³                                 |  |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Luxembourg | OEL chemical category (LU) Possibility of significant uptake through |                                                                            |  |
|------------|----------------------------------------------------------------------|----------------------------------------------------------------------------|--|
| Malta      | OEL TWA (mg/m³)                                                      | 0,1 mg/m <sup>3</sup>                                                      |  |
| Malta      | OEL STEL (mg/m³)                                                     | 0,3 mg/m <sup>3</sup>                                                      |  |
| Malta      | OEL chemical category (MT)                                           | Possibility of significant uptake through the skin                         |  |
| Norway     | Grenseverdier (AN) (mg/m³)                                           | 0,1 mg/m³                                                                  |  |
| Norway     | Grenseverdier (Korttidsverdi) (mg/m3)                                | 0,3 mg/m³ (value from the regulation)                                      |  |
| Poland     | NDS (mg/m³)                                                          | 0,1 mg/m³                                                                  |  |
| Poland     | NDSCh (mg/m³)                                                        | 0,3 mg/m³                                                                  |  |
| Romania    | OEL TWA (mg/m³)                                                      | 0,1 mg/m³                                                                  |  |
| Romania    | OEL STEL (mg/m³)                                                     | 0,3 mg/m³                                                                  |  |
| Romania    | OEL chemical category (RO)                                           | Skin notation                                                              |  |
| Slovakia   | NPHV (priemerná) (mg/m³)                                             | 0,1 mg/m³ (Sodium azide)                                                   |  |
| Slovakia   | NPHV (Hranicná) (mg/m³)                                              | 0,3 mg/m³                                                                  |  |
| Slovakia   | OEL chemical category (SK)                                           | Potential for cutaneous absorption                                         |  |
| Slovenia   | OEL TWA (mg/m³)                                                      | 0,1 mg/m³                                                                  |  |
| Slovenia   | OEL STEL (mg/m³)                                                     | 0,3 mg/m³                                                                  |  |
| Slovenia   | OEL chemical category (SL)                                           | Potential for cutaneous absorption                                         |  |
| Sweden     | nivågränsvärde (NVG) (mg/m³)                                         | 0,1 mg/m³                                                                  |  |
| Sweden     | kortidsvärde (KTV) (mg/m³)                                           | 0,3 mg/m³                                                                  |  |
| Portugal   | OEL TWA (mg/m³)                                                      | 0,1 mg/m³ (indicative limit value)                                         |  |
| Portugal   | OEL STEL (mg/m³)                                                     | 0,3 mg/m³ (indicative limit value)                                         |  |
| Portugal   | OEL - Ceilings (mg/m³)                                               | 0,29 mg/m³                                                                 |  |
| Portugal   | OEL - Ceilings (ppm)                                                 | 0,11 ppm (vapor)                                                           |  |
| Portugal   | OEL chemical category (PT)                                           | A4 - Not Classifiable as a Human                                           |  |
|            |                                                                      | Carcinogen, skin - potential for cutaneous exposure indicative limit value |  |

### 8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal protective equipment : Gloves. Protective clothing. Protective goggles.







Materials for protective clothing

Hand protection

Eye and Face Protection

Skin and body protection

: Chemically resistant materials and fabrics.

: Wear protective gloves.

: Chemical safety goggles.

: Wear suitable protective clothing.



#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory

protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other information : When using, do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Purple solid

Odour : Odourless, as water Odour threshold : No data available

pH : 7.6, when rehydrated with indicated volume of H<sub>2</sub>O

No data available **Evaporation rate** No data available Melting point No data available Freezing point No data available **Boiling point** Flash point No data available Auto-ignition temperature No data available Decomposition temerature No data available No data available Flammability (solid, gas) No data available Vapour pressure Relative vapour density at 20 °C No data available No data available Relative density

Solubility : Water

Partition coefficent: n-octanol/water : No data available Viscosity : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available : No data available

#### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

 $Strong\ acids, strong\ bases, strong\ oxidizers.\ Heavy\ metals.\ halogenated\ hydrocarbons.$ 

### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

24/04/2024 EN (English) 7 / 11



Safety Data Sheet

Sodium chloride (7647-14-5)

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| LD50 oral rat                    | 3550 mg/kg (Species: Wistar)               |  |
|----------------------------------|--------------------------------------------|--|
| LD50 dermal rabbit               | > 10000 mg/kg (Species: New Zealand White) |  |
| LC50 inhalation rat (mg/l)       | > 42 g/m³ (Exposure time: 1 h)             |  |
| Sodium azide (26628-22-8)        |                                            |  |
| LD50 oral rat                    | 27 mg/kg                                   |  |
| LD50 oral                        | 45 mg/kg                                   |  |
| LD50 dermal rabbit               | 20 mg/kg                                   |  |
| Sodium phosphate dibasic (7558-7 | 9-4)                                       |  |
| LD50 oral rat                    | 17 g/kg                                    |  |
| LD50 dermal rat                  | >500 mg/kg (50% solution)                  |  |

Skin corrosion/irritation : Not classified

pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O

Serious eye damage/irritation : Not classified

pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified : Not classified : Not classified : Not classified : Not classified

Symptoms/Injuries After Inhalation : May be harmful or cause irritation.

Symptoms/Injuries After Skin Contact : Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact : May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion : Ingestion may cause adverse effects. May be harmful if swallowed.

Chronic Symptoms : None expected under normal conditions of use.

# SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

| Sodium chloride (7647-14-5) |                                                                                             |
|-----------------------------|---------------------------------------------------------------------------------------------|
| LC50 fish 1                 | 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) |
| EC50 Daphnia 1              | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)                                    |
| LC50 fish 2                 | 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])                    |
| EC50 Daphnia 2              | 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])          |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| NOEC chronic fish         | 252 mg/l (Species: Pimephales promelas)                       |  |
|---------------------------|---------------------------------------------------------------|--|
| Sodium azide (26628-22-8) |                                                               |  |
| LC50 fish 1               | 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |  |
| LC50 fish 2               | 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) |  |
| ErC50 (algae)             | 0,348 mg/l                                                    |  |

#### 12.2. Persistence and degradability

| Alexa Fluor® 594-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG2c, Fcg Fragment Specific |  |  |
|---------------------------------------------------------------------------------------------------|--|--|
| Persistence and degradability Not established.                                                    |  |  |

#### 12.3. **Bioaccumulative potential**

| Alexa Fluor® 594-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG2c, Fcg Fragment Specific |                      |  |
|---------------------------------------------------------------------------------------------------|----------------------|--|
| Bioaccumulative potential Not established.                                                        |                      |  |
| Sodium chloride (7647-14-5)                                                                       |                      |  |
| BCF fish 1                                                                                        | (no bioaccumulation) |  |

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other information : Avoid release to the environment.

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container in accordance with local, regional, national, and

international regulations. Ecology - waste materials

: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

# **SECTION 14: Transport information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

| ADR     |                                  | IMDG              | IATA              | ADN               | RID               |
|---------|----------------------------------|-------------------|-------------------|-------------------|-------------------|
| 14.1.   | UN number                        |                   |                   |                   |                   |
| Not reg | gulated for transp               | ort               |                   |                   |                   |
| 14.2.   | UN proper shi                    | ipping name       |                   |                   |                   |
| Not app | plicable                         | Not applicable    | Not applicable    | Not applicable    | Not applicable    |
| 14.3.   | 14.3. Transport hazard class(es) |                   |                   |                   |                   |
| Not app | plicable                         | Not applicable    | Not applicable    | Not applicable    | Not applicable    |
| 14.4.   | Packing group                    |                   |                   |                   |                   |
| Not app | plicable                         | Not applicable    | Not applicable    | Not applicable    | Not applicable    |
| 14.5.   | 4.5. Environmental hazards       |                   |                   |                   |                   |
| Danger  | ous for the                      | Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

environment : No environment : No

#### 14.6. Special precautions for user

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Date of Preparation or Latest Revision

: 24/04/2024

Data sources

: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications

according to GHS or their subsequent adoption of GHS.

Other information : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Regulation (EU) 2015/830

#### Full Text of H- and EUH-statements:

| Acute Tox. 2 (Oral) | Acute toxicity (oral), Category 2                                 |  |
|---------------------|-------------------------------------------------------------------|--|
| Aquatic Acute 1     | Hazardous to the aquatic environment — Acute Hazard, Category 1   |  |
| Aquatic Chronic 1   | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |  |
| Aquatic Chronic 3   | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |  |
| H300                | Fatal if swallowed.                                               |  |
| H400                | Very toxic to aquatic life.                                       |  |
| H410                | Very toxic to aquatic life with long lasting effects.             |  |



#### Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| H412   | Harmful to aquatic life with long lasting effects. |
|--------|----------------------------------------------------|
| EUH032 | Contact with acids liberates very toxic gas.       |

### Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of

Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

CLP - Classification, Labeling and Packaging Regulation (EC) No

1272/2008

COD – Chemical Oxygen Demand EC – European Community

EC50 - Median Effective Concentration EEC – European Economic Community

EINECS – European Inventory of Existing Commercial Chemical

Substances

EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU – European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS - Globally Harmonized System of Classification and Labeling of

Chemicals

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

 ${\tt LC50-Median\ Lethal\ Concentration}$ 

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible

solvents, in this case octanol and water

MAK – Maximum Workplace Concentration/Maximum Permissible

Concentration

 ${\it MARPOL-International Convention for the Prevention of Pollution} \\ {\it EU GHS\,SDS}$ 

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program

OEL - Occupational Exposure Limits
PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH – Potential Hydrogen

REACH - Registration, Evaluation, Authorisation, and Restriction of

Chemicals

RID – Regulations Concerning the International Carriage of Dangerous

Goods by Rail

SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK – Technical Guidance Concentrations

ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von

Gefahrstoffen in ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine

TRGS 900 - Technische Regel für Gefahrstoffe 900 -

Arbeitsplatzgrenzwerte

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische

Grenzwerte

TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds

VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE - Valeur Limite D'exposition

VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative

WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.