Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Version: 3.1

Date of issue: 18/04/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifierProduct Form: MixtureProduct Name: Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fe
Product Name : Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3. Fi
Fragment Specific
Product Code : 115-607-189
1.2. Relevant identified uses of the substance or mixture and uses advised against
1.2.1. Relevant identified uses
Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.
1.2.2. Uses advised against
No additional information available
1.3. Details of the supplier of the safety data sheet
Manufacturer European Contact
Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD
872 West Baltimore Pike Cambridge House
West Grove, PA 19390 St Thomas' Place
T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK
F: 610-869-0171 T: +44 (0) 1638 782616
tech@jacksonimmuno.com F: +44 (0) 1353 664675
www.jacksonimmuno.com info@jacksonimmuno.com
help@jacksonimmuno.com
Email address for the person responsible for this SDS:
tech@jacksonimmuno.com
1.4. Emergency telephone number
Emergency number : +1-610-869-4024 (USA)
SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3	H412
------------------	------

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international
	regulation.
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.

2.3. Other hazards



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400
	(EC-N0.) 247-852-1 (EC Index-No.) 011-004-00-7		Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.5	Not classified
Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fc _g Fragment Specific	(CAS-No.) Not assigned	1.66	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.69	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.12	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830


SEC	ION 5: Firefighting mea	sures
5.1.	Extinguishing media	
Suitable extinguishing media : Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry ch		
		Use extinguishing media appropriate for surrounding fire.
Unsui	table extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2.		om the substance or mixture
Fire h	•	: Not Assigned
React	ivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazar case (dous decomposition products in of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3.	Advice for firefighters	
Preca	utionary measures fire	: Exercise caution when fighting any chemical fire.
Firefi	ghting instructions	: Use water spray or fog for cooling exposed containers.
Prote	ction during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SEC	ION 6: Accidental releas	se measures
6.1.		tive equipment and emergency procedures
Gener	al measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1.	For non-emergency personnel	
Prote	ctive equipment	: Use appropriate personal protective equipment (PPE).
Emerg	ency procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Prote	ctive equipment	: Equip cleanup crew with proper protection.
Emerg	ency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2.	Environmental precautions	
		: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3.	Methods and material for cor	
For co	ontainment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Metho	ods for cleaning up	 Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4.	Reference to other sections	
See Sec	tion 8 for exposure controls and pe	ersonal protection and Section 13 for disposal considerations.
SEC	TION 7: Handling and sto	rage
7.1.	Precautions for safe handling	
	utions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes,

7.2.	Conditions for safe storage	, including any incompatibilities
Hygi	ene measures	: Handle in accordance with good industrial hygiene and safety procedures.
		skin and clothing.
		uniking of shoking and when leaving work. Avoid protoliged contact with

Technical measures : Comply with applicable regulations.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)		
Latvia	OEL TWA (mg/m³)	5 mg/m ³	
Lithuania	IPRV (mg/m³)	5 mg/m ³	
Sodium azide (26628-22-8)			
EU	IOELV TWA (mg/m³)	0,1 mg/m ³	
EU	IOELV STEL (mg/m ³)	0,3 mg/m³	
EU	Notes	Possibility of significant uptake through the skin	
Austria	MAK (mg/m³)	0,1 mg/m³	
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³	
Austria	OEL chemical category (AT)	Skin notation	
Belgium	OEL chemical category (BE)	Skin, Skin notation	
Bulgaria	OEL TWA (mg/m ³)	0,1 mg/m³	
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m³	
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³	
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³	
Croatia	OEL chemical category (HR)	Skin notation	
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³	
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³	
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption	
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)	
France	VME (mg/m³)	0,1 mg/m ³ (restrictive limit)	
France	OEL chemical category (FR)	Risk of cutaneous absorption	
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³	
Gibraltar	Eight hours mg/m3	0,1 mg/m ³	
Gibraltar	Short-term mg/m3	0,3 mg/m ³	
Gibraltar	OEL chemical category (GI)	Skin notation	
Greece	OEL TWA (mg/m ³)	0,3 mg/m ³	
Greece	OEL TWA (ppm)	0,1 ppm	

ImmunoResearch

Jackson



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GreeceDEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (ppm)0,11 ppmUSA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyDEL TWA (mg/m²)0,3 mg/m²ItalyDEL STEL (mg/m²)0,3 mg/m²ItalyDEL TWA (mg/m²)0,1 mg/m²ItalyDEL TWA (mg/m²)0,1 mg/m²ItalyDEL Chemical category (IT)skin – potential for cutaneous absorptionLatviaDEL Chemical category (IV)skin – potential for cutaneous exposureSpainVLA-ED (mg/m²)0,1 mg/m² (indicative limit value)SpainVLA-EC (mg/m²)0,3 mg/m²SwitzerlandKZSW (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandKZSW (mg/m²)0,1 mg/m² (inhalable dust)SwitzerlandMAK (mg/m²)0,1 mg/m²NetherlandsGrenswaarde TGG 15MIN (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²United KingdomWEL STEL (mg/m²)0,1 mg/m²United KingdomWEL Chemical category (E2)Potential for cutaneous absorptionDemarkGrenswaarde TGG 15MIN (mg/m²)0,1 mg/m²StoniaOEL TWA (mg/m²)0,1 mg/m²StoniaDEL STEL (mg/m²)0,1 mg/m²EstoniaDEL TWA (mg/m²)0,1 mg/m²EstoniaDEL TWA (mg/m²)0,1 mg/m²StoniaDEL STEL (mg/m²)0,1 mg/m²HandDEL TWA (mg/m²)0,1 mg/m²HinandHTP-arvo (15 min)0,3 mg/m²HinandDEL Chemical category (F1)Sensitaer, Skin	Greece	OEL STEL (mg/m ³)	0,3 mg/m ³	
USA ACGIHACGIH Celling (ppm)0,1 npmItalyOEL TWA (mg/m)0,1 ng/m³ItalyOEL TWA (mg/m)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL trWA (mg/m)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m)0,3 mg/m³SpainVLA-ED (mg/m)0,3 mg/m³SpainVLA-ED (mg/m)0,4 mg/m³ (indicative limit value)SpainVLA-ED (mg/m3)0,3 mg/m³SpainVLA-ED (mg/m3)0,2 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m3)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m3)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m3)0,3 mg/m3United KingdomWEL TWA (mg/m3)0,3 mg/m3United KingdomWEL STEL (mg/m3)0,3 mg/m3United KingdomWEL STEL (mg/m3)0,1 mg/m3United KingdomWEL STEL (mg/m3) </td <td>Greece</td> <td>OEL STEL (ppm)</td> <td>0,1 ppm</td>	Greece	OEL STEL (ppm)	0,1 ppm	
ItalyOEL TWA (mg/m³)0.1 mg/m³ItalyOEL STEL (mg/m³)0.3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0.1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0.3 mg/m³SpainVLA-EC (mg/m³)0.3 mg/m³SpainVLA-EC (mg/m³)0.3 mg/m³SpainVLA-EC (mg/m³)0.4 mg/m³ (indicative limit value)SwitzerlandKZGW (mg/m³)0.4 mg/m³ (indiable dust)SwitzerlandKZGW (mg/m³)0.2 mg/m³ (indiable dust)SwitzerlandMAK (mg/m³)0.1 mg/m³NetherlandsGrenswaarde TGG SBH (mg/m³)0.1 mg/m³United KingdomWEL TWA (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.1 mg/m³ExteniaOEL STEL (mg/m³)0.1 mg/m³EstoniaOEL STEL (mg/m³)0.1 mg/m³EstoniaOEL STEL (mg/m³)0.3 mg/m³FinlandHTP-arvo (15 min)0	USA ACGIH	ACGIH Ceiling (mg/m³)		
ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (indicative limit value)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (indiable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (indiable dust)SwitzerlandKZGW (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (FT)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,3 mg/m³HungaryAK-érték0,3 mg/m³IrelandOEL (Bours ref) (mg/m³)0,1 mg/m³IrelandOEL (Bours ref) (mg/m³)	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m²)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m²)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m²)0,3 mg/m³SpainVLA-ED (mg/m²)0,4 mg/m³ (indialable dust)SwitzerlandKZGW (mg/m²)0,4 mg/m³ (indialable dust)SwitzerlandMAK (mg/m²)0,2 mg/m² (indialable dust)NetherlandsGrenswaarde TGG SH (mg/m²)0,1 mg/m³United KingdomWEL TWA (mg/m²)0,1 mg/m³United KingdomWEL TWA (mg/m²)0,3 mg/m³United KingdomWEL TWA (mg/m²)0,3 mg/m³United KingdomWEL STEL (mg/m²)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m²)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m²)0,1 mg/m³EstoniaOEL Chemical category (E1)Sensitizer, Skin notationEstoniaOEL chemical category (F1)Potential for cutaneous absorptionHungaryAK-érték0,3 mg/m³HungaryAK-érték0,3 mg/m³IrelandOEL (bours ref) (mg/m³)0,1 mg/m³IrelandOEL (hours ref) (mg/m³)0,1 mg/m³IrelandOEL (hernical category (IE)Potential for cutaneous absorptionItrel	Italy	OEL TWA (mg/m³)	0,1 mg/m ³	
LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGraenseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³IrelandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³IrelandOEL (hours ref) (mg/m³)	Italy	OEL STEL (mg/m ³)	0,3 mg/m ³	
LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (Bh) (mg/m³)0,1 mg/m³FinlandHTP-arvo (Bh) (mg/m³)0,1 mg/m³HungaryAk-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionHungariaIPRV (mg/m³)0,1 mg/m³IrelandOEL (Is min ref) (mg/m3)0,3 mg/m³<	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
SpainVLA-ED (mg/m³)0.1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0.3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0.4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0.2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0.2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG SMI(mg/m³)0.1 mg/m³United KingdomWEL TWA (mg/m³)0.1 mg/m³United KingdomWEL STEL (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0.1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0.1 mg/m³EstoniaOEL TWA (mg/m³)0.1 mg/m³EstoniaOEL STEL (mg/m³)0.3 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0.1 mg/m³HungaryAK-érték0.1 mg/m³HungaryCK-érték0.3 mg/m³HungaryCK-érték0.3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0.3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0.3 mg/m³Ire	Latvia	OEL TWA (mg/m³)	0,1 mg/m ³	
SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicn(1imity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionHungariaIPRV (mg/m³)0,1 mg/m³LithuaniaIPRV (mg/m³)<	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitzer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (las mi ref) (mg/m3)0,3 mg/m³IrelandOEL (henrical category (IE)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³IrelandOEL (henrical category (IE)Potential for cutaneous absorptionUithuaniaIPRV (mg/m³)0,1 mg/m³IrelandOEL (henrical category (IE	Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)	
SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TVA (mg/m³)0,1 mg/m³United KingdomWEL TVA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³Cacch RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 mi ref) (mg/m³)0,1 mg/m³IrelandOEL (15 mi ref) (mg/m³)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionUithuaniaIPRV (mg/m³)0,3 mg/m³UithuaniaDEL chemical category (IE)Poten	Spain	VLA-EC (mg/m³)	0,3 mg/m ³	
SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGreansevarcile (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (la hours ref) (mg/m³)0,1 mg/m³IrelandOEL Chemical category (IE)Potential for cutaneous absorptionIthuaniaIPRV (mg/m³)0,3 mg/m³IrelandOEL chemical category (FI)Potential for cutaneous absorptionIthuaniaOEL (ST min ref) (mg/m³)0,3 mg/m³IrelandOEL (ST min ref) (mg/m³)0,1 mg/m³ <tr< td=""><td>Spain</td><td>OEL chemical category (ES)</td><td>skin - potential for cutaneous absorption</td></tr<>	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³HungaryCK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionUtituaniaIPRV (mg/m³)0,1 mg/m³ItituaniaOEL (15 min ref) (mg/m³)0,1 mg/m³ItituaniaOEL chemical category (IE)Potential for cutaneous absorption	Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)	
NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³HungaryKK-érték0,3 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³ItelandIPRV (mg/m³)0,1 mg/m³LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL (15 min ref) (mg/m³)0,1 mg/m³LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL chemical category (IE)Sin notation	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)	
United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionHungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionItihuaniaIPRV (mg/m³)0,1 mg/m³ItihuaniaTPRV (mg/m³)0,3 mg/m³ItihuaniaTPRV (mg/m³)0,3 mg/m³ItihuaniaOEL chemical category (IT)Skin notationItihuaniaOEL chemical category (IT)Skin notation	Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³	
United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryKK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,3 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL (25 min ref) (mg/m³)0,3 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaDEL chemical category (IE)Skin notationLithuaniaDEL chemical category (IE)Skin notationLithuaniaDEL chemical category (LT)Skin notation	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³	
United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaDEL chemical category (LT)Skin notationLithuaniaDEL chemical category (LT)Skin notation	United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³	
Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaDEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL Strict (Mg/m³)0,1 mg/m³LithuaniaOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation	United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³	
Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IthuaniaIPRV (mg/m³)0,3 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation	United Kingdom	WEL chemical category	Potential for cutaneous absorption	
DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionItrelandOEL (15 min ref) (mg/m³)0,3 mg/m³ItrelandOEL (hemical category (IE)Potential for cutaneous absorptionIthuaniaIPRV (mg/m³)0,1 mg/m³IthuaniaOEL chemical category (IE)Potential for cutaneous absorptionItithuaniaOEL chemical category (LT)Skin notationLithuaniaOEL chemical category (LT)Skin notation	Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³	
EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (15 min ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL (hemical category (IE)Potential for cutaneous absorptionIthuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³	
EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m³)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Estonia	OEL TWA (mg/m³)	0,1 mg/m ³	
FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³	
FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Estonia	OEL chemical category (ET)	Sensitizer, Skin notation	
FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³	
HungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Finland	HTP-arvo (15 min)	0,3 mg/m ³	
HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Hungary	AK-érték	0,1 mg/m ³	
IrelandOEL (15 min ref) (mg/m3)0,3 mg/m3IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m3)0,1 mg/m3LithuaniaTPRV (mg/m3)0,3 mg/m3LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m3)0,1 mg/m3	Hungary	CK-érték		
IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m ³	
LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³	
LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³	Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania OEL chemical category (LT) Skin notation Luxembourg OEL TWA (mg/m³) 0,1 mg/m³	Lithuania	IPRV (mg/m³)	0,1 mg/m ³	
Luxembourg OEL TWA (mg/m³) 0,1 mg/m³	Lithuania	TPRV (mg/m ³)	0,3 mg/m ³	
	Lithuania	OEL chemical category (LT)	Skin notation	
LuxembourgOEL STEL (mg/m³)0,3 mg/m³	Luxembourg	OEL TWA (mg/m³)	0,1 mg/m ³	
	Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m³	



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
Malta	OEL TWA (mg/m ³)	0,1 mg/m³	
Malta	OEL STEL (mg/m ³)	0,3 mg/m³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)	
Poland	NDS (mg/m ³)	0,1 mg/m³	
Poland	NDSCh (mg/m ³)	0,3 mg/m³	
Romania	OEL TWA (mg/m³)	0,1 mg/m³	
Romania	OEL STEL (mg/m ³)	0,3 mg/m³	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m ³)	0,1 mg/m³	
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m³	
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m ³	
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m³	
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)	
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)	
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.

Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcγ Fragment Specific

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Respiratory protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

	•
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1.	Information on basic physical and che	emical	properties
Physic	al state	:	Solid

Physical state	:	Solid	
Colour	:	Strong blue solid	
Odour	:	Odourless, as water	
Odour threshold	:	No data available	
рН	:	7.6, when rehydrated with indicated volume of H_2O	
Evaporation rate	:	No data available	
Melting point	:	No data available	
Freezing point	:	No data available	
Boiling point	:	No data available	
Flash point	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temerature	:	No data available	
Flammability (solid, gas)	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density at 20 °C	:	No data available	
Relative density	:	No data available	
Solubility	:	Water	
Partition coefficent: n-octanol/water	:	No data available	
Viscosity	:	No data available	
Explosive properties	:	No data available	
Oxidising properties	:	No data available	
Explosive limits	:	No data available	
0.2 Other information			

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified	
Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m ³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	
Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O	
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O	
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified 	
Reproductive toxicity STOT-single exposure	 Not classified Not classified Not classified 	
Aspiration hazard	: Not classified	
Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact	May be harmful or cause irritation.Prolonged exposure may cause skin irritation.	

- Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion
- Chronic Symptoms

Ingestion may cause adverse effects. May be harmful if swallowed.None expected under normal conditions of use.

: May cause slight irritation to eyes.

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)		
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
EC50 Daphnia 2		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Bioaccumulative potential Not established. Sodium chloride (7647-14-5) (no bioaccumulation) BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil lo additional information available 2.5. 2.5. Results of PBT and vPvB assessment lo additional information available 2.6. Other adverse effects Other information Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods	NOEC chronic fish	252 mg/l (Species: Pimephales promelas)
CS0 fish 2 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) ErCS0 (algae) 0,348 mg/l 2.2. Persistence and degradability Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Persistence and degradability Not established. 2.3. Bioaccumulative potential Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Bioaccumulative potential Not established. Sodium chloride (7647-14-5) BCF fish 1 BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil oadditional information available 2.5. Results of PBT and vPvB assessment oadditional information available 2.6. Other adverse effects Considerations 3.1. Waste treatment methods Product/Packaging disposal Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.	Sodium azide (26628-22-8)	
ErCS0 (algae) 0,348 mg/l 2.2. Persistence and degradability Alexa Fluor* 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Persistence and degradability Not established. 2.3. Bioaccumulative potential Alexa Fluor* 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Bioaccumulative potential Not established. Sodium chloride (7647-14-5) BCF fish 1	LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
2.2. Persistence and degradability Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Persistence and degradability Not established. 2.3. Bioaccumulative potential Not established. Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Bioaccumulative potential Not established. Sodium chloride (7647-14-5) BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil (no bioaccumulation) 2.5. Results of PBT and vPvB assessment (no diditional information available 2.6. Other adverse effects . Other information : Avoid release to the environment. SECTION 13: Disposal considerations : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.	LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Persistence and degradability Not established. 2.3. Bioaccumulative potential Not established. Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Bioaccumulative potential Not established. Sodium chloride (7647-14-5) BCF fish 1 BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil (no bioaccumulation) 2.5. Results of PBT and vPvB assessment o additional information available 2.6. Other adverse effects . Other information : Avoid release to the environment. SECTION 13: Disposal considerations : Dispose of contents/container in accordance with local, regional, national, and international regulations. Froduct/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.	ErC50 (algae)	0,348 mg/l
Persistence and degradability Not established. 2.3. Bioaccumulative potential Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Bioaccumulative potential Not established. Sodium chloride (7647-14-5) Ino bioaccumulation) 2.4. Mobility in soil Ino bioaccumulation) Io additional information available . 2.5. Results of PBT and vPvB assessment Io additional information available 2.6. Other adverse effects . Other information : Avoid release to the environment. SECTION 13: Disposal considerations . 3.1. Waste treatment methods : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.	2.2. Persistence and degradab	ility
2.3. Bioaccumulative potential Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Bioaccumulative potential Not established. Sodium chloride (7647-14-5) BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil lo additional information available 2.5. Results of PBT and vPvB assessment lo additional information available 2.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	Alexa Fluor [®] 647-conjugated AffiniP	ure™ Fab Fragment Goat Anti-Mouse IgG3, Fc _g Fragment Specific
Alexa Fluor® 647-conjugated AffiniPure™ Fab Fragment Goat Anti-Mouse IgG3, Fcg Fragment Specific Bioaccumulative potential Not established. Sodium chloride (7647-14-5) Ino bioaccumulation) BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil Ioo bioaccumulation) Ioo additional information available Available 2.5. Results of PBT and vPvB assessment Ioo diditional information available 2.6. Other adverse effects Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.	Persistence and degradability	Not established.
Bioaccumulative potential Not established. Sodium chloride (7647-14-5) BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil (no bioaccumulation) Io additional information available 2.5. Results of PBT and vPvB assessment Io additional information available 2.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.	2.3. Bioaccumulative potentia	l
Sodium chloride (7647-14-5) BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil Io additional information available Io additional information available 2.5. Results of PBT and vPvB assessment Io additional information available 2.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	Alexa Fluor [®] 647-conjugated AffiniP	ure™ Fab Fragment Goat Anti-Mouse IgG3, Fc _g Fragment Specific
BCF fish 1 (no bioaccumulation) 2.4. Mobility in soil (no bioaccumulation) lo additional information available (no bioaccumulation) 2.5. Results of PBT and vPvB assessment (no bioaccumulation) lo additional information available (no bioaccumulation) 2.6. Other adverse effects (no bioaccumulation) Other information : Avoid release to the environment. SECTION 13: Disposal considerations (no bioaccumulation) 3.1. Waste treatment methods : Dispose of contents/container in accordance with local, regional, national, and international regulations. recommendations : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information (no bioaccumulation)	Bioaccumulative potential	Not established.
2.4. Mobility in soil lo additional information available 2.5. Results of PBT and vPvB assessment lo additional information available 2.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	Sodium chloride (7647-14-5)	
lo additional information available 2.5. Results of PBT and vPvB assessment lo additional information available 2.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	BCF fish 1	(no bioaccumulation)
lo additional information available 2.5. Results of PBT and vPvB assessment lo additional information available 2.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	2.4. Mobility in soil	
lo additional information available 2.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and recommendations : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	lo additional information available	
2.6. Other adverse effects Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	2.5. Results of PBT and vPvB a	ssessment
Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	lo additional information available	
Other information : Avoid release to the environment. SECTION 13: Disposal considerations 3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	2.6. Other adverse effects	
3.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	Other information	: Avoid release to the environment.
Product/Packaging disposal recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.Ecology - waste materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.SECTION 14: Transport information	SECTION 13: Disposal con	siderations
recommendations international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	3.1. Waste treatment method	S
recommendations international regulations. Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: Transport information	Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and	
environment. Keep out of sewers and waterways. SECTION 14: Transport information		international regulations.
SECTION 14: Transport information	Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
		environment. Keep out of sewers and waterways.
	SECTION 14: Transport in	formation

In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	gulated for transp	oort			
14.2.	UN proper sh	ipping name			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	Transport haz	ard class(es)			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	Packing group	0			
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5.	14.5. Environmental hazards				
Danger	rous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
		1	I	I	I



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			
		•	•	•

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Date of Preparation or Latest Revision	: 18/04/2024	
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications	
	according to GHS or their subsequent adoption of GHS.	
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment	
	Regulation (EU) 2015/830	

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische
LD50 - Median Lethal Dose	Grenzwerte
LOAEL - Lowest Observed Adverse Effect Level	TSCA - Toxic Substances Control Act
LOEC - Lowest-Observed-Effect Concentration	TWA - Time Weighted Average
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VOC – Volatile Organic Compounds
Log Kow - Octanol/water Partition Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved	VLA-ED - Valor Límite Ambiental Exposición Diaria
substance in a two-phase system consisting of two largely immiscible	VLE – Valeur Limite D'exposition
solvents, in this case octanol and water	VME – Valeur Limite De Moyenne Exposition
MAK – Maximum Workplace Concentration/Maximum Permissible	vPvB - Very Persistent and Very Bioaccumulative
Concentration	WEL – Workplace Exposure Limit
MARPOL - International Convention for the Prevention of Pollution	WGK - Wassergefährdungsklasse
EU GHS SDS	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.