

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 20/04/2024	Version: 3.1
SECTION 1: Identification of the substance/mixture and	of the company/undertaking

Product Form       : Mixture         Product Name       : Brilliant Violet" 480-onjugated AffiniPure" Goat Anti-Mouse IgM, m Chain Specific (inninnal cross-reaction to Human, Bovine, and Horse Serum Proteins)         Product Code       : 115-685-075         1.2.       Relevant identified uses of the substance or mixture and uses advised against         1.2.1.       Relevant identified uses of the substance or mixture and uses advised against         1.2.1.       Relevant identified uses         Use of the substance/mixture       : for in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         1.3.       Details of the supplier of the safety data sheet       Manufacture         Manufacture       European Contact         1.3.       Details of the supplier of the safety data sheet       Cambridge House         West Grove, PA 19390       St Thomas' Place         7: 800-367-5296, 610-869-4024       Ely, Cambridge House         1.4.       Emergency telephone number         1.5.       Relevant identification         1.4.       Emergency telephone number         2.1.       Staffication of the substance or mixture         2.1.       Classification of the substance or mixture         2.1.       Classification of the substance or mixture         2.1.       Cl	1.1.	Product identifier			
Product Name       ::::::::::::::::::::::::::::::::::::			· Mixture		
Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Proteins)         Product Code       : 115-685-075         12.       Relevant identified uses of the substance or mixture and uses advised against         12.1. Relevant identified uses       : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         12.1. Uses advised against       : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         12.1. Uses advised against       : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         13. Details of the supplier of the safety data sheet       : Furopean Contact         Manufacturer       European Contact         972 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         7.800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F.610-869-0171       : F.444 (0) 1383 646675         www.jacksonimmuno.com       : Hey Galxsonimmuno.com         Hergency number       : s1-610-869-4024 (USA)         Emergency number       : s1-610-869-4024 (USA)         Sectification of the substance or mixture       : s1-610-869-4024 (USA)         Augutic Chronic3       H412					
Product Code       : 115-685-075         1.1. Relevant identified uses of the substance or mixture and uses advised against         1.2. Relevant identified uses         Use of the substance/mixture       : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         1.2. Uses advised against       No additional information available         1.3. Details of the supplier of the safety data sheet       Wanufacture         Manufacturer       European Contact         Jackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         872 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         7: 800-367-5296, 610-869-4024       Ely. Cambridgeshire CB7 4EX, UK         7: 610-869-0171       T: 444 (0) 1353 664675         www.jacksonimmuno.com       F: 444 (0) 1353 664675         www.jacksonimmuno.com       F: 444 (0) 1353 664675         www.jacksonimmuno.com       F: 444 (0) 1453 664675					
1.2.1. Relevant identified uses       : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.         1.2.2. Uses advised against       No additional information available         1.3. Details of the supplier of the safety data sheet       Munfacturer         Jackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         872 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         7: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       info@jacksonimmuno.com         Mell@jacksonimmuno.com       info@jacksonimmuno.com         tech@jacksonimmuno.com       info@jacksonimmuno.com         4.4. Emergency telephone number       Emergency number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification       H412         Aquatic Chronic3       H412         Full ted fhazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labeling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CL	Produc	t Code			
1.2.1. Relevant identified uses	1.2.	Relevant identified uses of the s	substance or mixture and uses advised against		
nedical device. Contact supplier for specific applications.         1.2.2. Uses advised against         No additional information available         1.3. Details of the supplier of the safety data sheet         Manufacturer       European Contact         Jackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         872 West Batimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         7: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 42X, UK         F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       F: 444 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         tech@jacksonimmuno.com       info@jacksonimmuno.com         tech@jacksonimmuno.com       : +1610-869-4024 (USA)         StectTON 2: Hazards identification         Stection 1: * * * * * * * * * * * * * * * * * *	1.2.1.		-		
No additional information available          1.3. Details of the supplier of the safety data sheet       European Contact         Manufacturer       Lackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         872 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         7: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: 44 (0) 1638 782616         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         Help@jacksonimmuno.com       help@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         tech@jacksonimmuno.com       info@jacksonimmuno.com         Emergency number       t: +1-610-869-4024 (USA)         Stectronv 2: Hazards identification       Emergency telephone number         Emergency number       t: +1-610-869-4024 (USA)         Aquati Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2.       Label elements         Eabelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP) <t< td=""><td>Use of</td><td>the substance/mixture</td><td colspan="3"></td></t<>	Use of	the substance/mixture			
1.3. Details of the supplier of the safety data sheet       European Contact         Manufacturer       Lackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         872 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         7: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: 444 (0) 1638 782616         tech@jacksonimmuno.com       F: 444 (0) 1333 664675         www.jacksonimmuno.com       Info@jacksonimmuno.com         www.jacksonimmuno.com       Info@jacksonimmuno.com         tech@jacksonimmuno.com       Help@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         Emergency telephone number       Emergency telephone number         Emergency telephone number       Emergency telephone number         Cassification of the substance or mixture       Cassification of the substance or mixture         Classification of the substance or mixture       Aquatic Chronic3         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         22.       Label elements         Eabelling A	1.2.2.	Uses advised against			
ManufacturerEuropean ContactJackson ImmunoResearch Laboratories, Inc.Jackson ImmunoResearch Europe LTD872 West Baltimore PikeCambridge House872 West Grove, PA 19390St Thomas PlaceT: 800-367-5296, 610-869-4024Ely, Cambridgeshire CB7 4EX, UKF: 610-869-0171T: +44 (0) 1638 782616tech@jacksonimmuno.comF: +44 (0) 1353 664675www.jacksonimmuno.comF: +44 (0) 1353 664675www.jacksonimmuno.comF: +44 (0) 1353 664675www.jacksonimmuno.comF: +44 (0) 1353 664675tech@jacksonimmuno.comhelp@jacksonimmuno.comEmail address for the person responsible for this SDS: tech@jacksonimmuno.comEmail address for the substance or mixtureEmergency telephone numberEmergency telephone numberEmergency number: +1-610-869-4024 (USA)SECTION 2: Hazards identificationAquatic Chronic3Hat2Full text of hazard classes and H-statements: see section 16Adverse physicochemical, human health and environmental effectsNo additional information available2.1. Label elementsExternents (CLP)Hazard statements (CLP)P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international 	No addi	tional information available			
Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place 7: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 F: 444 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com <b>1.4. Emergency telephone number</b> Emergency number : +1-610-869-4024 (USA) <b>5.1. Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b> Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 <b>Adverse physiochemical, huma health and environmental effects</b> No additional information available <b>2.1. Label elements</b> <b>2.2. Label elements</b> <b>2.2. Label elements</b> <b>2.1. Label elements</b> <b>2.2. Label elements</b> <b>2.2. Label elements</b> <b>2.3. Label elements</b> <b>2.4. Label elements</b> <b>2.4. Label elements</b> <b>2.5. Label elements</b> <b>2.6. Label elements</b> <b>2.6. Label elements</b> <b>2.7. Label elements</b> <b>2.8. Label elements</b> <b>2.9. Label elements</b> <b>3.9.</b> Contact with local, regional, national and/or international regulation. EUH-statements <b>3.9.</b> EUH-Statements <b>3.9.</b> Contact with acids liberates very toxic gas.	1.3.	Details of the supplier of the	e safety data sheet		
872 West Baltimore Pike     Cambridge House       West Grove, PA 19390     St Thomas' Place       T: 800-367-5296, 610-869-4024     Ely, Cambridgeshire CB7 4EX, UK       F: 610-869-0171     T: +44 (0) 1638 782616       tech@jacksonimmuno.com     F: +44 (0) 1353 664675       www.jacksonimmuno.com     info@jacksonimmuno.com       Email address for the person responsible for this SDS:     tech@jacksonimmuno.com       tech@jacksonimmuno.com     info@jacksonimmuno.com <b>1.4. Emergency telephone number</b> Emergency telephone number       Emergency number     : +1-610-869-4024 (USA) <b>SECTION 2: Hazards identification Externolitiona for the substance or mixture Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP]</b> Aquatic Chronic3     H412       Full tot of hazard classes and H-statements: see section 16 <b>Adverse physicochemical, human health and environmental effects</b> No additional information available <b>2.1. Label elements Label ling According to Regulation (EC) No. 1272/2008 [CLP]</b> Hazard statements (CLP)     H412 - Harmful to aquatic life with long lasting effects.       Precautionary statements (CLP)     P273 - Avoid release to the environment.       P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.<	Manuf	acturer	European Contact		
West Grove, PA 19390St Thomas' PlaceT: 800-367-5296, 610-869-4024Ely, Cambridgeshire CB7 4EX, UKF: 610-869-0171T: +44 (0) 1353 862616tech@jacksonimmuno.comF: +44 (0) 1353 664675www.jacksonimmuno.cominfo@jacksonimmuno.commeli address for the person responsible for this SDS:help@jacksonimmuno.comtech@jacksonimmuno.cominfo@jacksonimmuno.comftfttech@jacksonimmuno.comhelp@jacksonimmuno.comftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftftft <tr <tr="">ftft&lt;</tr>	Jackso	n ImmunoResearch Laboratories	, Inc. Jackson ImmunoResearch Europe LTD		
T: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         help@jacksonimmuno.com       help@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         tech@jacksonimmuno.com       help@jacksonimmuno.com         1.4.       Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         2.1.       Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2.       Label elements         Eabelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         PS01 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, nationa	872 W	est Baltimore Pike	-		
F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         Email address for the person responsible for this SDS:       tech@jacksonimmuno.com         tech@jacksonimmuno.com       thelp@jacksonimmuno.com         1.4.       Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         2.1.       Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.1.       Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	West G	irove, PA 19390			
tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com <b>1.4. Emergency telephone number</b> Emergency number : +1-610-869-4024 (USA) <b>SECTION 2: Hazards identification</b> <b>2.1. Classification of the substance or mixture</b> <b>Classification According to Regulation (EC) No. 1272/2008 [CLP]</b> Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 <b>Adverse physicochemical, human health and environmental effects</b> No additional information available <b>2.2. Label elements</b> <b>Labelling According to Regulation (EC) No. 1272/2008 [CLP]</b> Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas.					
www.jacksonimmuno.com       info@jacksonimmuno.com         help@jacksonimmuno.com         Email address for the person responsible for this SDS:         tech@jacksonimmuno.com         1.4. Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aqueic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.					
help@jacksonimmuno.com         Email address for the person responsible for this SDS:         tech@jacksonimmuno.com         1.4. Emergency telephone number         Emergency number         Emergency number         Emergency number         Emergency number         Emergency number         Emergency number         Entergency number         Adverse physicochemical, numan health and environmental effects         No additional information available         2.1.       Label elements         Eabelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.					
Email address for the person responsible for this SDS: tech@jacksonimmuno.com  1.4. Emergency telephone number Emergency number : +1-610-869-4024 (USA)  SECTION 2: Hazards identification  2.1. Classification of the substance or mixture Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412  Full text of hazard classes and H-statements: see section 16  Adverse physicochemical, human health and environmental effects No additional information available  2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.  EUH-statements EUH032 - Contact with acids liberates very toxic gas.	www.ja	acksonimmuno.com	-		
tech@jacksonimmuno.com         1.4. Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	Empile	ddrocs for the person responsib			
1.4. Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Aquatic Chronic3         H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Para distatements (CLP)         H412 - Harmful to aquatic life with long lasting effects					
Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.	-		nor.		
SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16       Adverse physicochemical, human health and environmental effects         No additional information available       2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.					
2.1. Classification of the substance or mixture         Classification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.		·	· ·		
Classification According to Regulation (EC) No. 1272/2008 [CLP]Aquatic Chronic3H412Full text of hazard classes and H-statements: see section 16Adverse physicochemical, human health and environmental effectsNo additional information available2.2. Label elementsLabel genentsLabel no Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
Aquatic Chronic3H412Full text of hazard classes and H-statements: see section 16Adverse physicochemical, human health and environmental effectsNo additional information available2.2. Label elementsLabelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH-statementsEUH-statements	2.1. (	Classification of the substance	e or mixture		
Full text of hazard classes and H-statements: see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.			) No. 1272/2008 [CLP]		
Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.					
No additional information available2.2. Label elementsLabelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.	Full text	of hazard classes and H-stateme	ents: see section 16		
2.2. Label elements         Labelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.         Precautionary statements (CLP)       P273 - Avoid release to the environment.         P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.         EUH-statements       EUH032 - Contact with acids liberates very toxic gas.		• •	and environmental effects		
Labelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.Precautionary statements (CLP)P273 - Avoid release to the environment.P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
Precautionary statements (CLP)P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
point, in accordance with local, regional, national and/or international regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.	Precau	itionary statements (CLP)			
regulation.EUH-statementsEUH032 - Contact with acids liberates very toxic gas.					
EUH-statements EUH032 - Contact with acids liberates very toxic gas.			-		
		atomonts	-		
2.3. Other hazards			LOHUSZ - COHIACI WITH ACTUS HIDEFATES VELY LOXIC BAS.		
	2.3.	Other hazards			



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Polyoxyethylene sorbitan monolaurate	(CAS-No.) 9005-64-5 (EC-No.) 500-018-3	0.06	Not classified
Brilliant Violet™ 480-conjugated AffiniPure™ Goat Anti-Mouse IgM, m Chain Specific (minimal cross-reaction to Human, Bovine, and Horse Serum Proteins)	(CAS-No.) Not assigned	0.54	Not classified
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.59	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.65	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	8.62	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	17.71	Not classified

# Full text of H-statements: see section 16

## SECTION 4: First aid measures

4.1. Description of first aid me	easures
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Immediately call a poison center or doctor/physician.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptom	ns and effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects.
Chronic symptoms	: None expected under normal conditions of use.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

	occurros
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising	from the substance or mixture
Fire hazard	: Not considered flammable but may burn at high temperatures.
Explosion hazard	: Product is not explosive.
Reactivity	: Contact with acids liberates toxic gas.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO <sub>2</sub> ). Sodium oxides. Phosphorus oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for co	ontainment and cleaning up
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry
	into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other sections	i
See Section 8 for exposure controls and	personal protection and Section 13 for disposal considerations.
SECTION 7: Handling and st	orage
7.1 Precautions for safe has	

### 7.1. Precautions for safe handling

Precautions for safe handling: Wash hands and other exposed areas with mild soap and water before eating,<br/>drinking or smoking and when leaving work. Avoid prolonged contact with eyes,<br/>skin and clothing.Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Keep/Store away from low temperatures and incompatible materials. Store at 2 - 8 °C.
	and meenpatible materials. Store at 2 = 6 °C.

Incompatible materials

: Acids. Strong oxidizers.

### 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or thereapeutic use. This is not a medical device. Contact supplier for specific applications.

## SECTION 8: Exposure controls/personal protection

8.1.	<b>Control parameters</b>
------	---------------------------

Sodium azide (26628-22	2-8)	
EU	IOELV TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m³
Austria	MAK Short time value (mg/m³)	0,3 mg/m <sup>3</sup>
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m <sup>3</sup> )	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)
France	VME (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	Occupational exposure limit value (mg/m³)	0,2 mg/m <sup>3</sup>
Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>
Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	0,1 ppm



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>	
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm	
Italy	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption	
Latvia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure	
Spain	VLA-ED (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)	
Spain	VLA-EC (mg/m³)	0,3 mg/m <sup>3</sup>	
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
Switzerland	KZGW (mg/m <sup>3</sup> )	0,4 mg/m³ (inhalable dust)	
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)	
Netherlands	Grens waarde TGG 8H (mg/m³)	0,1 mg/m <sup>3</sup>	
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
United Kingdom	WEL chemical category	egory Potential for cutaneous absorption	
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m <sup>3</sup>	
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m <sup>3</sup>	
Estonia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
Estonia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation	
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> ) 0,1 mg/m <sup>3</sup>		
Finland	HTP-arvo (15 min) 0,3 mg/m <sup>3</sup>		
Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
Hungary	AK-érték	0,1 mg/m <sup>3</sup>	
Hungary	CK-érték	0,3 mg/m <sup>3</sup>	
Ireland			
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m <sup>3</sup>	
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption	
Lithuania	IPRV (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Lithuania	TPRV (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Lithuania	OEL chemical category (LT)	Skin notation	
Luxembourg	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin	
Malta	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	

20/04/2024



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin	
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)	
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
Poland	NDSCh (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Romania	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Romania	OEL chemical category (RO)	Skin notation	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m <sup>3</sup> (Sodium azide)	
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m <sup>3</sup>	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Slovenia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³	
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
Slovenia	OEL chemical category (SI)	Potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³	
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m <sup>3</sup>	
Portugal	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)	
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)	
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m³	
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)	
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	
Sodium chloride (7647-14	1-5)		
Latvia	OEL TWA (mg/m³)	5 mg/m <sup>3</sup>	
Lithuania	IPRV (mg/m³)	5 mg/m <sup>3</sup>	

## 8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing Hand protection Eye and Face Protection

Skin and body protection

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

: Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection

Other information

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

## : When using, do not eat, drink or smoke. SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Colour	: Green solid	
Odour	: Odourless, as water	
Odour threshold	: No data available	
рН	: 7.6, when rehydrated with indicated volume of $H_2O$	
Evaporation rate	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temerature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: Water	
Partition coefficent: n-octanol/water	: No data available	
Viscosity	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2 Other information		

#### Other information 9.2.

No additional information available

## SECTION 10: Stability and reactivity

#### Reactivity 10.1.

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### 10.2. **Chemical stability**

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. **Conditions to avoid**

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

#### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

## **SECTION 11: Toxicological information**

Information on toxicological effects 11.1.



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: Not classified (Based on available data, the classification criteria are not met)	
05-64-5)	
>18000 mg/kg	
27 mg/kg	
45 mg/kg	
20 mg/kg	
0,054 - 0,52 mg/l/4h (Dust/Mist - mg/l/4h)	
17 g/kg	
> 5000 mg/kg (50% solution)	
3550 mg/kg (Species: Wistar)	
> 10000 mg/kg (Species: New Zealand White)	
> 42 g/m <sup>3</sup> (Exposure time: 1 h)	
<ul> <li>Not classified</li> <li>pH: 7,2 when rehydrated with indicated volume of H<sub>2</sub>O</li> </ul>	
<ul> <li>Not classified</li> <li>pH: 7,2 when rehydrated with indicated volume of H<sub>2</sub>O</li> </ul>	
<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>	
: Not classified : Not classified	
: Not classified	
: Not classified	
<ul> <li>May be harmful or cause irritation.</li> <li>Prolonged exposure may cause skin irritation.</li> <li>May cause slight irritation to eyes.</li> <li>Ingestion may cause adverse effects.</li> <li>None expected under normal conditions of use.</li> </ul>	
ation	
: Harmful to aquatic life with long lasting effects.	
5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

LC50 fish 2

12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)		
Sodium azide (26628-22-8)			
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)		
ErC50 (algae)	0,348 mg/l		
2.2. Persistence and degradabili	ty		
Brilliant Violet™ 480-conjugated Affinil and Horse Serum Proteins)	Pure™ Goat Anti-Mouse IgM, m Chain Specific (minimal cross-reaction to Human, Bovine,		
Persistence and degradability Not established.			
2.3. Bioaccumulative potential			
Brilliant Violet™ 480-conjugated Affinil and Horse Serum Proteins)	Pure™ Goat Anti-Mouse IgM, m Chain Specific (minimal cross-reaction to Human, Bovine,		
Bioaccumulative potential	Not established.		
Sodium chloride (7647-14-5)			
BCF fish 1	(no bioaccumulation)		
<b>2.4. Mobility in soil</b> to additional information available			
<b>2.5. Results of PBT and vPvB asso</b> lo additional information available	essment		
2.6. Other adverse effects			
Other information	: Avoid release to the environment.		
SECTION 13: Disposal consi	derations		
<b>3.1. Waste treatment methods</b> Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and international regulations.		

## **SECTION 14: Transport information**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not regulated for transport					
14.2.	. UN proper shipping name				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	Packing group	0			



## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Not applicable	Not applicable	Not applicable	Not applicable	Notapplicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

## 14.6. Special precautions for user

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Phosphoric acid, disodium salt (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Date of Preparation or Latest Revision Data sources	<ul> <li>20/04/2024</li> <li>Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications</li> </ul>
Other information	<ul> <li>according to GHS or their subsequent adoption of GHS.</li> <li>According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830</li> </ul>

#### Full Text of H- and EUH-statements:

Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Indication of Changes No additional information available

### Abbreviations and Acronyms

<u>Abbreviations and Acronyms</u>	
ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische
LD50 - Median Lethal Dose	Grenzwerte
LOAEL - Lowest Observed Adverse Effect Level	TSCA - Toxic Substances Control Act
LOEC - Lowest-Observed-Effect Concentration	TWA - Time Weighted Average
Log Koc - Soil Organic Carbon-water Partitioning Coefficient	VOC – Volatile Organic Compounds
Log Kow - Octanol/water Partition Coefficient	VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved	VLA-ED - Valor Límite Ambiental Exposición Diaria
substance in a two-phase system consisting of two largely immiscible	VLE – Valeur Limite D'exposition
solvents, in this case octanol and water	VME – Valeur Limite De Moyenne Exposition
MAK – Maximum Workplace Concentration/Maximum Permissible	vPvB - Very Persistent and Very Bioaccumulative
Concentration	WEL – Workplace Exposure Limit
MARPOL - International Convention for the Prevention of Pollution	WGK - Wassergefährdungsklasse



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.