Horse, Human, Mouse, Rabbit, and Rat lg) Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 19/04/2024 Version: 3.1 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Product Form : Mixture Product Name Alexa Fluor[®] 680-conjugated IgG Fraction Monoclonal Mouse Anti-Goat^{††} IgG, Light Chain Specific (minimal cross-reaction to Horse, Human, Mouse, Rabbit, and Rat Ig) Product Code : 205-622-176 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. **Relevant identified uses** Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Manufacturer **European Contact** Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike **Cambridge House** West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. **Emergency telephone number** Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture 2.1. Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. EUH-statements EUH032 - Contact with acids liberates very toxic gas. 19/04/2024 1/12EN (English)

ImmunoResearch

ABORATORIES, INC.

lackson

Alexa Fluor[®] 680-conjugated IgG Fraction Monoclonal Mouse

Anti-Goat⁺⁺ IgG, Light Chain Specific (minimal cross-reaction to



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification According to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------|---|
| Sodi um azi de | (CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7 | 0.54 | Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Sodium phosphate dibasic | (CAS-No.) 7558-79-4 (EC-No.) 231-448-7 | 1.5 | Not classified |
| Alexa Fluor® 680-conjugated IgG Fraction Monoclonal Mouse Anti-Goat ^{††} IgG, Light Chain Specific (minimal cross-reaction to Horse, Human, Mouse, Rabbit, and Rat Ig) | (CAS-No.) Not assigned | 1.80 | Not classified |
| Sodium chloride | (CAS-No.) 7647-14-5 (EC-No.) 231-598-3 | 15.67 | Not classified |
| Albumins, blood serum | (CAS-No.) 9048-46-8 (EC-No.) 232-936-2 | 16.1 | Not classified |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
|---------------------------------------|---|
| First-aid measures after inhalation | : Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. |
| First-aid measures after skin contact | : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. |
| First-aid measures after eye contact | : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. |
| 4.2. Most important symptoms a | nd effects, both acute and delayed |
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Symptoms/effects after inhalation | : May be harmful or cause irritation. |
| Symptoms/effects after skin contact | : Prolonged exposure may cause skin irritation. |
| Symptoms/effects after eye contact | : May cause slight irritation to eyes. |
| | |

| Anti-Goat ⁺⁺ IgG, Light Chai Horse, Human, Mouse, Rab Safety Data Sheet | A lgG Fraction Monoclonal Mouse in Specific (minimal cross-reaction to bit, and Rat lg) |
|--|--|
| | |
| Symptoms/effects after ingestion Chronic symptoms | Ingestion may cause adverse effects. May be harmful if swallowed. None expected under normal conditions of use. |
| | e medical attention and special treatment needed |
| - | vice and attention. If medical advice is needed, have product container or label at hand. |
| SECTION 5: Firefighting me | |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical. |
| | Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. Use of heavy stream of water may spread fire. |
| | from the substance or mixture |
| Fire hazard | : Not Assigned |
| Reactivity | : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. |
| Hazardous decomposition products in case of fire | : Hydrogen chloride. Sodium oxides. Nitrogen oxides. |
| 5.3. Advice for firefighters | |
| Precautionary measures fire | : Exercise caution when fighting any chemical fire. |
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| SECTION 6: Accidental rele | ase measures |
| | ective equipment and emergency procedures |
| General measures | : Avoid prolonged contact with eyes, skin and clothing. |
| 6.1.1. For non-emergency personnel | |
| Protective equipment | : Use appropriate personal protective equipment (PPE). |
| Emergency procedures | : Evacuate unnecessary personnel. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. |
| 6.2. Environmental precautions | |
| | : Prevent entry to sewers and public waters. Avoid release to the environment. |
| | ontainment and cleaning up |
| For containment | : Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. |
| Methods for cleaning up | : Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. |
| 6.4. Reference to other sections | |
| See Section 8 for exposure controls and | personal protection and Section 13 for disposal considerations. |

SECTION 7: Handling and storage 7.1. Precautions for safe handling

7.1.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. |
|--------------------------------------|---|
| Hygiene measures | : Handle in accordance with good industrial hygiene and safety procedures. |
| 7.2. Conditions for safe storage, in | cluding any incompatibilities |
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials. |
| Incompatible materials | : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons. |
| 7.3. Specific end use(s) | |

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Sodium chloride (7647-14-5) | | |
|-----------------------------|--|--|
| Latvia | OEL TWA (mg/m ³) | 5 mg/m ³ |
| Lithuania | IPRV (mg/m³) | 5 mg/m ³ |
| Sodium azide (26628-22-8) | | |
| EU | IOELV TWA (mg/m ³) | 0,1 mg/m ³ |
| EU | IOELV STEL (mg/m ³) | 0,3 mg/m ³ |
| EU | Notes | Possibility of significant uptake through the skin |
| Austria | MAK (mg/m³) | 0,1 mg/m ³ |
| Austria | MAK Short time value (mg/m ³) | 0,3 mg/m ³ |
| Austria | OEL chemical category (AT) | Skin notation |
| Belgium | OEL chemical category (BE) | Skin, Skin notation |
| Bulgaria | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Bulgaria | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Croatia | GVI (granicna vrijednost izloženosti) (mg/m³) | 0,1 mg/m³ |
| Croatia | KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³) | 0,3 mg/m³ |
| Croatia | OEL chemical category (HR) | Skin notation |
| Cyprus | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Cyprus | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Cyprus | OEL chemical category (CY) | Skin-potential for cutaneous absorption |
| France | VLE (mg/m³) | 0,3 mg/m ³ (restrictive limit) |
| France | VME (mg/m ³) | 0,1 mg/m ³ (restrictive limit) |
| France | OEL chemical category (FR) | Risk of cutaneous absorption |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,1 ppmGreeceOEL STEL (mg/m³)0,1 ppmGreeceOEL STEL (ng/m³)0,1 ppmGreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Celling (mg/m³)0,2 mg/m³USA ACGIHACGIH Celling (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (indialable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (indialable dust)SwitzerlandKZGW (mg/m³)0,1 mg/m³ (indialable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³Unit | Germany | TRGS 900 Occupational exposure limit value (mg/m³) | 0,2 mg/m ³ |
|---|----------------|--|--|
| GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m²)0,3 mg/m³GreeceOEL TWA (mg/m²)0,1 ppmGreeceOEL STEL (ppm)0,1 ppmGreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m²)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m³ItalyOEL STEL (mg/m²)0,1 mg/m³ItalyOEL TWA (mg/m²)0,1 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m²)0,1 mg/m²LatviaOEL chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m²)0,3 mg/m²SpainVLA-EC (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandKZGW (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandKZGW (mg/m²)0,4 mg/m² (inhalable dust)SwitzerlandKZGW (mg/m²)0,3 mg/m³United KingdomWEL TWA (mg/m²)0,3 mg/m³United KingdomWEL TWA (mg/m²)0,3 mg/m³United KingdomWEL TWA (mg/m²)0,1 mg/m³EstoniaOEL Chemical category (C2)Potential for cutaneous abs | Gibraltar | Eight hours mg/m3 | 0,1 mg/m³ |
| GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,2 mg/m³USA ACGIHA CGIH Ceiling (mg/m³)0,2 g mg/m³USA ACGIHA CGIH Ceiling (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m² (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TRU (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCach RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³United KingdomWEL Chemical category (C2)Potential for cutaneous absorptionCach RepublicOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL | Gibraltar | Short-term mg/m3 | 0,3 mg/m ³ |
| GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³USA ACGIHACGIH Celling (mg/m³)0,2 9 mg/m³USA ACGIHACGIH Celling (ppm)0,11 ppmUSA ACGIHACGIH Celling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TG6 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCech RepublicExpozicn1 limity (FEL) (mg/m³)0,1 mg/m³< | Gibraltar | OEL chemical category (GI) | Skin notation |
| GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionCestoniaOEL TWA (mg/m³)0,1 mg/m³StoniaOEL twa (mg/m³)0,1 mg/m³EstoniaOEL twa (mg/m³)0,1 mg/m³EstoniaOEL twa (mg/m³)0,1 mg/m³EstoniaOEL twa (mg/m³)0,1 mg/m³EstoniaOEL twa (mg/m³)0,1 mg/m³Esto | Greece | OEL TWA (mg/m³) | 0,3 mg/m ³ |
| GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (CZ)Potential for cutaneous absorptionCzech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL S | Greece | OEL TWA (ppm) | 0,1 ppm |
| USA ACGIHACGIH Celling (mg/m³)0,29 mg/m³USA ACGIHACGIH Celling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMKZGW (mg/m³)0,3 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TRU (mg/m³)0,3 mg/m³United KingdomWEL TRU (mg/m³)0,1 mg/m³Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (FI)Sensitizer, Skin notat | Greece | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³Czech RepublicExpozicn1 limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical categoryPotential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption <td>Greece</td> <td>OEL STEL (ppm)</td> <td>0,1 ppm</td> | Greece | OEL STEL (ppm) | 0,1 ppm |
| ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitzer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryOEL chemical category (FI)Po | USA ACGIH | ACGIH Ceiling (mg/m ³) | 0,29 mg/m ³ |
| ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)< | USA ACGIH | ACGIH Ceiling (ppm) | 0,11 ppm |
| ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionZeach RepublicExpozinf limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGrænsværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³HungaryAK-érték0,1 mg/m³ | Italy | OEL TWA (mg/m³) | 0,1 mg/m³ |
| LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³ | Italy | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³HungaryAK-érték0,1 mg/m³ | Italy | OEL chemical category (IT) | skin - potential for cutaneous absorption |
| SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³0,1 mg/m³ | Latvia | OEL TWA (mg/m³) | 0,1 mg/m³ |
| SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³ | Latvia | OEL chemical category (LV) | skin - potential for cutaneous exposure |
| SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,1 mg/m³ | Spain | VLA-ED (mg/m ³) | 0,1 mg/m ³ (indicative limit value) |
| SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³ | Spain | VLA-EC (mg/m ³) | 0,3 mg/m ³ |
| SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³ | Spain | OEL chemical category (ES) | skin - potential for cutaneous absorption |
| NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Switzerland | KZGW (mg/m ³) | 0,4 mg/m³ (inhalable dust) |
| NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionFinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Switzerland | MAK (mg/m³) | 0,2 mg/m³ (inhalable dust) |
| United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³ | Netherlands | Grenswaarde TGG 8H (mg/m³) | 0,1 mg/m³ |
| United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³ | Netherlands | Grenswaarde TGG 15MIN (mg/m³) | 0,3 mg/m ³ |
| United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³ | United Kingdom | WEL TWA (mg/m³) | 0,1 mg/m³ |
| Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³ | United Kingdom | WEL STEL (mg/m ³) | 0,3 mg/m³ |
| Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | United Kingdom | WEL chemical category | Potential for cutaneous absorption |
| DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Czech Republic | Expozicní limity (PEL) (mg/m³) | 0,1 mg/m³ |
| EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Czech Republic | OEL chemical category (CZ) | Potential for cutaneous absorption |
| EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Denmark | Grænseværdie (langvarig) (mg/m³) | 0,1 mg/m³ |
| EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Estonia | OEL TWA (mg/m³) | 0,1 mg/m³ |
| FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Estonia | OEL STEL (mg/m ³) | 0,3 mg/m³ |
| FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Estonia | OEL chemical category (ET) | Sensitizer, Skin notation |
| FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Finland | HTP-arvo (8h) (mg/m³) | 0,1 mg/m ³ |
| HungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³ | Finland | HTP-arvo (15 min) | 0,3 mg/m ³ |
| HungaryCK-érték0,3 mg/m³ | Finland | OEL chemical category (FI) | Potential for cutaneous absorption |
| | Hungary | AK-érték | 0,1 mg/m ³ |
| Ireland OEL (8 hours ref) (mg/m ³) 0,1 mg/m ³ | Hungary | CK-érték | 0,3 mg/m ³ |
| | Ireland | OEL (8 hours ref) (mg/m ³) | 0,1 mg/m ³ |



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Ireland | OEL (15 min ref) (mg/m3) | 0,3 mg/m³ |
|------------|---|--|
| Ireland | OEL chemical category (IE) | Potential for cutaneous absorption |
| Lithuania | IPRV (mg/m ³) | 0,1 mg/m ³ |
| Lithuania | TPRV (mg/m ³) | 0,3 mg/m ³ |
| Lithuania | OEL chemical category (LT) | Skin notation |
| Luxembourg | OEL TWA (mg/m³) | 0,1 mg/m ³ |
| Luxembourg | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Luxembourg | OEL chemical category (LU) | Possibility of significant uptake through the skin |
| Malta | OEL TWA (mg/m ³) | 0,1 mg/m³ |
| Malta | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Malta | OEL chemical category (MT) | Possibility of significant uptake through the skin |
| Norway | Grenseverdier (AN) (mg/m ³) | 0,1 mg/m ³ |
| Norway | Grenseverdier (Korttidsverdi) (mg/m3) | 0,3 mg/m ³ (value from the regulation) |
| Poland | NDS (mg/m ³) | 0,1 mg/m ³ |
| Poland | NDSCh (mg/m ³) | 0,3 mg/m ³ |
| Romania | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Romania | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Romania | OEL chemical category (RO) | Skin notation |
| Slovakia | NPHV (priemerná) (mg/m³) | 0,1 mg/m³ (Sodium azide) |
| Slovakia | NPHV (Hranicná) (mg/m³) | 0,3 mg/m ³ |
| Slovakia | OEL chemical category (SK) | Potential for cutaneous absorption |
| Slovenia | OEL TWA (mg/m ³) | 0,1 mg/m ³ |
| Slovenia | OEL STEL (mg/m ³) | 0,3 mg/m ³ |
| Slovenia | OEL chemical category (SL) | Potential for cutaneous absorption |
| Sweden | nivågränsvärde (NVG) (mg/m³) | 0,1 mg/m ³ |
| Sweden | kortidsvärde (KTV) (mg/m ³) | 0,3 mg/m ³ |
| Portugal | OEL TWA (mg/m ³) | 0,1 mg/m ³ (indicative limit value) |
| Portugal | OEL STEL (mg/m ³) | 0,3 mg/m ³ (indicative limit value) |
| Portugal | OEL - Ceilings (mg/m ³) | 0,29 mg/m ³ |
| Portugal | OEL - Ceilings (ppm) | 0,11 ppm (vapor) |
| Portugal | OEL chemical category (PT) | A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value |

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection : Chemically resistant materials and fabrics.

: When using, do not eat, drink or smoke.

- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

SECTION 9: Physical and chemical properties

| 9.1. | Information o | on basic ph | vsical and | chemical | properties |
|------|---------------|-------------|--------------|------------|------------|
| J.T. | in on a con o | n susic pi | y sicul ullu | circuitcui | properties |

| 9.1. Information on basic physical and chemic | cal | properties |
|---|-----|--|
| Physical state | : | Solid |
| Colour | : | Blue solid |
| Odour | : | Odourless, as water |
| Odour threshold | : | No data available |
| рН | : | 7.6, when rehydrated with indicated volume of H_2O |
| Evaporation rate | : | No data available |
| Melting point | : | No data available |
| Freezing point | : | No data available |
| Boiling point | : | No data available |
| Flash point | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temerature | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density at 20 °C | : | No data available |
| Relative density | : | No data available |
| Solubility | : | Water |
| Partition coefficent: n-octanol/water | : | No data available |
| Viscosity | : | No data available |
| Explosive properties | : | No data available |
| Oxidising properties | : | No data available |
| Explosive limits | : | No data available |
| 9.2. Other information | | |

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

| Alexa Fluor® 680-conjugated IgG Fraction Monoclonal Mouse Anti-Goat ⁺⁺ IgG, Light Chain Specific (minimal cross-reaction to Horse, Human, Mouse, Rabbit, and Rat Ig) Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 10.2. Chemical stability Stable under recommended handling and storage conditions (see section 7). 10.3. Possibility of hazardous reactions Hazardous polymerization will not occur. 10.4. Conditions to avoid Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition. | | |
|---|--|--|
| 10.5. Incompatible materials Strong acids, strong bases, strong oxidizers | . Heavy metals. halogenated hydrocarbons. | |
| 10.6. Hazardous decomposition | | |
| Sodium oxides. Hydrogen chloride gas. Nitro | | |
| SECTION 11: Toxicological info | | |
| 11.1. Information on toxicological ef Acute toxicity | fects : Not classified | |
| | | |
| Sodium chloride (7647-14-5) LD50 oral rat | 3550 mg/kg (Species: Wistar) | |
| LD50 dermal rabbit | > 10000 mg/kg (Species: New Zealand White) | |
| LC50 inhalation rat (mg/l) | > 42 g/m ³ (Exposure time: 1 h) | |
| Sodium azide (26628-22-8) | | |
| LD50 oral rat | 27 mg/kg | |
| LD50 oral | 45 mg/kg | |
| LD50 dermal rabbit | 20 mg/kg | |
| Sodium phosphate dibasic (7558-79-4) | | |
| LD50 oral rat | 17 g/kg | |
| LD50 dermal rat | >500 mg/kg (50% solution) | |
| Skin corrosion/irritation Serious eye damage/irritation | Not classified pH: 7,6 when rehydrated with indicated volume of H₂O Not classified pH: 7,6 when rehydrated with indicated volume of H₂O | |
| Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity | Not classified Not classified Not classified | |
| Reproductive toxicity STOT-single exposure | Not classified Not classified Not classified | |
| Aspiration hazard | : Not classified | |
| Symptoms/Injuries After Inhalation | : May be harmful or cause irritation. | |

- : Prolonged exposure may cause skin irritation.
- : May cause slight irritation to eyes.
- : Ingestion may cause adverse effects. May be harmful if swallowed.

: None expected under normal conditions of use.

Chronic Symptoms

Symptoms/Injuries After Skin Contact

Symptoms/Injuries After Eye Contact

Symptoms/Injuries After Ingestion



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

| Sodium chloride (7647-14-5) | | |
|-----------------------------|--|--|
| LC50 fish 1 | 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) | |
| EC50 Daphnia 1 | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC50 fish 2 | 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | |
| EC50 Daphnia 2 | 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) | |
| NOEC chronic fish | 252 mg/l (Species: Pimephales promelas) | |
| Sodium azide (26628-22-8) | | |
| LC50 fish 1 | 0,8 mg/I (Exposure time: 96 h - Species: Oncorhynchus mykiss) | |
| LC50 fish 2 | 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) | |
| ErC50 (algae) | 0,348 mg/l | |

12.2. Persistence and degradability

| Alexa Fluor [®] 680-conjugated IgG Fraction Monoclonal Mouse Anti-Goat ^{††} IgG, Light Chain Specific (minimal cross-reaction to |
|--|
| Horse, Human, Mouse, Rabbit, and Rat Ig) |
| |

| Persistence and degradability | Not established. |
|-------------------------------|------------------|
| | |

12.3. Bioaccumulative potential

 Alexa Fluor® 680-conjugated IgG Fraction Monoclonal Mouse Anti-Goat⁺⁺ IgG, Light Chain Specific (minimal cross-reaction to Horse, Human, Mouse, Rabbit, and Rat Ig)

 Bioaccumulative potential
 Not established.

Sodium chloride (7647-14-5)

BCF fish 1

(no bioaccumulation)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations 13.1. Waste treatment methods Product/Packaging disposal : Dispose of contents/container in accordance with local, regional, national, and international regulations.

Ecology - waste materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | ΙΑΤΑ | ADN | RID |
|-----------------------|-----------------------|-------------------|-------------------|-------------------|
| 14.1. UN numbe | r | | | |
| Not regulated for tra | nsport | | | |
| 14.2. UN proper | shipping name | | | |
| Notapplicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport h | nazard class(es) | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing gro | oup | | | |
| Notapplicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environme | ntal hazards | | | |
| Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the |
| environment : No | environment : No | environment : No | environment : No | environment : No |
| | Marine pollutant : No | | | |

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Date of Preparation or Latest Revision : 19/04/2024



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Data sources | : Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications |
|-------------------|--|
| | according to GHS or their subsequent adoption of GHS. |
| Other information | : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 |

Full Text of H- and EUH-statements:

| Acute Tox. 2 (Oral) | Acute toxicity (oral), Category 2 |
|---------------------|---|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| H300 | Fatal if swallowed. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH032 | Contact with acids liberates very toxic gas. |

Indication of Changes No additional information available

Abbreviations and Acronyms

| ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC – European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU – European Union ErC50 - EC50 in Terms of Reduction Growth Rate GHS – Globally Harmonized System of Classification and Labeling of | NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit |
|--|---|
| EU – European Union | TEL TRK – Technical Guidance Concentrations |
| | |



Safety Data Sheet

EU GHS SDS

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution

Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.