

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 25/04/2024

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Form	: Mixture
Product Name	: Alexa Fluor® 647-conjugated AffiniPure™ Mouse Anti-Human IgG, Fc _g Fragment
	Specific (minimal cross-reaction to Bovine, Horse, and Mouse Serum Proteins)
Product Code : 209-605-098	
	s of the substance or mixture and uses advised against
1.2.1. Relevant identified use	
Use of the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.
1.2.2. Uses advised against	
No additional information avail	able
1.3. Details of the supplie	er of the safety data sheet
Manufacturer	European Contact
Jackson ImmunoResearch Labo	pratories, Inc. Jackson ImmunoResearch Europe LTD
872 West Baltimore Pike	Cambridge House
West Grove, PA 19390	St Thomas' Place
T: 800-367-5296, 610-869-402	4 Ely, Cambridgeshire CB7 4EX, UK
F: 610-869-0171	T: +44 (0) 1638 782616
tech@jacksonimmuno.com	F: +44 (0) 1353 664675
www.jacksonimmuno.com	info@jacksonimmuno.com
	help@jacksonimmuno.com
Email address for the person r tech@jacksonimmuno.com	esponsible for this SDS:
1.4. Emergency telephon	e number
Emergency number	: +1-610-869-4024 (USA)
SECTION 2: Hazards ic	
2.1. Classification of the su	ubstance or mixture
Classification According to Regul	ation (EC) No. 1272/2008 [CLP]
Aquatic Chronic3	H412
Full text of hazard classes and H	I-statements: see section 16
Adverse physicochemical, human No additional information avail	n health and environmental effects able
2.2. Label elements	
Labelling According to Regulation	n (FC) No. 1272/2008 [CLP]
Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP	
recould find y statements (cer	P501 - Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international
	regulation.
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.
25/04/2024	EN (English) 1 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Alexa Fluor® 647-conjugated AffiniPure™ Mouse Anti-Human IgG, Fc _g Fragment Specific (minimal cross-reaction to Bovine, Horse, and Mouse Serum Proteins)	(CAS-No.) Not assigned	1.57	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.71	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.14	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.	
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.	
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.	
4.2. Most important symptoms a	nd effects, both acute and delayed	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.	
Symptoms/effects after inhalation	: May be harmful or cause irritation.	
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.	
Symptoms/effects after eye contact	: May cause slight irritation to eyes.	

Fc_{γ} Fragment Specific (minim and Mouse Serum Proteins) Safety Data Sheet	AffiniPure [™] Mouse Anti-Human IgG, al cross-reaction to Bovine, Horse,
According to Regulation (EC) No. 1907/2006 (Re	EACH) with its amendment Regulation (EU) 2015/830
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
-	nedical attention and special treatment needed
	e and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	om the substance or mixture
Fire hazard	: Not Assigned
Reactivity	 Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazardous decomposition products in case of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
	protection.
SECTION 6: Accidental releas	e measures
	ive equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence
	of dangerous goods, protect oneself and the public, secure the area, and call for
	the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for con-	tainment and cleaning up
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent
	authorities after a spill.
6.4. Reference to other sections	
See Section 8 for exposure controls and pe	rsonal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.
7.3. Specific end use(s)	

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)		
Latvia	OEL TWA (mg/m ³)	5 mg/m ³
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Sodium azide (26628-22-8)		
EU	IOELV TWA (mg/m ³)	0,1 mg/m³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m ³)	0,1 mg/m ³
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m³)	0,1 mg/m ³ (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GibraltarEight hours mg/m30.1 mg/m3GibraltarShort-term mg/m30.3 mg/m3GibraltarOEL chemical category (Gi)Skin notationGreeceOEL TWA (mg/m3)0.3 mg/m3GreeceOEL TWA (mg/m3)0.1 ppmGreeceOEL STEL (mg/m3)0.1 ppmGreeceOEL STEL (mg/m3)0.2 pg/m3USA ACGIHA CGIH Ceiling (mg/m3)0.2 pg/m3USA ACGIHA CGIH Ceiling (mg/m3)0.1 mg/m3USA ACGIHA CGIH Ceiling (mg/m3)0.1 mg/m3ItalyOEL TWA (mg/m3)0.1 mg/m3ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVA-ED (mg/m3)0.1 mg/m3SpainVA-ED (mg/m3)0.3 mg/m3SwitzerlandKZCW (mg/m3)0.2 mg/m3NetherlandsGrenswaarde TGG BH (mg/m3)0.3 mg/m3NetherlandsGrenswaarde TGG SISMIN (mg/m3)0.3 mg/m3United KingdomWEL TWA (mg/m3)0.3 mg/m3United KingdomWEL TWA (mg/m3)0.3 mg/m3United KingdomWEL TWA (mg/m3)0.3 mg/m3Cech RepublicExpozini limity (PEI) (mg/m3)0.1 mg/m3Cech RepublicOEL Chemical category (C2)Potential for cutaneous absorptionCech RepublicOEL Chemical categoryPotential for cutaneous absorptionCech RepublicOEL Chemical categoryPotential for cutaneous absorptionCech RepublicOEL Chemical category (C2	Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³
GibraltarOEL chemical category (G)Skin notationGreeceOEL TWA (ng/m)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Celling (mg/m³)0,29 mg/m³USA ACGIHACGIH Celling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³USA ACGIHACGIH Celling (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL themical category (IV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,2 mg/m³SwitzerlandKZGW (mg/m³)0,2 mg/m³SwitzerlandKZGW (mg/m³)0,2 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³StoniaOEL STEL (mg/m³)0,1 mg/m³StoniaOEL TWA (mg/m³)0,1 mg/m³<	Gibraltar	Eight hours mg/m3	0,1 mg/m ³
GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Celling (mg/m³)0,29 mg/m³USA ACGIHACGIH Celling (mg/m³)0,11 ppmItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL Chemical category (IU)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (indiable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (indiable dust)SwitzerlandKZGW (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL Chemical category (C2)Potential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGraesevardie (ingvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³ <tr< td=""><td>Gibraltar</td><td>Short-term mg/m3</td><td>0,3 mg/m³</td></tr<>	Gibraltar	Short-term mg/m3	0,3 mg/m ³
GreeceOEL TWA (ppm)0.1 ppmGreeceOEL STEL (mg/m²)0,3 mg/m³GreeceOEL STEL (ppm)0.1 ppmUSA ACGIHACGIH Celling (mg/m²)0.29 mg/m³USA ACGIHACGIH Celling (mg/m²)0.11 ppmItalyOEL TWA (mg/m²)0.1 mg/m³ItalyOEL STEL (mg/m²)0.3 mg/m³ItalyOEL TWA (mg/m²)0.1 mg/m³ItalyOEL TWA (mg/m²)0.1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLAED (mg/m²)0.1 mg/m³ (indicative limit value)SpainVLAED (mg/m²)0.3 mg/m³SpainOEL Chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m²)0.2 mg/m² (inhalable dust)SwitzerlandMAK (mg/m²)0.2 mg/m² (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m²)0.1 mg/m²United KingdomWEL STEL (mg/m²)0.3 mg/m²United KingdomWEL STEL (mg/m²)0.3 mg/m²United KingdomWEL STEL (mg/m²)0.1 mg/m²Cech RepublicOEL Chemical category (C2)Potential for cutaneous absorptionCech RepublicOEL STEL (mg/m²)0.1 mg/m²DenmarkGrensvearde (Gagvarig) (mg/m²)0.1 mg/m²EstoniaOEL STEL (mg/m²)0.1 mg/m²EstoniaOEL STEL (mg/m²)0.3 mg/m²EstoniaOEL STEL (mg/m²)0.3 mg/m²Estonia<	Gibraltar	OEL chemical category (GI)	Skin notation
GreeceOEL STEL (ng/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL STEL (ng/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCrech RepublicExpozion1 limity (PEL) (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCrech RepublicOEL chemical category (EZ)Potential for cutaneous absorptionCrech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionCreach RepublicOEL chemical category (ET)Sensitizer, Skin notationDenmarkGraeswaarder IGA stepsory (ET)Sensitizer, Skin notationEstoniaO	Greece	OEL TWA (mg/m³)	0,3 mg/m ³
GreeceOEL STEL (pm)0,1 pmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,1 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrens waarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionCzech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGraeseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitzer, Skin notation <t< td=""><td>Greece</td><td>OEL TWA (ppm)</td><td>0,1 ppm</td></t<>	Greece	OEL TWA (ppm)	0,1 ppm
USA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical category (C2)Potential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³DemarkGrænseværde (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (C2)Potential for cutaneous absorptionDemarkGrænseværde (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (C2)Potential for cutaneous absorptionDemarkGrænseværde (langvarig) (mg/m³)0,1 mg/m³EstoniaOE	Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³Cech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,3 mg/m³EstoniaOEL Chemical category (ET)Sensitzer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,3 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³Finland <td>Greece</td> <td>OEL STEL (ppm)</td> <td>0,1 ppm</td>	Greece	OEL STEL (ppm)	0,1 ppm
ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL themical category (IV)skin - potential for cutaneous exposureSpainOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicn (Timity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandHTP-ar	USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDemarkGrænsværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationEstoniaOEL chemical category (FT)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (2h min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption </td <td>USA ACGIH</td> <td>ACGIH Ceiling (ppm)</td> <td>0,11 ppm</td>	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,3 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m²)0,2 mg/m² (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionZeach RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionEstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (CZ)Potential for cutaneous absorptionFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FT)Sensitizer, Skin notationFinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Italy	OEL TWA (mg/m³)	0,1 mg/m³
LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0.1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0.3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0.4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0.2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0.1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0.3 mg/m³United KingdomWEL TWA (mg/m³)0.1 mg/m³United KingdomWEL STEL (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0.1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0.1 mg/m³EstoniaOEL TEL (mg/m³)0.1 mg/m³EstoniaOEL STEL (mg/m³)0.1 mg/m³EstoniaOEL TEL (mg/m³)0.1 mg/m³EstoniaOEL Chemical category (CZ)Potential for cutaneous absorptionEstoniaOEL Chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0.1 mg/m³FinlandHTP-arvo (15 min)0.3 mg/m³FinlandHTP-arvo (15 min)0.3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorption <t< td=""><td>Italy</td><td>OEL chemical category (IT)</td><td>skin - potential for cutaneous absorption</td></t<>	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Latvia	OEL TWA (mg/m³)	0,1 mg/m ³
SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicni limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionUnited KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)
NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryCK-érték0,1 mg/m³	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionFinlandOEL chemical category (FI)Sensitizer, Skin notationHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³
United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	United Kingdom	WEL TWA (mg/m³)	0,1 mg/m ³
Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³	United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionFinlandKt-érték0,1 mg/m³HungaryAK-érték0,3 mg/m³	United Kingdom	WEL chemical category	Potential for cutaneous absorption
DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
EstoniaOEL STEL (mg/m³)0,3 mg/m³EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³
EstoniaOEL chemical category (ET)Sensitizer, Skin notationFinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Estonia	OEL TWA (mg/m³)	0,1 mg/m³
FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Estonia	OEL STEL (mg/m ³)	0,3 mg/m³
FinlandHTP-arvo (15 min)0,3 mg/m³FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
FinlandOEL chemical category (FI)Potential for cutaneous absorptionHungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³
HungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³	Finland	HTP-arvo (15 min)	0,3 mg/m ³
HungaryCK-érték0,3 mg/m³	Finland	OEL chemical category (FI)	Potential for cutaneous absorption
	Hungary	AK-érték	0,1 mg/m ³
Ireland OEL (8 hours ref) (mg/m ³) 0,1 mg/m ³	Hungary	CK-érték	0,3 mg/m ³
	Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m ³



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m³)	0,1 mg/m ³
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m ³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m ³
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m ³
Poland	NDSCh (mg/m ³)	0,3 mg/m ³
Romania	OEL TWA (mg/m³)	0,1 mg/m ³
Romania	OEL STEL (mg/m ³)	0,3 mg/m ³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m ³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m ³)	0,1 mg/m ³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m ³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment

: Gloves. Protective clothing. Protective goggles.



- Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection
- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information

: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

5.1. Information on basic physical and chemical properties			
Physical state :	Solid		
Colour :	Strong blue solid		
Odour :	Odourless, as water		
Odour threshold :	No data available		
pH :	7.6, when rehydrated with indicated volume of H_2O		
Evaporation rate :	No data available		
Melting point :	No data available		
Freezing point :	No data available		
Boiling point :	No data available		
Flash point :	No data available		
Auto-ignition temperature :	No data available		
Decomposition temerature :	No data available		
Flammability (solid, gas) :	No data available		
Vapour pressure :	No data available		
Relative vapour density at 20 °C :	No data available		
Relative density :	No data available		
Solubility :	Water		
Partition coefficent: n-octanol/water :	No data available		
Viscosity :	No data available		
Explosive properties :	No data available		
Oxidising properties :	No data available		
Explosive limits :	No data available		
9.2. Other information			

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. **Chemical stability**

Stable under recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions 10.3.

Hazardous polymerization will not occur.

10.4. **Conditions to avoid**

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. **Incompatible materials**

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity

Sodium chloride (7647-14-5)	
LD50 oral rat	3550 mg/kg (Species: Wistar)
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)
LC50 inhalation rat (mg/l)	> 42 g/m ³ (Exposure time: 1 h)
Sodium azide (26628-22-8)	

27 mg/kg
45 mg/kg
20 mg/kg

Sodium phosphate dibasic (7558-79-4)	
LD50 oral rat	17 g/kg
LD50 dermal rat	>500 mg/kg (50% solution)

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified : Not classified
Reproductive toxicity STOT-single exposure	 Not classified Not classified Not classified
Aspiration hazard Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion Chronic Symptoms	 Not classified May be harmful or cause irritation. Prolonged exposure may cause skin irritation. May cause slight irritation to eyes. Ingestion may cause adverse effects. May be harmful if swallowed. None expected under normal conditions of use.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)

· · /		
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

12.2. Persistence and degradability

Alexa Fluor [®] 647-conjugated AffiniPure [™] Mouse Anti-Human IgG, Fc _g Fragment Specific (minimal cross-reaction to Bovine,		
Horse, and Mouse Serum Proteins)		
Persistence and degradability	Not established.	

12.3. Bioaccumulative potential

Alexa Fluor [®] 647-conjugated AffiniPure [™] Mouse Anti-Human IgG, Fc _g Fragment Specific (minimal cross-reaction to Bovine,	
Horse, and Mouse Serum Proteins)	
Not established.	
Sodium chloride (7647-14-5)	
(no bioaccumulation)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

13.1. Waste treatment methods

SECTION 13: Disposal considerations

Product/Packaging disposal: Dispose of contents/container in accordance with local, regional, national, and
international regulations.Ecology - waste materials: Avoid release to the environment. This material is hazardous to the aquatic
environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	ulated for trans	port			
14.2.	UN proper shipping name				
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	Packing grou	р			
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5.	Environment	tal hazards			
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviror	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Date of Preparation or Latest Revision : 25/04/2024



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications
	according to GHS or their subsequent adoption of GHS.
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment
	Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI)	NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number	PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand	pEL - Permissible Exposure Limit pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage	TA-Luft - Technische Anleitung zur Reinhaltung der Luft
EU – European Union	TEL TRK – Technical Guidance Concentrations
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value
IARC - International Agency for Research on Cancer	TPRD - Trumpalaikio Poveikio Ribinis Dydis
IATA - International Air Transport Association	TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von
IBC Code - International Bulk Chemical Code	Gefahrstoffen in ortsbeweglichen Behältern
IMDG - International Maritime Dangerous Goods	TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
IPRV - Ilgalaikio Poveikio Ribinis Dydis	TRGS 900 - Technische Regel für Gefahrstoffe 900 –
IOELV – Indicative Occupational Exposure Limit Value	Arbeitsplatzgrenzwerte
LC50 - Median Lethal Concentration	TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische



Safety Data Sheet

EU GHS SDS

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution

Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE – Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL – Workplace Exposure Limit WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.