

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Light Chain Specific (minimal cross-reaction to Bovine, Goat, Armenian Hamster Horse, Human, Mouse, Rat, and Sheep Ig) Product Code : 211-542-171 2. Relevant identified uses of the substance or mixture and uses advised against 2.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not medical device. Contact supplier for specific applications. 2.2. Uses advised against to additional information available 3. Details of the supplier of the safety data sheet Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1333 664675 www.jacksonimmuno.com F: +44 (0) 1333 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com F: 414 (0) 1333 664675 Stech@jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com F: 414 (0) 1333 664675 www.jacksonimmuno.com Info@jacksonimmuno.com help@jacksonimmuno.com Augustic Chronic3 H412 ull text of hazard classes and H-statements: see section 16 dverse physicochemical, human health and environmental effects to additional information available 3. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Apulatic Chronic3 H412 abelling According to Regulation (EC) No. 1272/2008 [CLP]		Date of issue: 25/04/2024 Version: 3.1	
Product Form : Mixture Product Name : Alexa Fluor® 488-conjugated IgG Fraction Monoclonal Mouse Anti-Rabbit IgG, Light Chain Specific (minimal cross-reaction to Bovine, Goat, Armenian Hamster Horse, Human, Mouse, Rat, and Sheep Ig) Product Code : 211-542-171 2. Relevant identified uses of the substance or mixture and uses advised against 2.1. Relevant identified uses of the substance or mixture and use only. Not for diagnostic or therapeutic use. This is not medical device. Contact supplier for specific applications. 2.2. Uses advised against Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not medical device. Contact supplier for specific applications. 2.2. Uses advised against Use of the substance/fit data sheet Manufacturer Use Statis of the supplier of the safety data sheet Manufacturer Use Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier on responsible for this SDS: Statis of the supplier on this SDS: Statis of the supplier of the safety data sheet Statis of the person responsible for this SDS: Statis of the supplier of Resulting (IC) No. 1272/2008 (CLP) Aquatic Chronic 3  Ha12 I lext of hazard classes and H-statements: see section 16 devese physicochemical, human health	SECTION 1: Identificat	tion of the substance/mixture and of the company/undertaking	
Product Form : Mixture Product Name : Alexa Fluor® 488-conjugated IgG Fraction Monoclonal Mouse Anti-Rabbit IgG, Light Chain Specific (minimal cross-reaction to Bovine, Goat, Armenian Hamster Horse, Human, Mouse, Rat, and Sheep Ig) Product Code : 211-542-171 2. Relevant identified uses of the substance or mixture and uses advised against 2.1. Relevant identified uses of the substance or mixture and use only. Not for diagnostic or therapeutic use. This is not medical device. Contact supplier for specific applications. 2.2. Uses advised against Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not medical device. Contact supplier for specific applications. 2.2. Uses advised against Use of the substance/fit data sheet Manufacturer Use Statis of the supplier of the safety data sheet Manufacturer Use Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier of the safety data sheet Statis of the supplier on responsible for this SDS: Statis of the supplier on this SDS: Statis of the supplier of the safety data sheet Statis of the person responsible for this SDS: Statis of the supplier of Resulting (IC) No. 1272/2008 (CLP) Aquatic Chronic 3  Ha12 I lext of hazard classes and H-statements: see section 16 devese physicochemical, human health	1 Product identifier		
Product Name       : Alexa Fluor* 488-conjugated IgG Fraction Monoclonal Mouse Anti-Rabbit IgG, Light Chain Specific (minimal cross-reaction to Bovine, Goat, Armenian Hamste Horse, Human, Mouse, Rat, and Sheep Ig)         Product Code       : 211-542-171         2. Relevant identified uses of the substance or mixture and uses advised against		· Mixture	
<ul> <li>Relevant identified uses of the substance or mixture and uses advised against</li> <li>Relevant identified uses</li> <li>See of the substance/mixture in with or research use only. Not for diagnostic or therapeutic use. This is not medical device. Contact supplier for specific applications.</li> <li>Use of the substance/mixture in edical device. Contact supplier for specific applications.</li> <li>Use of the substance against in edical device. Contact supplier for specific applications.</li> <li>Details of the supplier of the safety data sheet</li> <li>Details of the supplier of the safety data sheet</li> <li>Details of the supplier of the safety data sheet</li> <li>Second the supplier of the supplication state sheet she</li></ul>	Product Name	: Alexa Fluor <sup>®</sup> 488-conjugated IgG Fraction Monoclonal Mouse Anti-Rabbit IgG, Light Chain Specific (minimal cross-reaction to Bovine, Goat, Armenian Hamster	
2.1. Relevant identified uses	Product Code	: 211-542-171	
Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not medical device. Contact supplier for specific applications. <b>2.2. Uses advised against</b> to additional information available <b>3. Details of the supplier of the safety data sheet</b> Manufacturer European Contact Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com <b>4. Emergency telephone number</b> Emergency number : +1-610-869-4024 (USA) <b>5ECTION 2: Hazards identification</b> <b>1. Classification of the substance or mixture</b> <b>Jassification According to Regulation (EC) No. 1272/2008 [CLP]</b> Aquatic Chronic3 H412 ull text of hazard classes and H-statements: see section 16 <b>dverse physicochemical, human health and environmental effects</b> o additional information available <b>2. Label elements</b> <b>abelling According to Regulation (EC) No. 1272/2008 [CLP]</b> Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.	1.2. Relevant identified uses	s of the substance or mixture and uses advised against	
medical device. Contact supplier for specific applications.  3. Uses advised against io additional information available 3. Details of the supplier of the safety data sheet Manufacturer  3. Details of the supplier of the safety data sheet Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD Jackson Immuno.com F: +44 (0) 1353 3664675 www.Jacksonimmuno.com Info@jacksonimmuno.com Help@jacksonimmuno.com He	1.2.1. Relevant identified uses	S	
a dditional information available a. Details of the supplier of the safety data sheet Manufacturer Backson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD Stromas' Place Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1353 782616 tech@jacksonimmuno.com Hafp@jacksonimmuno.com Hafp@jacksonimetal=Hafp@jacksonimetal=Hafp@jack	Use of the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.	
3. Details of the supplier of the safety data sheet       European Contact         Manufacturer       Jackson ImmunoResearch Laboratories, Inc.       Jackson ImmunoResearch Europe LTD         872 West Baltimore Pike       Cambridge House         West Grove, PA 19390       St Thomas' Place         Ts 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         belg@jacksonimmuno.com       help@jacksonimmuno.com         4. Emergency telephone number       Emergency number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification       H412         Jul text of hazard classes and H-statements: see section 16       Jul text of hazard classes and H-statements: see section 16         dvarse physicochemical, human health and environmental effects       Jackbel elements         abelling According to Regulation (EC) No. 1272/2008 [CLP]       Label elements         abelleng According to Regulation (EC) No. 1272/2008 [CLP]       Hat2 - Harmful to aquatic life with long lasting effects.	-		
ManufacturerEuropean ContactJackson ImmunoResearch Laboratories, Inc.Jackson ImmunoResearch Europe LTD872 West Baltimore PikeCambridge HouseWest Grove, PA 19390St Thomas' PlaceT: 800-367-5296, 610-869-4024Ely, Cambridgeshire CB7 4EX, UKF: 610-869-0171T: +44 (0) 1638 782616tech@jacksonimmuno.comF: +44 (0) 1353 664675www.jacksonimmuno.comF: +44 (0) 1353 664675tech@jacksonimmuno.comhelp@jacksonimmuno.comtech@jacksonimmuno.comhelp@jacksonimmuno.comtech@jacksonimmuno.cominfo@jacksonimmuno.comtello-869-4024 (USA)tello-869-4024 (USA)tello-869-4024 (USA) <td colsp<="" td=""><td>No additional information avail</td><td>able</td></td>	<td>No additional information avail</td> <td>able</td>	No additional information avail	able
Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike Cambridge House West Grove, PA 19390 St Thomas' Place T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 1. Classification of the substance or mixture lassification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 ull text of hazard classes and H-statements: see section 16 dverse physicochemical, human health and environmental effects to additional information available 2. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H112 - Harmful to aquatic life with long lasting effects.	1.3. Details of the supplie	er of the safety data sheet	
872 West Baltimore PikeCambridge HouseWest Grove, PA 19390St Thomas' PlaceT: 800-367-5296, 610-869-4024Ely, Cambridgeshire CB7 4EX, UKF: 610-869-0171T: 444 (0) 1638 782616tech@jacksonimmuno.comF: 444 (0) 1353 664675www.jacksonimmuno.cominfo@jacksonimmuno.comtech@jacksonimmuno.comhelp@jacksonimmuno.comtech@jacksonimmuno.cominfo@jacksonimmuno.comtech@jacksonimmuno.cominfo@jacksonimmuno.comtereigency telephone numberEmergency telephone numberInterse section 16 (CI) No. 1272/2008 [CLP]Aquatic Chronic3H412Jule tet of hazard classes and H-statements: see section 16deverse physicochemical, human health and environmental effectso additional information available2.Label elementsBabelling Acc	Manufacturer	European Contact	
West Grove, PA 19390       St Thomas' Place         T: 800-367-5296, 610-869-4024       Ely, Cambridgeshire CB7 4EX, UK         F: 610-869-0171       T: +44 (0) 1638 782616         tech@jacksonimmuno.com       F: +44 (0) 1353 664675         www.jacksonimmuno.com       info@jacksonimmuno.com         help@jacksonimmuno.com       help@jacksonimmuno.com         Kemergency telephone number       Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification       .         1. Classification of the substance or mixture       Issification of the substance or mixture         lassification According to Regulation (EC) No. 1272/2008 [CLP]       Aquatic Chronic3         Aquatic Chronic3       H412         ull text of hazard classes and H-statements: see section 16       .         dverse physicochemical, human health and environmental effects       .         o additional information available       .         .2. Label elements       .         abelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.	Jackson ImmunoResearch Labo	oratories, Inc. Jackson ImmunoResearch Europe LTD	
T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK   F: 610-869-0171 T: +44 (0) 1638 782616   tech@jacksonimmuno.com info@jacksonimmuno.com   www.jacksonimmuno.com info@jacksonimmuno.com   help@jacksonimmuno.com help@jacksonimmuno.com   Email address for the person responsible for this SDS: help@jacksonimmuno.com   tech@jacksonimmuno.com help@jacksonimmuno.com   4. Emergency telephone number F: +1-610-869-4024 (USA)   Emergency number : +1-610-869-4024 (USA)   SECTION 2: Hazards identification   1. Classification of the substance or mixture   lassification According to Regulation (EC) No. 1272/2008 [CLP]   Aquatic Chronic3 H412   ull text of hazard classes and H-statements: see section 16   dverse physicochemical, human health and environmental effects   to additional information available   2. Label elements   abelling According to Regulation (EC) No. 1272/2008 [CLP]   Hazard statements (CLP)   H12 - Harmful to aquatic life with long lasting effects.	872 West Baltimore Pike	5	
F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 1. Classification of the substance or mixture lassification of the substance or mixture lassification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 ull text of hazard classes and H-statements: see section 16 dverse physicochemical, human health and environmental effects to additional information available 2. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.	West Grove, PA 19390		
tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification 1. Classification of the substance or mixture lassification for the substance or mixture lassification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 ull text of hazard classes and H-statements: see section 16 dverse physicochemical, human health and environmental effects to additional information available 2. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.			
www.jacksonimmuno.com info@jacksonimmuno.com   help@jacksonimmuno.com   Email address for the person responsible for this SDS:   tech@jacksonimmuno.com   .4. Emergency telephone number   Emergency number   Emergency number   Emergency number   .1. Classification of the substance or mixture   lassification According to Regulation (EC) No. 1272/2008 [CLP]   Aquatic Chronic3   H412   ull text of hazard classes and H-statements: see section 16   dverse physicochemical, human health and environmental effects   to additional information available   .2. Label elements   abelling According to Regulation (EC) No. 1272/2008 [CLP]   Hazard statements (CLP)   H412 - Harmful to aquatic life with long lasting effects.			
help@jacksonimmuno.com         Email address for the person responsible for this SDS:         tech@jacksonimmuno.com         .4. Emergency telephone number         Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         .1. Classification of the substance or mixture         lassification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         ull text of hazard classes and H-statements: see section 16         dverse physicochemical, human health and environmental effects         to additional information available         .2. Label elements         abelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.	-		
Email address for the person responsible for this SDS: tech@jacksonimmuno.com .4. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification .1. Classification of the substance or mixture lassification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 ull text of hazard classes and H-statements: see section 16 dverse physicochemical, human health and environmental effects to additional information available .2. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.	www.jacksonimmuno.com	-	
tech@jacksonimmuno.com A. Emergency telephone number Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 UII text of hazard classes and H-statements: see section 16 dverse physicochemical, human health and environmental effects to additional information available According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.			
Emergency number       : +1-610-869-4024 (USA)         SECTION 2: Hazards identification         .1. Classification of the substance or mixture         lassification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         ull text of hazard classes and H-statements: see section 16         dverse physicochemical, human health and environmental effects         to additional information available         .2. Label elements         abelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.	tech@jacksonimmuno.com	esponsible for this SDS:	
SECTION 2: Hazards identification .1. Classification of the substance or mixture lassification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 ull text of hazard classes and H-statements: see section 16 dverse physicochemical, human health and environmental effects to additional information available .2. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.			
.1. Classification of the substance or mixture         lassification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         ull text of hazard classes and H-statements: see section 16         dverse physicochemical, human health and environmental effects         lo additional information available         .2.       Label elements         abelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.	Emergency number	: +1-610-869-4024 (USA)	
.1. Classification of the substance or mixture         lassification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         ull text of hazard classes and H-statements: see section 16         dverse physicochemical, human health and environmental effects         lo additional information available         .2.       Label elements         abelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.	SECTION 2: Hazards id	lentification	
Iassification According to Regulation (EC) No. 1272/2008 [CLP]         Aquatic Chronic3       H412         ull text of hazard classes and H-statements: see section 16         dverse physicochemical, human health and environmental effects         lo additional information available         .2.       Label elements         abelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.	2.1. Classification of the su	ubstance or mixture	
Aquatic Chronic3       H412         ull text of hazard classes and H-statements: see section 16         dverse physicochemical, human health and environmental effects         lo additional information available         .2.       Label elements         abelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)       H412 - Harmful to aquatic life with long lasting effects.			
dverse physicochemical, human health and environmental effects lo additional information available .2. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.	Aquatic Chronic3		
dverse physicochemical, human health and environmental effects lo additional information available .2. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.	Full text of hazard classes and H	H-statements: see section 16	
o additional information available .2. Label elements abelling According to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.			
.2.Label elementsabelling According to Regulation (EC) No. 1272/2008 [CLP]Hazard statements (CLP)H412 - Harmful to aquatic life with long lasting effects.			
abelling According to Regulation (EC) No. 1272/2008 [CLP]         Hazard statements (CLP)         H412 - Harmful to aquatic life with long lasting effects.			
Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.		n (EC) No. 1272/2008 [CLP]	
	Hazard statements (CLP)		

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

	-8
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

# SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.)	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	011-004-00-7 (CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.5	Not classified
Alexa Fluor® 488-conjugated IgG Fraction Monoclonal Mouse Anti-Rabbit IgG, Light Chain Specific (minimal cross-reaction to Bovine, Goat, Armenian Hamster, Horse, Human, Mouse, Rat, and Sheep Ig)	(CAS-No.) Not assigned	1.80	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.67	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.1	Not classified

Full text of H-statements: see section 16
SECTION 4: First aid measures

## 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	<ul> <li>Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.</li> </ul>
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms ar	d effects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
4.3. Indication of any immediate	e medical attention and special treatment needed
If exposed or concerned, get medical adv	vice and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical.
Surfaste extinguishing mean	Use extinguishing media appropriate for surrounding fire.
Uncuitable outinguishing modia	
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	from the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,
	and carbon disulfide to form shock-sensitive compounds. Reacts with acids,
	forming toxic and explosive hydrogen azide. Contact with acids liberates toxic
	gas.
Hazardous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
	protection.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence
	of dangerous goods, protect oneself and the public, secure the area, and call for
	the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	

: Prevent entry to sewers and public waters. Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment	: Contain solid spills with appropriate barriers and prevent migration and entry
	into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent
	authorities after a spill.

## 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### SECTION 7: Handling and storage Precautions for safe handling 7.1. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. : Handle in accordance with good industrial hygiene and safety procedures. Hygiene measures Conditions for safe storage, including any incompatibilities 7.2. Technical measures : Comply with applicable regulations. : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store Storage conditions away from extremely high temperatures and incompatible materials. Incompatible materials : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

## 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Sodium chloride (7647-14-5)		
Latvia	OEL TWA (mg/m³)	5 mg/m <sup>3</sup>
Lithuania	IPRV (mg/m³)	5 mg/m <sup>3</sup>
Sodium azide (26628-22	2-8)	
EU	IOELV TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m <sup>3</sup>
Austria	MAK Short time value (mg/m³)	0,3 mg/m <sup>3</sup>
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

France	VME (mg/m³)	0,1 mg/m <sup>3</sup> (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m <sup>3</sup>
Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>
Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m <sup>3</sup>
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m³)	0,3 mg/m <sup>3</sup>
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)
Spain	VLA-EC (mg/m³)	0,3 mg/m³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m <sup>3</sup>
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m <sup>3</sup>
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m <sup>3</sup>
Estonia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Estonia	OEL STEL (mg/m³)	0,3 mg/m <sup>3</sup>
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m <sup>3</sup>
Finland	HTP-arvo (15 min)	0,3 mg/m³



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m³
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m <sup>3</sup>
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m <sup>3</sup> )	0,1 mg/m³
Lithuania	TPRV (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m³)	0,1 mg/m <sup>3</sup>
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Poland	NDSCh (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m <sup>3</sup>
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Portugal	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

#### 8.2. Exposure controls



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Appropriate engineering controls

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- Personal protective equipment

Materials for protective clothing

Hand protection

Eye and Face Protection

Respiratory protection

Other information

Skin and body protection

: Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
- : When using, do not eat, drink or smoke.

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

5.1. Information on basic physical and chemical properties			
:	Solid		
:	Neon green solid		
:	Odourless, as water		
:	No data available		
:	7.6, when rehydrated with indicated volume of H <sub>2</sub> O		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	Water		
:	No data available		
:	No data available		
:	No data available		
:	No data available		
:	No data available		

No additional information available



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

## 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

#### **10.6.** Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit 20 mg/kg		
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	50 dermal rat >500 mg/kg (50% solution)	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Serious eye damage/irritation	<ul> <li>Not classified</li> <li>pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O</li> </ul>
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Reproductive toxicity STOT-single exposure	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Aspiration hazard	: Not classified
25/04/2024	EN (English)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.
SECTION 12: Ecological inform	nation
12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)		
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

#### 12.2. Persistence and degradability

Alexa Fluor<sup>®</sup> 488-conjugated IgG Fraction Monoclonal Mouse Anti-Rabbit IgG, Light Chain Specific (minimal cross-reaction to Bovine, Goat, Armenian Hamster, Horse, Human, Mouse, Rat, and Sheep Ig)

Persistence and degradability

 12.3. Bioaccumulative potential

 Alexa Fluor® 488-conjugated IgG Fraction Monoclonal Mouse Anti-Rabbit IgG, Light Chain Specific (minimal cross-reaction to Bovine, Goat, Armenian Hamster, Horse, Human, Mouse, Rat, and Sheep Ig)

 Bioaccumulative potential
 Not established.

Not established.

## Sodium chloride (7647-14-5)

	•	
BCF fish 1		(no bioaccumulation)

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

## No additional information available

#### 12.6. Other adverse effects

Other information

: Avoid release to the environment.

<b>SECTION 1</b>	3: Disposal	considerations

## 13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ecology - waste materials

: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated for trans	sport			
14.2. UN proper s	hipping name			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport ha	azard class(es)			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing grou	up			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmen	ital hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

## 14.6. Special precautions for user

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

# **15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture **15.1.1.** EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

# Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## 15.1.2. National regulations

No additional information available



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Date of Preparation or Latest Revision	: 25/04/2024	
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.	
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830	

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

## **Abbreviations and Acronyms**

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community ECS0 - Median Effective Concentration EEC – European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU – European Union ErCS0 - ECS0 in Terms of Reduction Growth Rate GHS – Globally Harmonized System of Classification and Labeling of	<ul> <li>NDS - Najwyzsze Dopuszczalne Stezenie</li> <li>NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe</li> <li>NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe</li> <li>NOAEL - No-Observed Adverse Effect Level</li> <li>NOEC - No-Observed Effect Concentration</li> <li>NRD - Nevirsytinas Ribinis Dydis</li> <li>NTP - National Toxicology Program</li> <li>OEL - Occupational Exposure Limits</li> <li>PBT - Persistent, Bioaccumulative and Toxic</li> <li>PEL - Permissible Exposure Limit</li> <li>pH - Potential Hydrogen</li> <li>REACH - Registration, Evaluation, Authorisation, and Restriction of</li> <li>Chemicals</li> <li>RID - Regulations Concerning the International Carriage of Dangerous</li> <li>Goods by Rail</li> <li>SADT - Self Accelerating Decomposition Temperature</li> <li>SDS - Safety Data Sheet</li> <li>STEL - Short Term Exposure Limit</li> <li>STOT - Specific Target Organ Toxicity</li> <li>TA-Luft - Technische Anleitung zur Reinhaltung der Luft</li> <li>TEL TRK - Technische Govgen Demand</li> <li>TI M - Median Tolerance Limit</li> </ul>
ErC50 - EC50 in Terms of Reduction Growth Rate	ThOD – Theoretical Oxygen Demand
GHS – Globally Harmonized System of Classification and Labeling of	TLM - Median Tolerance Limit
Chemicals	TLV - Threshold Limit Value



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV - Indicative Occupational Exposure Limit Value LC50 - Median Lethal Concentration LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution

MARPOL - International Convention for the Prevention of Pollution EU GHS SDS

TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regel für Gefahrstoffe 900 -Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC - Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE-Valeur Limite D'exposition VME-Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL-Workplace Exposure Limit

WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.