Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Date of issue: 24/04/2024 Version: 3.1 SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifier** 1.1. Product Form : Mixture Product Name : Rhodamine Red<sup>™</sup>-X-conjugated AffiniPure<sup>™</sup> Mouse Anti-Rat IgG (H+L) (minimal cross-reaction to Mouse Serum Proteins) Product Code : 212-295-082 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. **Relevant identified uses** Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. Uses advised against 1.2.2. No additional information available 1.3. Details of the supplier of the safety data sheet Manufacturer **European Contact** Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD 872 West Baltimore Pike **Cambridge House** West Grove, PA 19390 St Thomas' Place Ely, Cambridgeshire CB7 4EX, UK T: 800-367-5296, 610-869-4024 F: 610-869-0171 T: +44 (0) 1638 782616 tech@jacksonimmuno.com F: +44 (0) 1353 664675 www.jacksonimmuno.com info@jacksonimmuno.com help@jacksonimmuno.com Email address for the person responsible for this SDS: tech@jacksonimmuno.com 1.4. **Emergency telephone number** Emergency number : +1-610-869-4024 (USA) SECTION 2: Hazards identification Classification of the substance or mixture 2.1. Classification According to Regulation (EC) No. 1272/2008 [CLP] Aquatic Chronic3 H412 Full text of hazard classes and H-statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling According to Regulation (EC) No. 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. Hazard statements (CLP) Precautionary statements (CLP) P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste collection

EUH-statements

#### 2.3. **Other hazards**

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

point, in accordance with local, regional, national and/or international

EUH032 - Contact with acids liberates very toxic gas.

24/04/2024

regulation.

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## classification

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

## 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodi um azi de	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Rhodamine Red™-X-conjugated AffiniPure™ Mouse Anti-Rat IgG (H+L) (minimal cross-reaction to Mouse Serum Proteins)	(CAS-No.) Not assigned	1.60	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

## Full text of H-statements: see section 16

#### SECTION 4: First aid measures 4.1. **Description of first aid measures** First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. First-aid measures after ingestion Most important symptoms and effects, both acute and delayed 4.2. Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation : May be harmful or cause irritation. Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation. Symptoms/effects after eye contact : May cause slight irritation to eyes. Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic symptoms : None expected under normal conditions of use.

## 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## Rhodamine Red<sup>™</sup>-X-conjugated AffiniPure<sup>™</sup> Mouse Anti-Rat IgG

(H+L) (minimal cross-reaction to Mouse Serum Proteins)

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting mea	sures
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising fr	om the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazardous decomposition products in case of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
	protection.
SECTION 6: Accidental release	se measures
	tive equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precautions	
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material for cor	ntainment and cleaning up
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry
	into sewers or streams.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other sections	
See Section 8 for exposure controls and p	ersonal protection and Section 13 for disposal considerations.
SECTION 7: Handling and sto	prage
7.1. Precautions for safe handling	
Precautions for safe handling	. Wash hands and other exposed areas with mild soap and water before eating,
	drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store
	away from extremely high temperatures and incompatible materials.
Incompatible materials	<ul> <li>Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.</li> </ul>


## 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters


LativiaOEL TWA (mg/m³)5 mg/m³LithuaniaIPRV (mg/m³)5 mg/m³Sodium azide (26628-22-8)EUIOELV TWA (mg/m³)0,1 mg/m³EUIOELV STEL (mg/m³)0,3 mg/m³EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL chemical category (FN)Skin notationCyprusOEL chemical category (CV)Skin notationCyprusOEL chemical category (FN)Risk of cutaneous absorptionFranceVE (mg/m³)0,3 mg/m³CyprusOEL chemical category (FN)Risk of cutaneous absorptionFranceVE (mg/m³)0,2 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarShort-term mg/m30,3 mg/m³Gibralta	Sodium chloride (7647-14-5	)		
Sodium azide (26628-22-8)EUIOELV TWA (mg/m³)0,1 mg/m³EUIOELV STEL (mg/m³)0,3 mg/m³EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL TWA (mg/m³)0,3 mg/m³CroatiaOEL TWA (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaCSU (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL Chemical category (CY)Skin notationFranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarEight hours mg/m30,3 mg/m³Gibraltar<	Latvia	OEL TWA (mg/m³)	5 mg/m <sup>3</sup>	
EUIOELV TWA (mg/m³)0,1 mg/m³EUIOELV STEL (mg/m³)0,3 mg/m³EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, skin notationBulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGEL TWA (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVDE (mg/m³)0,1 mg/m³ (restrictive limit)FranceDEL chemical category (FR)Risk of cutaneous absorptionGibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Lithuania	IPRV (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>	
EUIOELV STEL (mg/m³)0,3 mg/m³EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL chemical category (CY)Skin notationCyprusOEL trwa (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVUE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGibraltarOEL chemical category (GI)Skin notation	Sodium azide (26628-22-8)			
EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGYI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL chemical category (HR)Skin notationCyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³CyprusOEL chemical category (FR)Risk of cutaneous absorptionFranceVLE (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarOEL chemical category (GI)Skin notationGibraltarEight hours mg/m30,3 mg/m³	EU	IOELV TWA (mg/m³)	0,1 mg/m <sup>3</sup>	
AustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL trwA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,3 mg/m³GibraltarEight hours mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>	
AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL tWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL Chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³GermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEigh hours mg/m30,1 mg/m³GibraltarDEL chemical category (GI)Skin notationGreeceOEL chemical category (GI)Skin notation	EU	Notes	Possibility of significant uptake through the skin	
AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCroatiaOEL trWA (mg/m³)0,3 mg/m³CroatiaOEL trWA (mg/m³)0,1 mg/m³CroatiaOEL themical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL themical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Austria	MAK (mg/m³)	0,1 mg/m <sup>3</sup>	
BelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCypusOEL chemical category (HR)Skin notationCyprusOEL trWA (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionFranceDEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,3 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Austria	MAK Short time value (mg/m³)	0,3 mg/m³	
BulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL STEL (mg/m³)0,1 mg/m³CyprusOEL chemical category (HR)Skin notationCyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionFranceOEL chemical category (FR)Risk of cutaneous absorptionGibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,1 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL Chemical category (GI)Skin notation	Austria	OEL chemical category (AT)	Skin notation	
BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL Chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL trem mg/m30,3 mg/m³	Belgium	OEL chemical category (BE)	Skin, Skin notation	
CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL trWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL trWA (mg/m³)0,3 mg/m³	Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>	
(mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³	
vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Croatia		0,1 mg/m³	
CyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Croatia		0,3 mg/m³	
CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Croatia	OEL chemical category (HR)	Skin notation	
CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Cyprus	OEL TWA (mg/m³) 0,1 mg/m³		
FranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Cyprus OEL STEL (mg/m³) 0,3 mg/m³		0,3 mg/m³	
FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption	
FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)	
GermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	France	VME (mg/m³)	0,1 mg/m <sup>3</sup> (restrictive limit)	
value (mg/m³)defendenceGibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	France	OEL chemical category (FR)	Risk of cutaneous absorption	
GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Germany		0,2 mg/m <sup>3</sup>	
GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³	Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>	
Greece OEL TWA (mg/m <sup>3</sup> ) 0,3 mg/m <sup>3</sup>	Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>	
	Gibraltar	OEL chemical category (GI)	Skin notation	
Greece OEL TWA (ppm) 0,1 ppm	Greece	OEL TWA (mg/m³)	0,3 mg/m <sup>3</sup>	
	Greece	OEL TWA (ppm)	0,1 ppm	





According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)
Spain	VLA-EC (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m <sup>3</sup> )	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Netherlands	Grenswaarde TGG 15MIN (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
United Kingdom	WELTWA (mg/m³)     0,1 mg/m³	
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m <sup>3</sup> ) 0,1 mg/m <sup>3</sup>	
Czech Republic	OEL chemical category (CZ) Potential for cutaneous absorption	
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³
Estonia		
Estonia		
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
FinlandHTP-arvo (8h) (mg/m³)0,1 mg/m³		0,1 mg/m³
Finland HTP-arvo (15 min) 0,3 mg/m <sup>3</sup>		0,3 mg/m³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m³
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m³)	0,1 mg/m <sup>3</sup>
Lithuania	TPRV (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin





According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Malta	OEI TM/A (mg/m <sup>3</sup> )	$0.1 mg/m^3$
	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m <sup>3</sup> )	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m³
Poland	NDSCh (mg/m³)	0,3 mg/m³
Romania	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m³
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m <sup>3</sup>
Portugal	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL - Ceilings (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human
		Carcinogen, skin - potential for cutaneous
		exposure indicative limit value

#### 8.2. **Exposure controls**

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection

Other information

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
- : When using, do not eat, drink or smoke.

## Rhodamine Red<sup>™</sup>-X-conjugated AffiniPure<sup>™</sup> Mouse Anti-Rat IgG

(H+L) (minimal cross-reaction to Mouse Serum Proteins)

Safety Data Sheet

9.1.

Colour

Odour


pН

Physical state

Odour threshold

**Evaporation rate** 

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temerature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: Water	
Partition coefficent: n-octanol/water	: No data available	
Viscosity	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	

#### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

#### 10.2. **Chemical stability**

Stable under recommended handling and storage conditions (see section 7).

#### Possibility of hazardous reactions 10.3.

Hazardous polymerization will not occur.

#### **Conditions to avoid** 10.4.

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

#### 10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

## SECTION 11: Toxicological information

#### Information on toxicological effects 11.1.

Acute toxicity

: Not classified

## Sodium chloride (7647-14-5)

LD50 oral rat	3550 mg/kg (Species: Wistar)

ImmunoResearch

lackson






According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	>42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	
Skin corrosion/irritation Serious eye damage/irritation	<ul> <li>Not classified</li> <li>pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O</li> <li>Not classified</li> </ul>	
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	<ul> <li>pH: 7,6 when rehydrated with indicated volume of H<sub>2</sub>O</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>	
Reproductive toxicity STOT-single exposure	<ul><li>Not classified</li><li>Not classified</li><li>Not classified</li></ul>	
Aspiration hazard	: Not classified	
Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion Chronic Symptoms	<ul> <li>May be harmful or cause irritation.</li> <li>Prolonged exposure may cause skin irritation.</li> <li>May cause slight irritation to eyes.</li> <li>Ingestion may cause adverse effects. May be harmful if swallowed.</li> <li>None expected under normal conditions of use.</li> </ul>	
SECTION 12: Ecological information 2.1. Toxicity	mation	
<b>2.1. Toxicity</b> Ecology - general	: Harmful to aquatic life with long lasting effects.	
Sodium chloride (7647-14-5)	· · · ·	
LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		

Sodium azide (26628-22-8)	Sodium azide (26628-22-8)	
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	



Jackson ImmunoResearch

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability	
Rhodamine Red™-X-conjugated AffiniPur	re™ Mouse Anti-Rat IgG (H+L) (minimal cross-reaction to Mouse Serum Proteins)
Persistence and degradability	Not established.
2.3. Bioaccumulative potential	
Rhodamine Red <sup>™</sup> -X-conjugated AffiniPur	re™ Mouse Anti-Rat IgG (H+L) (minimal cross-reaction to Mouse Serum Proteins)
Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)
<b>12.4. Mobility in soil</b> No additional information available	
<b>12.5. Results of PBT and vPvB asses</b> No additional information available	sment
<b>12.6. Other adverse effects</b> Other information	: Avoid release to the environment.
SECTION 13: Disposal consid	erations
I3.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local, regional, national, and international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.
SECTION 14: Transport infor	mation

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	ulated for trans	port			
14.2.	UN proper s	hipping name			
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3.	Transport ha	zard class(es)			
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4.	Packing grou	р			
Not app	olicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5.	Environmen	tal hazards			
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviror	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

## 14.6. Special precautions for user

No additional information available

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information





According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture **15.1.1.** EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

## Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Date of Preparation or Latest Revision	: 24/04/2024
Data sources Other information	: Information and data obtained and used in the authoring of this safety data shee could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications
	according to GHS or their subsequent adoption of GHS. : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment
	Regulation (EU) 2015/830

### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

## Indication of Changes No additional information available

## **Abbreviations and Acronyms**

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of

NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dangerous Goods by Inland Waterways NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe ADR - European Agreement Concerning the International Carriage of NOAEL - No-Observed Adverse Effect Level Dangerous Goods by Road NOEC - No-Observed Effect Concentration ATE - Acute Toxicity Estimate NRD - Nevirsytinas Ribinis Dydis BCF - Bioconcentration Factor NTP - National Toxicology Program BEI - Biological Exposure Indices (BEI) **OEL - Occupational Exposure Limits** BOD - Biochemical Oxygen Demand PBT - Persistent, Bioaccumulative and Toxic CAS No. - Chemical Abstracts Service Number PEL - Permissible Exposure Limit CLP - Classification, Labeling and Packaging Regulation (EC) No pH-Potential Hydrogen REACH - Registration, Evaluation, Authorisation, and Restriction of 1272/2008 COD – Chemical Oxygen Demand Chemicals EC – European Community RID – Regulations Concerning the International Carriage of Dangerous EC50 - Median Effective Concentration Goods by Rail SADT - Self Accelerating Decomposition Temperature EEC – European Economic Community EINECS – European Inventory of Existing Commercial Chemical SDS - Safety Data Sheet Substances STEL - Short Term Exposure Limit EmS-No. (Fire) - IMDG Emergency Schedule Fire STOT - Specific Target Organ Toxicity EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft EU – European Union TEL TRK – Technical Guidance Concentrations ErC50 - EC50 in Terms of Reduction Growth Rate ThOD - Theoretical Oxygen Demand GHS – Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit Chemicals TLV - Threshold Limit Value TPRD - Trumpalaikio Poveikio Ribinis Dydis IARC - International Agency for Research on Cancer IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV – Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische 1D50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC – Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse FU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.