Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Date of issue: 26/04/2024 Version: 3.1 SECTION 1: Identification of the substance/mixture and of the company/undertaking

| Product Form : Mixture Product Name : Alexa Fluor® 488-conjugated AffiniPure™ Rabbit Anti-Rat IgG + IgM (H+L) (minimal cross-reaction to Human Serum Proteins) Product Code : 312-545-048 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications. | 1.1. Product identifier | |
|--|-----------------------------------|--|
| cross-reaction to Human Serum Proteins) Product Code : 312-545-048 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a | Product Form | : Mixture |
| Product Code : 312-545-048 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a | Product Name | : Alexa Fluor® 488-conjugated AffiniPure™ Rabbit Anti-Rat IgG + IgM (H+L) (minimal |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a | | cross-reaction to Human Serum Proteins) |
| 1.2.1. Relevant identified uses Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a | | |
| Use of the substance/mixture : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a | | the substance or mixture and uses advised against |
| | | |
| medical device. Contact supplier for specific applications. | Use of the substance/mixture | |
| 1.2.2 Uses advised assignt | 1.2.2 Uses advised assignt | medical device. Contact supplier for specific applications. |
| 1.2.2. Uses advised against No additional information available | _ | |
| 1.3. Details of the supplier of the safety data sheet | | |
| Manufacturer European Contact | •• | |
| Jackson ImmunoResearch Laboratories, Inc. Jackson ImmunoResearch Europe LTD | | - |
| 872 West Baltimore Pike Cambridge House | | |
| West Grove, PA 19390 St Thomas' Place | | - |
| T: 800-367-5296, 610-869-4024 Ely, Cambridgeshire CB7 4EX, UK | | |
| F: 610-869-0171 T: +44 (0) 1638 782616 | | · - |
| tech@jacksonimmuno.com F: +44 (0) 1353 664675 | tech@jacksonimmuno.com | |
| www.jacksonimmuno.com info@jacksonimmuno.com | www.jacksonimmuno.com | info@jacksonimmuno.com |
| help@jacksonimmuno.com | | help@jacksonimmuno.com |
| Email address for the person responsible for this SDS: | Email address for the person resp | onsible for this SDS: |
| tech@jacksonimmuno.com | tech@jacksonimmuno.com | |
| 1.4. Emergency telephone number | | |
| Emergency number : +1-610-869-4024 (USA) | | |
| SECTION 2: Hazards identification | | |
| 2.1. Classification of the substance or mixture | | |
| Classification According to Regulation (EC) No. 1272/2008 [CLP] | | |
| Aquatic Chronic3 H412 | • | |
| Full text of hazard classes and H-statements: see section 16 | | |
| Adverse physicochemical, human health and environmental effects | • • | |
| No additional information available | | |
| 2.2. Label elements | | |
| Labelling According to Regulation (EC) No. 1272/2008 [CLP] | | |
| Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects. | | |
| Precautionary statements (CLP) P273 - Avoid release to the environment. | Precautionary statements (CLP) | |
| P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international | | |
| regulation. | | |
| EUH-statements EUH032 - Contact with acids liberates very toxic gas. | FUH-statements | |
| | | |
| 2.3. Other hazards | 2.3. Other hazards | |
| Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. | Other hazards not contributing to | the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. |
| 26/04/2024 EN (English) 1 / 11 | 26/04/2024 | EN (English) 1 / 11 |

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

| Name | Product identifier | % | Classification According to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|-------|---|
| Sodium azide | (CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7 | 0.54 | Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Sodium phosphate dibasic | (CAS-No.) 7558-79-4 (EC-No.) 231-448-7 | 1.51 | Not classified |
| Alexa Fluor® 488-conjugated AffiniPure™ Rabbit Anti-Rat IgG + IgM (H+L) (minimal cross-reaction to Human Serum Proteins) | (CAS-No.) Not assigned | 1.58 | Not classified |
| Sodium chloride | (CAS-No.) 7647-14-5 (EC-No.) 231-598-3 | 15.7 | Not classified |
| Albumins, blood serum | (CAS-No.) 9048-46-8 (EC-No.) 232-936-2 | 16.13 | Not classified |

Full text of H-statements: see section 16

SECTION 4: First aid measures 4.1. **Description of first aid measures** First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service. First-aid measures after skin contact : Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists. First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists. : Rinse mouth. Do NOT induce vomiting. Obtain medical attention. First-aid measures after ingestion Most important symptoms and effects, both acute and delayed 4.2. Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation : May be harmful or cause irritation. Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation. Symptoms/effects after eye contact : May cause slight irritation to eyes. Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic symptoms : None expected under normal conditions of use. 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| SEC | TION 5: Firefighting meas | sures |
|------------------------------|---|--|
| 5.1. | Extinguishing media | |
| Suitable extinguishing media | | : Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical. |
| | | Use extinguishing media appropriate for surrounding fire. |
| Unsu | itable extinguishing media | : Do not use a heavy water stream. Use of heavy stream of water may spread fire. |
| 5.2. | | om the substance or mixture |
| | nazard | : Not Assigned |
| React | tivity | : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. |
| | rdous decomposition products in of fire | : Hydrogen chloride. Sodium oxides. Nitrogen oxides. |
| 5.3. | Advice for firefighters | |
| Preca | autionary measures fire | : Exercise caution when fighting any chemical fire. |
| Firefi | ghting instructions | : Use water spray or fog for cooling exposed containers. |
| Prote | ection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| SEC | TION 6: Accidental releas | • |
| 6.1. | | tive equipment and emergency procedures |
| - | ral measures | : Avoid prolonged contact with eyes, skin and clothing. |
| 6.1.1. | For non-emergency personnel | . Avoid protonged contact with eyes, skin and croating. |
| | ective equipment | : Use appropriate personal protective equipment (PPE). |
| | gency procedures | : Evacuate unnecessary personnel. |
| 6.1.2. | For emergency responders | |
| | ective equipment | : Equip cleanup crew with proper protection. |
| | gency procedures | Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. |
| 6.2. | Environmental precautions | |
| | | : Prevent entry to sewers and public waters. Avoid release to the environment. |
| 6.3. | Methods and material for con | itainment and cleaning up |
| For c | ontainment | : Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. |
| Meth | ods for cleaning up | : Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. |
| 6.4. | Reference to other sections | |
| See Se | ction 8 for exposure controls and pe | ersonal protection and Section 13 for disposal considerations. |
| SEC | TION 7: Handling and sto | rage |
| 7.1. | Precautions for safe handling | |
| | autions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. |
| Hvgie | ene measures | : Handle in accordance with good industrial hygiene and safety procedures. |
| 77 | | acluding any incompatibilities |

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Storage conditions | : Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store |
|------------------------|---|
| | away from extremely high temperatures and incompatible materials. |
| Incompatible materials | : Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated |
| | hydrocarbons. |

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| LativiaOEL TWA (mg/m³)5 mg/m³LithuaniaIPRV (mg/m³)5 mg/m³Sodium azide (26628-22-8)EUIOELV TWA (mg/m³)0,1 mg/m³EUIOELV STEL (mg/m³)0,3 mg/m³EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL chemical category (FN)Skin notationCyprusOEL chemical category (CV)Skin notationCyprusOEL chemical category (FN)Risk of cutaneous absorptionFranceVE (mg/m³)0,3 mg/m³CyprusOEL chemical category (FN)Risk of cutaneous absorptionFranceVE (mg/m³)0,2 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarShort-term mg/m30,3 mg/m³Gibralta | Sodium chloride (7647-14-5 |) | | | | | |
|---|----------------------------|---------------------------------|--|--|--|--|--|
| Sodium azide (26628-22-8)EUIOELV TWA (mg/m³)0,1 mg/m³EUIOELV STEL (mg/m³)0,3 mg/m³EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL TWA (mg/m³)0,3 mg/m³CroatiaOEL TWA (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaCSU (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL Chemical category (CY)Skin notationFranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarEight hours mg/m30,3 mg/m³Gibraltar< | Latvia | Latvia OEL TWA (mg/m³) 5 mg/m³ | | | | | |
| EUIOELV TWA (mg/m³)0,1 mg/m³EUIOELV STEL (mg/m³)0,3 mg/m³EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, skin notationBulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGEL TWA (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaGEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL TWA (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVDE (mg/m³)0,1 mg/m³ (restrictive limit)FranceDEL chemical category (FR)Risk of cutaneous absorptionGibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Lithuania | IPRV (mg/m ³) | 5 mg/m ³ | | | | |
| EUIOELV STEL (mg/m³)0,3 mg/m³EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL chemical category (CY)Skin notationCyprusOEL trwa (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVUE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGibraltarOEL chemical category (GI)Skin notation | Sodium azide (26628-22-8) | | | | | | |
| EUNotesPossibility of significant uptake through the skinAustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL chemical category (HR)Skin notationCyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³CyprusOEL chemical category (FR)Risk of cutaneous absorptionFranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGibraltarEight hours mg/m30,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notation | EU | IOELV TWA (mg/m³) | 0,1 mg/m ³ | | | | |
| AustriaMAK (mg/m³)0,1 mg/m³AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL trWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,3 mg/m³GibraltarEight hours mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | EU | IOELV STEL (mg/m ³) | 0,3 mg/m³ | | | | |
| AustriaMAK Short time value (mg/m³)0,3 mg/m³AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL tWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL Chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³GermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEigh hours mg/m30,1 mg/m³GibraltarDEL chemical category (GI)Skin notationGreeceOEL chemical category (GI)Skin notation | EU | Notes | Possibility of significant uptake through the skin | | | | |
| AustriaOEL chemical category (AT)Skin notationBelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCroatiaOEL trWA (mg/m³)0,3 mg/m³CroatiaOEL trWA (mg/m³)0,1 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL tremical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Austria | MAK (mg/m³) | 0,1 mg/m³ | | | | |
| BelgiumOEL chemical category (BE)Skin, Skin notationBulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCypusOEL chemical category (HR)Skin notationCyprusOEL trWA (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVLE (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionFranceDEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,3 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Austria | MAK Short time value (mg/m³) | 0,3 mg/m³ | | | | |
| BulgariaOEL TWA (mg/m³)0,1 mg/m³BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL STEL (mg/m³)0,1 mg/m³CyprusOEL chemical category (HR)Skin notationCyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionFranceOEL chemical category (FR)Risk of cutaneous absorptionGibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,1 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL Chemical category (GI)Skin notation | Austria | OEL chemical category (AT) | Skin notation | | | | |
| BulgariaOEL STEL (mg/m³)0,3 mg/m³CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL Chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL trem mg/m30,3 mg/m³ | Belgium | OEL chemical category (BE) | Skin, Skin notation | | | | |
| CroatiaGVI (granicna vrijednost izloženosti) (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL trWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL trWA (mg/m³)0,3 mg/m³ | Bulgaria | OEL TWA (mg/m ³) | 0,1 mg/m ³ | | | | |
| (mg/m³)0,1 mg/m³CroatiaKGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Bulgaria | OEL STEL (mg/m ³) | 0,3 mg/m³ | | | | |
| vrijednost izloženosti) (mg/m³)0,3 mg/m³CroatiaOEL chemical category (HR)Skin notationCyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,1 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | | | 0,1 mg/m³ | | | | |
| CyprusOEL TWA (mg/m³)0,1 mg/m³CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | | | 0,3 mg/m³ | | | | |
| CyprusOEL STEL (mg/m³)0,3 mg/m³CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Croatia | OEL chemical category (HR) | Skin notation | | | | |
| CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Cyprus | OEL TWA (mg/m³) | 0,1 mg/m³ | | | | |
| FranceVLE (mg/m³)0,3 mg/m³ (restrictive limit)FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Cyprus | OEL STEL (mg/m ³) | 0,3 mg/m³ | | | | |
| FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Cyprus | OEL chemical category (CY) | Skin-potential for cutaneous absorption | | | | |
| FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | France | VLE (mg/m ³) | 0,3 mg/m ³ (restrictive limit) | | | | |
| GermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | France | VME (mg/m³) | 0,1 mg/m ³ (restrictive limit) | | | | |
| value (mg/m³)defendenceGibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | France | OEL chemical category (FR) | Risk of cutaneous absorption | | | | |
| GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | | | 0,2 mg/m ³ | | | | |
| GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³ | Gibraltar | Eight hours mg/m3 | 0,1 mg/m ³ | | | | |
| Greece OEL TWA (mg/m ³) 0,3 mg/m ³ | Gibraltar | Short-term mg/m3 | 0,3 mg/m ³ | | | | |
| | Gibraltar | OEL chemical category (GI) | Skin notation | | | | |
| Greece OEL TWA (ppm) 0,1 ppm | Greece | OEL TWA (mg/m³) | 0,3 mg/m ³ | | | | |
| | Greece | OEL TWA (ppm) | 0,1 ppm | | | | |



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Greece | OEL STEL (mg/m ³) | 0,3 mg/m ³ | |
|----------------|--|--|--|
| Greece | e OEL STEL (ppm) 0,1 ppm | | |
| USA ACGIH | ACGIH Ceiling (mg/m ³) | 0,29 mg/m ³ | |
| USA ACGIH | ACGIH Ceiling (ppm) | 0,11 ppm | |
| Italy | OEL TWA (mg/m ³) | 0,1 mg/m ³ | |
| Italy | OEL STEL (mg/m ³) | 0,3 mg/m ³ | |
| Italy | OEL chemical category (IT) | skin - potential for cutaneous absorption | |
| Latvia | OEL TWA (mg/m ³) | 0,1 mg/m ³ | |
| Latvia | OEL chemical category (LV) | skin - potential for cutaneous exposure | |
| Spain | VLA-ED (mg/m ³) | 0,1 mg/m ³ (indicative limit value) | |
| Spain | VLA-EC (mg/m ³) | 0,3 mg/m ³ | |
| Spain | OEL chemical category (ES) | skin - potential for cutaneous absorption | |
| Switzerland | KZGW (mg/m³) | 0,4 mg/m³ (inhalable dust) | |
| Switzerland | MAK (mg/m³) | 0,2 mg/m³ (inhalable dust) | |
| Netherlands | Grenswaarde TGG 8H (mg/m³) | 0,1 mg/m ³ | |
| Netherlands | Grenswaarde TGG 15MIN (mg/m³) | 0,3 mg/m ³ | |
| United Kingdom | WEL TWA (mg/m ³) | 0,1 mg/m ³ | |
| United Kingdom | WEL STEL (mg/m ³) | 0,3 mg/m ³ | |
| United Kingdom | WEL chemical category | Potential for cutaneous absorption | |
| Czech Republic | Expozicní limity (PEL) (mg/m³) | 0,1 mg/m ³ | |
| Czech Republic | OEL chemical category (CZ) | Potential for cutaneous absorption | |
| Denmark | Grænseværdie (langvarig) (mg/m³) | 0,1 mg/m ³ | |
| Estonia | OEL TWA (mg/m ³) | 0,1 mg/m ³ | |
| Estonia | OEL STEL (mg/m ³) | 0,3 mg/m ³ | |
| Estonia | OEL chemical category (ET) | Sensitizer, Skin notation | |
| Finland | nland HTP-arvo (8h) (mg/m³) 0,1 mg/m³ | | |
| Finland | HTP-arvo (15 min) | 0,3 mg/m ³ | |
| Finland | OEL chemical category (FI) | Potential for cutaneous absorption | |
| Hungary | AK-érték | 0,1 mg/m ³ | |
| Hungary | CK-érték | 0,3 mg/m ³ | |
| Ireland | OEL (8 hours ref) (mg/m ³) | 0,1 mg/m ³ | |
| Ireland | OEL (15 min ref) (mg/m3) | 0,3 mg/m ³ | |
| Ireland | OEL chemical category (IE) | Potential for cutaneous absorption | |
| Lithuania | IPRV (mg/m³) | 0,1 mg/m ³ | |
| Lithuania | TPRV (mg/m ³) | 0,3 mg/m ³ | |
| Lithuania | OEL chemical category (LT) | Skin notation | |
| Luxembourg | OEL TWA (mg/m³) | 0,1 mg/m ³ | |
| Luxembourg | OEL STEL (mg/m ³) | 0,3 mg/m ³ | |
| Luxembourg | OEL chemical category (LU) | Possibility of significant uptake through the skin | |

ImmunoResearch



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Malta | OEL TWA (mg/m ³) | 0,1 mg/m³ | |
|----------|---|---|--|
| Malta | OEL STEL (mg/m ³) | 0,3 mg/m ³ | |
| Malta | OEL chemical category (MT) | Possibility of significant uptake through the skin | |
| Norway | Grenseverdier (AN) (mg/m ³) | 0,1 mg/m³ | |
| Norway | Grenseverdier (Korttidsverdi) (mg/m3) | 0,3 mg/m ³ (value from the regulation) | |
| Poland | NDS (mg/m ³) | 0,1 mg/m³ | |
| Poland | NDSCh (mg/m ³) | 0,3 mg/m³ | |
| Romania | OEL TWA (mg/m ³) | 0,1 mg/m³ | |
| Romania | OEL STEL (mg/m ³) | 0,3 mg/m³ | |
| Romania | OEL chemical category (RO) | Skin notation | |
| Slovakia | NPHV (priemerná) (mg/m³) | 0,1 mg/m³ (Sodium azide) | |
| Slovakia | NPHV (Hranicná) (mg/m³) | 0,3 mg/m³ | |
| Slovakia | OEL chemical category (SK) | Potential for cutaneous absorption | |
| Slovenia | OEL TWA (mg/m ³) | 0,1 mg/m³ | |
| Slovenia | OEL STEL (mg/m ³) | 0,3 mg/m³ | |
| Slovenia | OEL chemical category (SL) | Potential for cutaneous absorption | |
| Sweden | nivågränsvärde (NVG) (mg/m³) | 0,1 mg/m ³ | |
| Sweden | kortidsvärde (KTV) (mg/m³) | 0,3 mg/m³ | |
| Portugal | OEL TWA (mg/m ³) | 0,1 mg/m ³ (indicative limit value) | |
| Portugal | OEL STEL (mg/m ³) | 0,3 mg/m ³ (indicative limit value) | |
| Portugal | OEL - Ceilings (mg/m ³) | 0,29 mg/m ³ | |
| Portugal | OEL - Ceilings (ppm) | 0,11 ppm (vapor) | |
| Portugal | OEL chemical category (PT) | A4 - Not Classifiable as a Human | |
| | | Carcinogen,skin - potential for cutaneous exposure indicative limit value | |

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection

Other information

- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



- : Chemically resistant materials and fabrics.
- : Wear protective gloves.
- : Chemical safety goggles.
- : Wear suitable protective clothing.
- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
- : When using, do not eat, drink or smoke.

ImmunoResearch

LABORATORIES, INC.

Alexa Fluor® 488-conjugated AffiniPure™ Rabbit Anti-Rat IgG + IgM *Jackson*

(H+L) (minimal cross-reaction to Human Serum Proteins)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| SECTION 9: Physical and chemical properties | | | | | | |
|---|--|--|--|--|--|--|
| 9.1. Information on basic physical and chem | 9.1. Information on basic physical and chemical properties | | | | | |
| Physical state | : | Solid | | | | |
| Colour | : | Neon green solid | | | | |
| Odour | : | Odourless, as water | | | | |
| Odour threshold | : | No data available | | | | |
| рН | : | 7.6, when rehydrated with indicated volume of H_2O | | | | |
| Evaporation rate | : | No data available | | | | |
| Melting point | : | No data available | | | | |
| Freezing point | : | No data available | | | | |
| Boiling point | : | No data available | | | | |
| Flash point | : | No data available | | | | |
| Auto-ignition temperature | : | No data available | | | | |
| Decomposition temerature | : | No data available | | | | |
| Flammability (solid, gas) | : | No data available | | | | |
| Vapour pressure | : | No data available | | | | |
| Relative vapour density at 20 °C | : | No data available | | | | |
| Relative density | : | No data available | | | | |
| Solubility | : | Water | | | | |
| Partition coefficent: n-octanol/water | : | No data available | | | | |
| Viscosity | : | No data available | | | | |
| Explosive properties | : | No data available | | | | |
| Oxidising properties | : | No data available | | | | |
| Explosive limits | : | No data available | | | | |
| 9.2. Other information | | | | | | |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Sodium chloride (7647-14-5)

| LD50 oral rat | 3550 mg/kg (Species: Wistar) | | | |
|---------------|------------------------------|--|--|--|
| | | | | |

ImmunoResearch

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| LD50 dermal rabbit | > 10000 mg/kg (Species: New Zealand White) | | | | | | |
|---|--|--|--|--|--|--|--|
| LC50 inhalation rat (mg/l) | >42 g/m ³ (Exposure time: 1 h) | | | | | | |
| Sodium azide (26628-22-8) | | | | | | | |
| LD50 oral rat | 27 mg/kg | | | | | | |
| LD50 oral | 45 mg/kg | | | | | | |
| LD50 dermal rabbit | 20 mg/kg | | | | | | |
| Sodium phosphate dibasic (7558-79-4) | | | | | | | |
| LD50 oral rat | 17 g/kg | | | | | | |
| LD50 dermal rat | >500 mg/kg (50% solution) | | | | | | |
| Skin corrosion/irritation Serious eye damage/irritation | Not classified pH: 7,6 when rehydrated with indicated volume of H₂O Not classified pH: 7,6 when rehydrated with indicated volume of H₂O | | | | | | |
| Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity | Not classified Not classified Not classified | | | | | | |
| Reproductive toxicity STOT-single exposure | Not classified Not classified Not classified | | | | | | |
| Aspiration hazard | : Not classified | | | | | | |
| Symptoms/Injuries After Inhalation Symptoms/Injuries After Skin Contact Symptoms/Injuries After Eye Contact Symptoms/Injuries After Ingestion Chronic Symptoms SECTION 12: Ecological inform | May be harmful or cause irritation. Prolonged exposure may cause skin irritation. May cause slight irritation to eyes. Ingestion may cause adverse effects. May be harmful if swallowed. None expected under normal conditions of use. | | | | | | |
| 2.1. Toxicity | : Harmful to aquatic life with long lasting effects. | | | | | | |
| Ecology - general | . המוחותו נס מקטמנוג חוב שונו וסווא ומצנווא פוופנוצ. | | | | | | |
| Sodium chloride (7647-14-5) LC50 fish 1 | 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) | | | | | | |
| EC50 Daphnia 1 | 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) | | | | | | |
| LC50 fish 2 | 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) | | | | | | |
| EC50 Daphnia 2 | 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) | | | | | | |
| NOEC chronic fish | 252 mg/l (Species: Pimephales promelas) | | | | | | |
| Sodium azide (26628-22-8) | | | | | | | |
| LC50 fish 1 | 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) | | | | | | |
| | | | | | | | |

LC50 fish 2

ErC50 (algae)

0,348 mg/l

0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Alexa Huor 400 Conjugated Allinin | ure™ Rabbit Anti-Rat IgG + IgM (H+L) (minimal cross-reaction to Human Serum Proteins) |
|---|---|
| Persistence and degradability | Not established. |
| 2.3. Bioaccumulative potentia | al |
| Alexa Fluor [®] 488-conjugated AffiniP | ure™ Rabbit Anti-Rat IgG + IgM (H+L) (minimal cross-reaction to Human Serum Proteins) |
| Bioaccumulative potential | Not established. |
| Sodium chloride (7647-14-5) | |
| BCF fish 1 | (no bioaccumulation) |
| 12.4. Mobility in soil No additional information available 12.5. Results of PBT and vPvB a No additional information available | ssessment |
| | |
| 12.6. Other adverse effects Other information | : Avoid release to the environment. |
| | |

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | | IMDG | ΙΑΤΑ | ADN | RID | | |
|----------------------------------|-------------------------------|-----------------------|-------------------|-------------------|-------------------|--|--|
| 14.1. | UN number | | | | | | |
| Not reg | Not regulated for transport | | | | | | |
| 14.2. | 14.2. UN proper shipping name | | | | | | |
| Not app | olicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| 14.3. Transport hazard class(es) | | | | | | | |
| Not app | olicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| 14.4. Packing group | | | | | | | |
| Not app | olicable | Not applicable | Not applicable | Not applicable | Not applicable | | |
| 14.5. Environmental hazards | | | | | | | |
| Danger | ous for the | Dangerous for the | Dangerous for the | Dangerous for the | Dangerous for the | | |
| enviror | nment : No | environment : No | environment : No | environment : No | environment : No | | |
| | | Marine pollutant : No | | | | | |

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

ImmunoResearch

Safety Data Sheet



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **15.1.1.** EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

| Date of Preparation or Latest Revision | : 26/04/2024 |
|--|--|
| Data sources | : Information and data obtained and used in the authoring of this safety data shee could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS. |
| Other information | : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 |

Full Text of H- and EUH-statements:

| Acute Tox. 2 (Oral) | Acute toxicity (oral), Category 2 |
|---------------------|---|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| H300 | Fatal if swallowed. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH032 | Contact with acids liberates very toxic gas. |

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of

NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate **BCF** - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD - Biochemical Oxygen Demand CAS No. - Chemical Abstracts Service Number CLP - Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand Chemicals EC – European Community EC50 - Median Effective Concentration Goods by Rail EEC – European Economic Community EINECS – European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU – European Union ErC50 - EC50 in Terms of Reduction Growth Rate GHS – Globally Harmonized System of Classification and Labeling of Chemicals IARC - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV – Indicative Occupational Exposure Limit Value LC50 - Median Lethal Concentration 1D50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest-Observed-Effect Concentration Log Koc - Soil Organic Carbon-water Partitioning Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible Concentration MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse

NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP - National Toxicology Program **OEL - Occupational Exposure Limits** PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH-Potential Hydrogen REACH - Registration, Evaluation, Authorisation, and Restriction of RID – Regulations Concerning the International Carriage of Dangerous SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations ThOD - Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regel für Gefahrstoffe 900 -Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valor Límite Ambiental Exposición Diaria VLE-Valeur Limite D'exposition VME-Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative WEL-Workplace Exposure Limit

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

FU GHS SDS