Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Date of issue: 18/04/2024

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1.

Product Form	: Mixture
Product Name	[∶] Biotin-SP-conjugated AffiniPure™ Rabbit Anti-Sheep ^{††} IgG (H+L)
Product Code	: 313-065-003

Product Code

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

- Use of the substance/mixture
- : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

Furonean Contact

1.2.2. Uses advised against

No additional	information	available

1.3. Details of the supplier of the safety data sheet Manufacturer

	Luiopean Contact
Jackson ImmunoResearch Laboratories, Inc.	Jackson ImmunoResearch Europe LTD
872 West Baltimore Pike	Cambridge House
West Grove, PA 19390	St Thomas' Place
T: 800-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK
F: 610-869-0171	T: +44 (0) 1638 782616
tech@jacksonimmuno.com	F: +44 (0) 1353 664675
www.jacksonimmuno.com	info@jacksonimmuno.com
	help@jacksonimmuno.com

Email address for the person responsible for this SDS: tech@jacksonimmuno.com

1.4. **Emergency telephone number**

Emergency number	: +1-610-869-4024 (USA)
------------------	-------------------------

SECTION 2: Hazards identification

2.1.	Classification	of the substance	or mixture
------	-----------------------	------------------	------------

Classification According to Regulation (EC) N	No. 1272/2008 [CLP]
---	---------------------

Aquati	c Chro	nic3	H412

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international
	regulation.
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.
2.3. Other hazards	
Other hazards not contributing to the	: Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

classification

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 3: Composition/information on ingredients

Substances 3.1.

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400
	(EC Index-No.) 011-004-00-7		Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.5	Not classified
Biotin-SP-conjugated AffiniPure™ Rabbit Anti-Sheep ^{††} IgG (H+L)	(CAS-No.) Not assigned	1.68	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.69	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.12	Not classified

SECTION 4: First aid measures

Description of first aid measures 4.1.

4.1. Description of first aid measu	res	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, medical advice (show the label where possible).	, seek
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air Immediately call a poison center, physician, or emergency medical service	
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at leas minutes. Obtain medical attention if irritation develops or persists.	t 5
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses present and easy to do. Continue rinsing. Obtain medical attention if irrita develops or persists.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.	
4.2. Most important symptoms an	d effects, both acute and delayed	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions normal use.	of
Symptoms/effects after inhalation	: May be harmful or cause irritation.	
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.	
Symptoms/effects after eye contact	: May cause slight irritation to eyes.	
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.	
Chronic symptoms	: None expected under normal conditions of use.	
4.3. Indication of any immediate r	nedical attention and special treatment needed	
	ce and attention. If medical advice is needed, have product container or label a	t hand.
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry che Use extinguishing media appropriate for surrounding fire.	mical.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread	l fire.
18/04/2024	EN (English)	2 / 11

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



5.2.	Special hazards arising fro	m the substance or mixture
Fireh	azard	: Not Assigned
React		: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
	rdous decomposition products in of fire	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
5.3.	Advice for firefighters	
Preca	utionary measures fire	: Exercise caution when fighting any chemical fire.
Firefi	ghting instructions	: Use water spray or fog for cooling exposed containers.
Prote	ction during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SEC	TION 6: Accidental releas	
6.1.	Personal precautions, protecti	ve equipment and emergency procedures
Gene	ral measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1.	For non-emergency personnel	
	ctive equipment	: Use appropriate personal protective equipment (PPE).
Emer	gency procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Prote	ctive equipment	: Equip cleanup crew with proper protection.
Emer	gency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2.	Environmental precautions	
	-	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3.	Methods and material for cont	tainment and cleaning up
For co	ontainment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Meth	ods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4.	Reference to other sections	
See Sec	ction 8 for exposure controls and pe	rsonal protection and Section 13 for disposal considerations.
	TION 7: Handling and stor	
7.1.	Precautions for safe handling	
Preca	utions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.

Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures.7.2.Conditions for safe storage, including any incompatibilities

Technical measures: Comply with applicable regulations.Storage conditions: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store
away from extremely high temperatures and incompatible materials.Incompatible materials: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated
hydrocarbons.

7.3. Specific end use(s)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-1	L4-5)	
Latvia	OEL TWA (mg/m³)	5 mg/m³
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Sodium azide (26628-22	-8)	
EU	IOELV TWA (mg/m ³)	0,1 mg/m ³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skir
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednostizloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³
Gibraltar	Eight hours mg/m3	0,1 mg/m³
Gibraltar	Short-term mg/m3	0,3 mg/m³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m ³
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m ³)	0,1 mg/m ³

ImmunoResearch

Jackson

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Italy	OEL STEL (mg/m ³)	0,3 mg/m³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m ³)	0,1 mg/m ³
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Spain	VLA-EC (mg/m ³)	0,3 mg/m³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m³
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
Estonia	OEL TWA (mg/m³)	0,1 mg/m³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³
Finland	HTP-arvo (15 min)	0,3 mg/m³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m ³
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m³
Lithuania	TPRV (mg/m³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³
Luxembourg	OEL STEL (mg/m³)	0,3 mg/m ³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m ³
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin

0,1 mg/m³

0,3 mg/m³ (value from the regulation)

Jackson

ImmunoResearch

Norway

Norway

Grenseverdier (Korttidsverdi) (mg/m3)

Grenseverdier (AN) (mg/m³)



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Poland	NDS (mg/m ³)	0,1 mg/m ³
Poland	NDSCh (mg/m ³)	0,3 mg/m ³
Romania	OEL TWA (mg/m ³)	0,1 mg/m ³
Romania	OEL STEL (mg/m ³)	0,3 mg/m ³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m ³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m ³)	0,1 mg/m ³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m ³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

Personal protective equipment

: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.

Jackson

ImmunoResearch

: Gloves. Protective clothing. Protective goggles.



Materials for protective clothing: Chemically resistant materials and fabrics.Hand protection: Wear protective gloves.Eye and Face Protection: Chemical safety goggles.Skin and body protection: Wear suitable protective clothing.Respiratory protection: If exposure limits are exceeded or irritation is experienced, approved respiratory
protection should be worn. In case of inadequate ventilation, oxygen deficient
atmosphere, or where exposure levels are not known wear approved respiratory
protection.

Other information

: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state Colour Odour
 - : Light tan solid

: Solid

- : Odourless, as water
 - : No data available

Odour threshold

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



pH	:	7.6, when rehydrated with indicated volume of H_2O
Evaporation rate	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	50 inhalation rat (mg/l)>42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	

Safety Data Sheet


According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



D50 oral rat	17 g/kg
D50 dermal rat	>500 mg/kg (50% solution)
Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	 Not classified pH: 7,6 when rehydrated with indicated volume of H₂O
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
and spatializes	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.
2.1. Toxicity Ecology - general	: Harmful to aquatic life with long lasting effects.
2.1. Toxicity Ecology - general Sodium chloride (7647-14-5)	
SECTION 12: Ecological inform 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1	: Harmful to aquatic life with long lasting effects.
 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 	: Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus
2.1. Toxicity Ecology - general Sodium chloride (7647-14-5)	: Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8)	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 252 mg/l (Species: Pimephales promelas)
2.1. ToxicityEcology - generalSodium chloride (7647-14-5)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2NOEC chronic fishSodium azide (26628-22-8)LC50 fish 1	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
2.1. ToxicityEcology - generalSodium chloride (7647-14-5)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2NOEC chronic fishSodium azide (26628-22-8)LC50 fish 1LC50 fish 2EC50 fish 2EC50 fish 2	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static] 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l
 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 2 ErC50 (algae) 2.2. Persistence and degradability 	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static] 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l
2.1. ToxicityEcology - generalSodium chloride (7647-14-5)LC50 fish 1EC50 Daphnia 1LC50 fish 2EC50 Daphnia 2NOEC chronic fishSodium azide (26628-22-8)LC50 fish 1LC50 fish 2EC50 fish 2EC50 fish 2	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static] 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l
 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 2 ErC50 (algae) 2.2. Persistence and degradability Biotin-SP-conjugated AffiniPure[™] Rabbit A Persistence and degradability 	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static] 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l
 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 2 ErC50 (algae) 2.2. Persistence and degradability Biotin-SP-conjugated AffiniPure[™] Rabbit A Persistence and degradability 	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static] 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l Anti-Sheep^{††} lgG (H+L) Not established.
 2.1. Toxicity Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 2 ErC50 (algae) 2.2. Persistence and degradability Biotin-SP-conjugated AffiniPure™ Rabbit A Persistence and degradability 2.3. Bioaccumulative potential 	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static] 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l Anti-Sheep^{††} lgG (H+L) Not established.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Jackson

ImmunoResearch

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN numbe	r			
Not regulated for training	nsport			
14.2. UN proper	shipping name			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport h	azard class(es)			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gro	oup			
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ntal hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Sodium azide (26628-22-8)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Albumins, blood serum (9048-46-8)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Date of Preparation or Latest Revision	: 18/04/2024
Data sources	: Information and data obtained and used in the authoring of this safety data shee could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications
Other information	according to GHS or their subsequent adoption of GHS. : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment
Other mormation	Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



EEC – European Economic Community SADT - Self Accelerating Decomposition Temperature EINECS – European Inventory of Existing Commercial Chemical SDS - Safety Data Sheet Substances STEL - Short Term Exposure Limit EmS-No. (Fire) - IMDG Emergency Schedule Fire STOT - Specific Target Organ Toxicity EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations EU – European Union ErC50 - EC50 in Terms of Reduction Growth Rate ThOD – Theoretical Oxygen Demand GHS - Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit Chemicals TLV - Threshold Limit Value IARC - International Agency for Research on Cancer TPRD - Trumpalaikio Poveikio Ribinis Dydis IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV – Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische LD50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC - Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse FU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.