Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Date of issue: 26/04/2024

Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

Product Form	: Mixture
Product Name	: Biotin-SP-conjugated AffiniPure™ Rabbit Anti-Mouse IgG (H+L)
Product Code	: 315-065-003

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. **Relevant identified uses**

Use of the substance/mixture

: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Jackson ImmunoResearch Laboratories, Inc. 872 West Baltimore Pike West Grove, PA 19390 T: 800-367-5296, 610-869-4024 F: 610-869-0171 tech@jacksonimmuno.com www.jacksonimmuno.com

European Contact Jackson ImmunoResearch Europe LTD

Cambridge House St Thomas' Place Ely, Cambridgeshire CB7 4EX, UK T: +44 (0) 1638 782616 F: +44 (0) 1353 664675 info@jacksonimmuno.com help@jacksonimmuno.com

Email address for the person responsible for this SDS: tech@jacksonimmuno.com

1.4. **Emergency telephone number**

Emergency number

: +1-610-869-4024 (USA) SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic3	H412
------------------	------

Full text of hazard classes and H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international
	regulation.
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.
2.3. Other hazards	

Other hazards not contributing to the	: Exposure may aggravate pre-existing eye, skin, or respiratory conditions
al a sa tha an ta an	

classification

SECTION 3: Composition/information on ingredients

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.5	Not classified
Biotin-SP-conjugated AffiniPure™ Rabbit Anti-Mouse IgG (H+L)	(CAS-No.) Not assigned	1.68	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.69	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.12	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	 Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.
4.2. Most important symptoms an	d effects, both acute and delayed
Symptoms/effects	 Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
4.3. Indication of any immediate	nedical attention and special treatment needed
If exposed or concerned, get medical advi	ce and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting mea	sures
5.1. Extinguishing media	
Cuitable autinguishing modia	· Water agency for anything distribution (CO) along the project of the provide state of the

Suitable extinguishing media: Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, or dry chemical.Unsuitable extinguishing media: Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, or dry chemical.Unsuitable extinguishing media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Fire hazard	: Not Assigned
Reactivity	 Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.
Hazardous decomposition produ case of fire	-
5.3. Advice for firefigh	iters
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental	release measures
	protective equipment and emergency procedures
General measures	: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency perso	onnel
Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responde	rs
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.2. Environmental precaut	tions
	: Prevent entry to sewers and public waters. Avoid release to the environment.
6.3. Methods and material	for containment and cleaning up
For containment	: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams.
Methods for cleaning up	 Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other sec	tions
See Section 8 for exposure control	s and personal protection and Section 13 for disposal considerations.
SECTION 7: Handling an	
7.1 Dressutions for sofe he	

7.1. Precautions for safe handling

Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage,	, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-1	L4-5)	
Latvia	OEL TWA (mg/m³)	5 mg/m ³
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Sodium azide (26628-22	-8)	·
EU	IOELV TWA (mg/m³)	0,1 mg/m³
EU	IOELV STEL (mg/m ³)	0,3 mg/m³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m ³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³
Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m ³
Gibraltar	Eight hours mg/m3	0,1 mg/m ³
Gibraltar	Short-term mg/m3	0,3 mg/m³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m ³
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m ³
Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Latvia	OEL TWA (mg/m ³)	0,1 mg/m³
Latvia	OEL rwx (mg/m) OEL chemical category (LV)	skin - potential for cutaneous exposure
	VLA-ED (mg/m ³)	$0,1 \text{ mg/m}^3$ (indicative limit value)
Spain Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
	OEL chemical category (ES)	skin - potential for cutaneous absorption
Spain Switzerland		
Switzerland	KZGW (mg/m ³)	0,4 mg/m ³ (inhalable dust)
Switzerland	MAK (mg/m ³)	0,2 mg/m ³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	0,1 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m ³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³
Estonia	OEL TWA (mg/m³)	0,1 mg/m³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³
Finland	HTP-arvo (15 min)	0,3 mg/m ³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m ³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m ³
Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m ³)	0,1 mg/m ³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m ³
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m ³
Poland	NDSCh (mg/m ³)	0,3 mg/m ³

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Romania	OEL TWA (mg/m ³)	0,1 mg/m³
Romania	OEL STEL (mg/m ³)	0,3 mg/m ³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m ³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m ³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value

8.2. Exposure controls

Appropriate engineering controls

- Personal protective equipment
- : Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed.
- : Gloves. Protective clothing. Protective goggles.



Materials for protective clothing	: Chemically resistant materials and fabrics.
Hand protection	: Wear protective gloves.
Eye and Face Protection	: Chemical safety goggles.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.
Other information	: When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state :	Solid		
Colour :	Light tan solid		
Odour :	Odourless, as water		
Odour threshold :	No data available		
рН :	7.6, when rehydrated with indicated volume of H ₂ O		
Evaporation rate :	No data available		
Melting point :	No data available		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temerature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available
Solubility	:	Water
Partition coefficent: n-octanol/water	:	No data available
Viscosity	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

•	
Acute toxicity : Not cla	assified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	>42 g/m³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	50 dermal rabbit 20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



LD50 dermal rat	>500 mg/kg (50% solution)
Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	 Not classified pH: 7,6 when rehydrated with indicated volume of H₂O
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.
SECTION 12: Ecological infor	mation
L2.1. Toxicity	
-	
Ecology - general	: Harmful to aquatic life with long lasting effects.
-	: Harmful to aquatic life with long lasting effects.
Ecology - general	 Harmful to aquatic life with long lasting effects. 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
Ecology - general Sodium chloride (7647-14-5)	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2	 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2	 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish	 5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8)	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])252 mg/l (Species: Pimephales promelas)
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])252 mg/l (Species: Pimephales promelas)0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 2	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])252 mg/l (Species: Pimephales promelas)0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)0,348 mg/l
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 2 ErC50 (algae)	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 2 ErC50 (algae) L2.2. Persistence and degradability	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 1 LC50 fish 2 ErC50 (algae) I2.2. Persistence and degradability Biotin-SP-conjugated AffiniPure™ Rabbit	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l y Anti-Mouse lgG (H+L)
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 1 LC50 fish 2 ErC50 (algae) I2.2. Persistence and degradability Biotin-SP-conjugated AffiniPure™ Rabbit Persistence and degradability	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l Y Anti-Mouse IgG (H+L) Not established.
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 1 LC50 fish 2 ErC50 (algae) L2.2. Persistence and degradability Biotin-SP-conjugated AffiniPure™ Rabbit Persistence and degradability L2.3. Bioaccumulative potential	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l Y Anti-Mouse IgG (H+L) Not established.
Ecology - general Sodium chloride (7647-14-5) LC50 fish 1 EC50 Daphnia 1 LC50 fish 2 EC50 Daphnia 2 NOEC chronic fish Sodium azide (26628-22-8) LC50 fish 1 LC50 fish 1 LC50 fish 2 ErC50 (algae) 2.2. Persistence and degradability Biotin-SP-conjugated AffiniPure™ Rabbit Persistence and degradability 2.3. Bioaccumulative potential Biotin-SP-conjugated AffiniPure™ Rabbit	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through]) 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) 340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) 252 mg/l (Species: Pimephales promelas) 0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) 0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) 0,348 mg/l y Anti-Mouse lgG (H+L) Not established.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- : Dispose of contents/container in accordance with local, regional, national, and international regulations.
- recommendations Ecology - waste materials

Product/Packaging disposal

: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN numb	er			
Not regulated for tra	ansport			
14.2. UN prope	r shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport	hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing g	oup			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environm	ental hazards			
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No	environment : No	environment : No	environment : No
	Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Sodium azide (26628-22-8)	
---------------------------	--

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTIO	N 16. Ot	her infor	mation
SECHO	110.00		mation

and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.Other information: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830	Date of Preparation or Latest Revision Data sources	 26/04/2024 Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information,
	Other information	according to GHS or their subsequent adoption of GHS. According to Regulation (EC) No. 1907/2006 (REACH) with its amendment

Full Text of H- and EUH-statements:

Acute toxicity (oral), Category 2	
Hazardous to the aquatic environment — Acute Hazard, Category 1	
Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Fatal if swallowed.	
Very toxic to aquatic life.	
Very toxic to aquatic life with long lasting effects.	
Harmful to aquatic life with long lasting effects.	
Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC – European Economic Community	 NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP - National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH - Potential Hydrogen REACH - Registration, Evaluation, Authorisation, and Restriction of Chemicals RID - Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature
EEC – European Economic Community EINECS – European Inventory of Existing Commercial Chemical	SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



Substances STEL - Short Term Exposure Limit EmS-No. (Fire) - IMDG Emergency Schedule Fire STOT - Specific Target Organ Toxicity EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations FU – Furopean Union ErC50 - EC50 in Terms of Reduction Growth Rate ThOD – Theoretical Oxygen Demand GHS - Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit Chemicals TLV - Threshold Limit Value IARC - International Agency for Research on Cancer TPRD - Trumpalaikio Poveikio Ribinis Dydis IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV – Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische LD50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC - Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse EU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.