

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

		Date of issue: 26/04/2024	Version: 3.1
SECTION 1: Identification of the substance/mixture and of the company/undertaking			and of the company/undertaking
1.1.	Product identifier		
Produ	ict Form	: Mixture	
Product Name		: DyLight™405-conjugated Affir	iPure™ F(ab') ₂ Fragment Donkey Anti-Guinea Pig IgG

Product Code

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses 1.2.1.

- Use of the substance/mixture
- : For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

(H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Syrian Hamster, Horse,

Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer	European Contact
Jackson ImmunoResearch Laboratories, Inc.	Jackson ImmunoResearch Europe LTD
872 West Baltimore Pike	Cambridge House
West Grove, PA 19390	St Thomas' Place
T: 800-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK
F: 610-869-0171	T: +44 (0) 1638 782616
tech@jacksonimmuno.com	F: +44 (0) 1353 664675
www.jacksonimmuno.com	info@jacksonimmuno.com
	help@jacksonimmuno.com

: 706-476-148

Email address for the person responsible for this SDS: tech@jacksonimmuno.com

Emergency telephone number 1.4.

Emergency number : +1-610-869-4024 (USA)

SECTION 2: Hazards identification

Classification ftha a

2.1. Classification of the substance o	r mixture
Classification According to Regulation (EC) N	o. 1272/2008 [CLP]
Aquatic Chronic3	H412
Full text of hazard classes and H-statements	s: see section 16
Adverse physicochemical, human health and	l environmental effects
No additional information available	
2.2. Label elements	
Labelling According to Regulation (EC) No. 12	272/2008 [CLP]
Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international
	regulation.

EUH-statements

EUH032 - Contact with acids liberates very toxic gas.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
DyLight™405-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Guinea	(CAS-No.) Not assigned	1.58	Not classified
Pig IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)			
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed



Safety Data Sheet

Symptoms/effects	
-, -, -,	 Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
	medical attention and special treatment needed
	ice and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting mea	
5.1. Extinguishing media	
Suitable extinguishing media	: Water coray for carbon diavida (COa) alcohol resistant foam or dry chemical
Suitable extiliguisting media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	rom the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,
	and carbon disulfide to form shock-sensitive compounds. Reacts with acids,
	forming toxic and explosive hydrogen azide. Contact with acids liberates toxic
	gas.
Hazardous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Durate at an alcusture C C L C	: Do not enter fire area without proper protective equipment, including respiratory
Protection during firefighting	
Protection during fireflighting	protection.
SECTION 6: Accidental relea	protection.
SECTION 6: Accidental relea	protection.
SECTION 6: Accidental relea	protection. Se measures
SECTION 6: Accidental relea 6.1. Personal precautions, protec	protection. Se measures tive equipment and emergency procedures
SECTION 6: Accidental relea 6.1. Personal precautions, protec General measures	protection. Se measures tive equipment and emergency procedures
SECTION 6: Accidental relea 6.1. Personal precautions, protec General measures 6.1.1. For non-emergency personnel	protection. SE MEASURES tive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing.
SECTION 6: Accidental relea 6.1. Personal precautions, protec General measures 6.1.1. For non-emergency personnel Protective equipment	protection. SE MEASURES tive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE).
SECTION 6: Accidental relea 6.1. Personal precautions, protec General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures	protection. SE MEASURES tive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE).
SECTION 6: Accidental relea 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders	protection. SE MEASURES tive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel.
SECTION 6: Accidental relea 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	protection. SE MEASURES tive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel. : Equip cleanup crew with proper protection.
SECTION 6: Accidental relea 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	protection. SE MEASURES tive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel. : Equip cleanup crew with proper protection. : Upon arrival at the scene, a first responder is expected to recognize the presence
SECTION 6: Accidental relea 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	protection. SE MEASURES tive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel. : Equip cleanup crew with proper protection. : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for
 SECTION 6: Accidental releat 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 	protection. SE MEASURES tive equipment and emergency procedures : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel. : Equip cleanup crew with proper protection. : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for
 SECTION 6: Accidental releat 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 	 protection. SE MEASURES tive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.
 SECTION 6: Accidental releat 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.1.2. Environmental precautions 	 protection. SE MEASURES tive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.
 SECTION 6: Accidental releat 6.1. Personal precautions, protection General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 6.3. Methods and material for comparison 	 protection. SE MEASURES tive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.

DyLight [™] 405-conjugated AffiniPure [™] F(ab') ₂ Fragment Donkey Anti-Guinea Pig IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins) Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830			
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.		
6.4. Reference to other sections	S		
See Section 8 for exposure controls and	personal protection and Section 13 for disposal considerations.		
SECTION 7: Handling and st			
7.1. Precautions for safe handling			
Precautions for safe handling	 Wash hands and other exposed areas with mild soap and water before eating, 		
	drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.		
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.		
7.2. Conditions for safe storage	, including any incompatibilities		
Technical measures	: Comply with applicable regulations.		
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.		
Incompatible materials	: Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated		

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

hydrocarbons.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-14-5)		
Latvia	OEL TWA (mg/m ³)	5 mg/m ³
Lithuania	IPRV (mg/m³)	5 mg/m ³
Sodium azide (26628-22	-8)	
EU	IOELV TWA (mg/m³)	0,1 mg/m ³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m ³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³



Safety Data Sheet

Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	0,2 mg/m ³
Gibraltar	Eight hours mg/m3	0,1 mg/m ³
Gibraltar	Short-term mg/m3	0,3 mg/m ³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m³)	0,3 mg/m ³
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m ³
Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m ³)	0,1 mg/m ³
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m³)	0,1 mg/m ³ (indicative limit value)
Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m³
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
	1	0.1 mg/m3
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
Denmark Estonia	Grænseværdie (langvarig) (mg/m ³) OEL TWA (mg/m ³)	0,1 mg/m ³



Safety Data Sheet

MaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³	Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³
HungaryAK-érték0,1 mg/m³HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL (16 min ref) (mg/m3)0,1 mg/m³UthuaniaIPRV (mg/m³)0,1 mg/m³UthuaniaTPRV (mg/m³)0,3 mg/m³UthuaniaOEL Themical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,3 mg/m³UxembourgOEL TTL (mg/m³)0,3 mg/m³LuxembourgOEL TWA (mg/m³)0,1 mg/m³MaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL TEL (mg/m³)0,3 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³NorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³PolandNDS (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³SlovakiaNPHV (Priemerná) (mg/m³)0,3 mg/m³SloveniaOEL TMA (mg/m³)0,	Finland	HTP-arvo (15 min)	0,3 mg/m³
HungaryCK-érték0,3 mg/m³IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m²)0,1 mg/m³UthuaniaTPRV (mg/m³)0,3 mg/m³UthuaniaOEL chemical category (IT)Skin notationUxembourgOEL TWA (mg/m³)0,1 mg/m³UxembourgOEL Chemical category (UU)Possibility of significant uptake through the skinMaltaOEL Chemical category (UU)Possibility of significant uptake through the skinMaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (ANI (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (Priemerná) (mg/m³)0,3 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (Priemerná) (mg/m³)0,3 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,1 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m3)0,3 mg/m³Slovenia<	Finland	OEL chemical category (FI)	Potential for cutaneous absorption
IrelandOEL (8 hours ref) (mg/m³)0,1 mg/m³IrelandOEL (15 min ref) (mg/m3)0,3 mg/m³IrelandOEL chemical category (IE)Potential for cutaneous absorptionUthuaniaIPRV (mg/m³)0,1 mg/m³UthuaniaTPRV (mg/m³)0,3 mg/m³UthuaniaOEL chemical category (IT)Skin notationLuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL chemical category (NT)Possibility of significant uptake through the skinMaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (NT)Possibility of significant uptake through the skinNorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³PolandNDS (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (Priemerná) (mg/m³)0,3 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category	Hungary	AK-érték	0,1 mg/m³
IrelandOEL (15 min ref) (mg/m3)0,3 mg/m3IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m3)0,1 mg/m3LithuaniaTPRV (mg/m3)0,3 mg/m3LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL STEL (mg/m3)0,3 mg/m3LuxembourgOEL STEL (mg/m3)0,3 mg/m3LuxembourgOEL Chemical category (LU)Possibility of significant uptake through the skinMaltaOEL STEL (mg/m3)0,3 mg/m3MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m3)0,1 mg/m3NorwayGrenseverdier (Korttidsverdi) (mg/M3)0,3 mg/m3PolandNDS (mg/m3)0,1 mg/m3RomaniaOEL STEL (mg/m3)0,3 mg/m3RomaniaOEL TWA (mg/m3)0,1 mg/m3PolandNDS (mg/m3)0,3 mg/m3RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m3)0,3 mg/m3SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL Chemical category (SK)Potential for cutaneous absorptio	Hungary	CK-érték	0,3 mg/m ³
IrelandOEL chemical category (IE)Potential for cutaneous absorptionLithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxenbourgOEL TWA (mg/m³)0,1 mg/m³LuxenbourgOEL STEL (mg/m³)0,3 mg/m³LuxenbourgOEL Chemical category (LU)Possibility of significant uptake through the skinMaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³PolandNDS (mg/m³)0,3 mg/m³PolandNDS (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3	Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m³
LithuaniaIPRV (mg/m³)0,1 mg/m³LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL Chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL TETL (mg/m³)0,3 mg/m³MaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Stemical category (SL)Potential for cutaneous absorptionSloveniaOEL Stemical category (SK)Potential for cutaneous absorptionSloveniaOEL Stemical category (SL)Potential for cutaneous absorptionSloveniaOEL themical category (SL)Potential for cutaneous absorptionSloveniaOEL Stemical category (SL)Potential for cutaneous absorption <t< td=""><td>Ireland</td><td>OEL (15 min ref) (mg/m3)</td><td>0,3 mg/m³</td></t<>	Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³
LithuaniaTPRV (mg/m³)0,3 mg/m³LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL Chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,1 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaO	Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
LithuaniaOEL chemical category (LT)Skin notationLuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL Chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,1 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaOEL themical category (SK)Potential for cutaneous absorptionSlovakiaOEL TWA (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedenkotridsvärde (KTV) (mg/m³)0,1 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedenkotridsvärde (KTV) (mg/m³)0,1 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³PortugalOEL TWA (mg/m³) <td>Lithuania</td> <td>IPRV (mg/m³)</td> <td>0,1 mg/m³</td>	Lithuania	IPRV (mg/m ³)	0,1 mg/m³
LuxembourgOEL TWA (mg/m³)0,1 mg/m³LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,3 mg/m³SlovakiaOEL STEL (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedenkortidsvärde (KTV) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)	Lithuania	TPRV (mg/m ³)	0,3 mg/m ³
LuxembourgOEL STEL (mg/m³)0,3 mg/m³LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaOEL chemical category (RO)Skin notationSlovakiaOEL Chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,3 mg/m³SoveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³ (indicative limit value)Po	Lithuania	OEL chemical category (LT)	Skin notation
LuxembourgOEL chemical category (LU)Possibility of significant uptake through the skinMaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaOEL themical category (SK)Potential for cutaneous absorptionSlovaniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³PortugalOEL Cellings (mg/m	Luxembourg	OEL TWA (mg/m ³)	0,1 mg/m ³
MaltaOEL TWA (mg/m³)0,1 mg/m³MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,1 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedennivågränsvärde (KVV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL TWA (mg/m³)0,29 mg/m³	Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
MaltaOEL STEL (mg/m³)0,3 mg/m³MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,3 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL SELE (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,3 mg/m³ (indicative limit value)	Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
MaltaOEL chemical category (MT)Possibility of significant uptake through the skinNorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL STEL (mg/m³)0,3 mg/m³SlovaniaOEL chemical category (SL)Potential for cutaneous absorptionSlovaniaOEL chemical category (SL)NPM* <t< td=""><td>Malta</td><td>OEL TWA (mg/m³)</td><td>0,1 mg/m³</td></t<>	Malta	OEL TWA (mg/m ³)	0,1 mg/m ³
NorwayGrenseverdier (AN) (mg/m³)0,1 mg/m³NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m³ (value from the regulation)PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL STEL (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,29 mg/m³	Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
NorwayGrenseverdier (Korttidsverdi) (mg/m3)0,3 mg/m3 (value from the regulation)PolandNDS (mg/m3)0,1 mg/m3PolandNDSCh (mg/m3)0,3 mg/m3RomaniaOEL TWA (mg/m3)0,1 mg/m3RomaniaOEL STEL (mg/m3)0,3 mg/m3RomaniaOEL Chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m3)0,1 mg/m3 (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m3)0,3 mg/m3SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL STEL (mg/m3)0,1 mg/m3SloveniaOEL Chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m3)0,1 mg/m3Swedenkortidsvärde (KTV) (mg/m3)0,3 mg/m3PortugalOEL TWA (mg/m3)0,3 mg/m3 (indicative limit value)PortugalOEL TEL (mg/m3)0,3 mg/m3 (indicative limit value)PortugalOEL Ceilings (mg/m3)0,3 mg/m3 (indicative limit value)	Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
PolandNDS (mg/m³)0,1 mg/m³PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovakiaOEL trWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,29 mg/m³	Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m ³
PolandNDSCh (mg/m³)0,3 mg/m³RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³	Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
RomaniaOEL TWA (mg/m³)0,1 mg/m³RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovaniaOEL twA (mg/m³)0,1 mg/m³SloveniaOEL TWA (mg/m³)0,3 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)	Poland	NDS (mg/m ³)	0,1 mg/m ³
RomaniaOEL STEL (mg/m³)0,3 mg/m³RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSlovakiaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,29 mg/m³	Poland	NDSCh (mg/m ³)	0,3 mg/m ³
RomaniaOEL chemical category (RO)Skin notationSlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,29 mg/m³	Romania	OEL TWA (mg/m ³)	0,1 mg/m ³
SlovakiaNPHV (priemerná) (mg/m³)0,1 mg/m³ (Sodium azide)SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,29 mg/m³	Romania	OEL STEL (mg/m ³)	0,3 mg/m ³
SlovakiaNPHV (Hranicná) (mg/m³)0,3 mg/m³SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Romania	OEL chemical category (RO)	Skin notation
SlovakiaOEL chemical category (SK)Potential for cutaneous absorptionSloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL Ceilings (mg/m³)0,29 mg/m³	Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
SloveniaOEL TWA (mg/m³)0,1 mg/m³SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m ³
SloveniaOEL STEL (mg/m³)0,3 mg/m³SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
SloveniaOEL chemical category (SL)Potential for cutaneous absorptionSwedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovenia	OEL TWA (mg/m ³)	0,1 mg/m ³
Swedennivågränsvärde (NVG) (mg/m³)0,1 mg/m³Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Swedenkortidsvärde (KTV) (mg/m³)0,3 mg/m³PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
PortugalOEL TWA (mg/m³)0,1 mg/m³ (indicative limit value)PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m ³
PortugalOEL STEL (mg/m³)0,3 mg/m³ (indicative limit value)PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
PortugalOEL - Ceilings (mg/m³)0,29 mg/m³	Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)
	Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal OEL - Ceilings (ppm) 0,11 ppm (vapor)	Portugal	OEL - Ceilings (mg/m ³)	0,29 mg/m ³
	Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)



Safety Data Sheet

Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	
8.2. Exposure controls Appropriate engineering controls		uipment should be available in the vicinity of any	
Personal protective equipment	potential exposure. Ensure : Gloves. Protective clothing.	all national/local regulations are observed. Protective goggles.	
	R R		
Materials for protective clothing	: Chemically resistant materi	ials and fabrics.	
Hand protection	: Wear protective gloves.		
Eye and Face Protection	: Chemical safety goggles.		
Skin and body protection	: Wear suitable protective cl	-	
Respiratory protection	-	ded or irritation is experienced, approved respiratory	
	protection should be worn. In case of inadequate ventilation, oxygen deficient		
		sure levels are not known wear approved respiratory	
	protection.		
Other information	: When using, do not eat, dri	nk or smoke.	
SECTION 9: Physical and c			
	sical and chemical properties		
Physical state	: Solid		
Colour	: Light tan solid	ter	
Odour Odour threshold	: Odourless, as v : No data availal		
pH		drated with indicated volume of H ₂ O	
Evaporation rate	: No data availal		
Melting point	: No data availal		
Freezing point	: No data availal		
Boiling point	: No data availal		
Flash point	: No data availal : No data availal		
Auto-ignition temperature			
Decomposition temerature Flammability (solid, gas)	: No data availal : No data availal		
Vapour pressure	: No data availal		
Relative vapour density at 20 °C	: No data availal		
Relative density	: No data availal		
Solubility	: Water		
Partition coefficent: n-octanol/water		ble	
Viscosity	: No data availal		
Explosive properties	: No data availal		
Oxidising properties	: No data availal		
Explosive limits	: No data availal		

DyLight[™]405-conjugated AffiniPure[™] F(ab')₂ Fragment Donkey

Anti-Guinea Pig IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Acute toxicity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m ³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)

LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

12.2. Persistence and degradability

DyLight™405-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Guinea Pig IgG (H+L) (minimal cross-reaction to Bovine,		
Chicken, Goat, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		

DyLight™405-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Guinea Pig IgG (H+L) (minimal cross-reaction to Bovine,		
Chicken, Goat, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, and Sheep Serum Proteins)		
Bioaccumulative potential Not established.		
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	
12.4. Mobility in soil		

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
	environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	gulated for trans	sport			
14.2.	14.2. UN proper shipping name				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviro	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Date of Preparation or Latest Revision Data sources	 26/04/2024 Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body 	
Other information	 websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS. According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 	

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists	NDS - Najwyzsze Dopuszczalne Stezenie
ADN – European Agreement Concerning the International Carriage of	NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe
Dangerous Goods by Inland Waterways	NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe
ADR - European Agreement Concerning the International Carriage of	NOAEL - No-Observed Adverse Effect Level
Dangerous Goods by Road	NOEC - No-Observed Effect Concentration
ATE - Acute Toxicity Estimate	NRD - Nevirsytinas Ribinis Dydis
BCF - Bioconcentration Factor	NTP – National Toxicology Program
BEI - Biological Exposure Indices (BEI)	OEL - Occupational Exposure Limits
BOD – Biochemical Oxygen Demand	PBT - Persistent, Bioaccumulative and Toxic
CAS No Chemical Abstracts Service Number	PEL - Permissible Exposure Limit
CLP – Classification, Labeling and Packaging Regulation (EC) No	pH – Potential Hydrogen
1272/2008	REACH – Registration, Evaluation, Authorisation, and Restriction of
COD – Chemical Oxygen Demand	Chemicals
COD – Chemical Oxygen Demand	Chemicals
EC – European Community	RID – Regulations Concerning the International Carriage of Dangerous
EC50 - Median Effective Concentration	Goods by Rail
EEC – European Economic Community	SADT - Self Accelerating Decomposition Temperature
EINECS – European Inventory of Existing Commercial Chemical	SDS - Safety Data Sheet
Substances	STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage EU – European Union ErC50 - EC50 in Terms of Reduction Growth Rate GHS – Globally Harmonized System of Classification and Labeling of Chemicals IARC - International Agency for Research on Cancer IATA - International Agency for Research on Cancer IATA - International Air Transport Association IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods IPRV - Ilgalaikio Poveikio Ribinis Dydis IOELV – Indicative Occupational Exposure Limit Value LC50 - Median Lethal Concentration LD50 - Median Lethal Dose LOAEL - Lowest Observed Adverse Effect Level LOEC - Lowest Observed Adverse Effect Level LOEC - Lowest Observed Partition Coefficient Log Kow - Octanol/water Partition Coefficient Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water MAK – Maximum Workplace Concentration/Maximum Permissible	TA-Luft - Technische Anleitung zur Reinhaltung der Luft TEL TRK – Technical Guidance Concentrations ThOD – Theoretical Oxygen Demand TLM - Median Tolerance Limit TLV - Threshold Limit Value TPRD - Trumpalaikio Poveikio Ribinis Dydis TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regeln für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte TSCA - Toxic Substances Control Act TWA - Time Weighted Average VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración VLA-ED - Valeur Limite D'exposition VME – Valeur Limite De Moyenne Exposition vPvB - Very Persistent and Very Bioaccumulative
	·
MAK – Maximum Workplace Concentration/Maximum Permissible	vPvB - Very Persistent and Very Bioaccumulative
Concentration	WEL–Workplace Exposure Limit
MARPOL - International Convention for the Prevention of Pollution	WGK - Wassergefährdungsklasse
EU GHS SDS	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.