• Mixturo



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Version: 3.1
pany/undertaking

#### 1.1. **Product identifier** Droduct Form

Product Form	
Product Name	: Alexa Fluor® 594-conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Donkey Anti-Human
	IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian
	Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)
Product Code	: 709-586-149
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer	European Contact
Jackson ImmunoResearch Laboratories, Inc.	Jackson ImmunoResearch Europe LTD
872 West Baltimore Pike	Cambridge House
West Grove, PA 19390	St Thomas' Place
T: 800-367-5296, 610-869-4024	Ely, Cambridgeshire CB7 4EX, UK
F: 610-869-0171	T: +44 (0) 1638 782616
tech@jacksonimmuno.com	F: +44 (0) 1353 664675
www.jacksonimmuno.com	info@jacksonimmuno.com
	help@jacksonimmuno.com

Email address for the person responsible for this SDS: tech@jacksonimmuno.com

1.4. **Emergency telephone number** 

Emergency number : +1-610-869-4024 (USA)

## SECTION 2: Hazards identification

2.1. Classification of the substance or	mixture
Classification According to Regulation (EC) No.	1272/2008 [CLP]
Aquatic Chronic3	H412
Full text of hazard classes and H-statements:	see section 16
Adverse physicochemical, human health and e	environmental effects
No additional information available	
2.2. Label elements	
Labelling According to Regulation (EC) No. 127	72/2008 [CLP]
Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international
	regulation.
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.

Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

## 3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Alexa Fluor® 594-conjugated AffiniPure™ F(ab') <sub>2</sub> Fragment Donkey	(CAS-No.) Not assigned	1.61	Not classified
Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)			
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.7	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.13	Not classified

## Full text of H-statements: see section 16

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed



Safety Data Sheet

Symptoms/effects	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> </ul>
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
4.3. Indication of any immediate n	nedical attention and special treatment needed
If exposed or concerned, get medical advic	e and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO <sub>2</sub> ), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	om the substance or mixture
Fire hazard	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,
Reactivity	and carbon disulfide to form shock-sensitive compounds. Reacts with acids,
	forming toxic and explosive hydrogen azide. Contact with acids liberates toxic
	gas.
Hazardous decomposition products in	: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	. Hydrogen enforme. Sourdin oxides. Mitrogen oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
	protection.
SECTION 6: Accidental releas	e measures
SECTION 6: Accidental releas 6.1. Personal precautions, protections	protection. e measures ive equipment and emergency procedures
SECTION 6: Accidental releas 6.1. Personal precautions, protecting General measures	e measures
SECTION 6: Accidental releas 6.1. Personal precautions, protecting General measures 6.1.1. For non-emergency personnel	protection. <b>C MeasUres</b> <b>ive equipment and emergency procedures</b> : Avoid prolonged contact with eyes, skin and clothing.
<b>SECTION 6: Accidental releas</b> <b>6.1. Personal precautions, protecti</b> General measures <b>6.1.1. For non-emergency personnel</b> Protective equipment	protection. <b>e measures</b> <b>ive equipment and emergency procedures</b> : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE).
<b>SECTION 6: Accidental releas</b> <b>6.1. Personal precautions, protections</b> General measures <b>6.1.1. For non-emergency personnel</b> Protective equipment Emergency procedures	protection. <b>C MeasUres</b> <b>ive equipment and emergency procedures</b> : Avoid prolonged contact with eyes, skin and clothing.
<ul> <li>SECTION 6: Accidental release</li> <li>6.1. Personal precautions, protection</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> </ul>	protection. <b>e measures</b> <b>ive equipment and emergency procedures</b> : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel.
SECTION 6: Accidental releas 6.1. Personal precautions, protecting General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	protection. <b>C MeasUres</b> <b>ive equipment and emergency procedures</b> : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel. : Equip cleanup crew with proper protection.
<ul> <li>SECTION 6: Accidental release</li> <li>6.1. Personal precautions, protection</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> </ul>	protection. <b>C measures</b> <b>ive equipment and emergency procedures</b> : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel. : Equip cleanup crew with proper protection. : Upon arrival at the scene, a first responder is expected to recognize the presence
SECTION 6: Accidental releas 6.1. Personal precautions, protecting General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	<ul> <li>protection.</li> <li>e measures</li> <li>ive equipment and emergency procedures</li> <li>Avoid prolonged contact with eyes, skin and clothing.</li> <li>Use appropriate personal protective equipment (PPE).</li> <li>Evacuate unnecessary personnel.</li> <li>Equip cleanup crew with proper protection.</li> <li>Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for</li> </ul>
<ul> <li>SECTION 6: Accidental release</li> <li>6.1. Personal precautions, protection</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> <li>Emergency procedures</li> </ul>	protection. <b>C measures</b> <b>ive equipment and emergency procedures</b> : Avoid prolonged contact with eyes, skin and clothing. : Use appropriate personal protective equipment (PPE). : Evacuate unnecessary personnel. : Equip cleanup crew with proper protection. : Upon arrival at the scene, a first responder is expected to recognize the presence
SECTION 6: Accidental releas 6.1. Personal precautions, protecting General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	<ul> <li>protection.</li> <li>E measures</li> <li>ive equipment and emergency procedures</li> <li>Avoid prolonged contact with eyes, skin and clothing.</li> <li>Use appropriate personal protective equipment (PPE).</li> <li>Evacuate unnecessary personnel.</li> <li>Equip cleanup crew with proper protection.</li> <li>Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.</li> </ul>
<ul> <li>SECTION 6: Accidental release</li> <li>6.1. Personal precautions, protection</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.2. Environmental precautions</li> </ul>	<ul> <li>protection.</li> <li>E measures</li> <li>ive equipment and emergency procedures</li> <li>Avoid prolonged contact with eyes, skin and clothing.</li> <li>Use appropriate personal protective equipment (PPE).</li> <li>Evacuate unnecessary personnel.</li> <li>Equip cleanup crew with proper protection.</li> <li>Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.</li> <li>Prevent entry to sewers and public waters. Avoid release to the environment.</li> </ul>
<ul> <li>SECTION 6: Accidental release</li> <li>6.1. Personal precautions, protection</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.2. Environmental precautions</li> <li>6.3. Methods and material for comparison</li> </ul>	<ul> <li>protection.</li> <li>E Measures</li> <li>ive equipment and emergency procedures</li> <li>Avoid prolonged contact with eyes, skin and clothing.</li> <li>Use appropriate personal protective equipment (PPE).</li> <li>Evacuate unnecessary personnel.</li> <li>Equip cleanup crew with proper protection.</li> <li>Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.</li> <li>Prevent entry to sewers and public waters. Avoid release to the environment.</li> </ul>
<ul> <li>SECTION 6: Accidental release</li> <li>6.1. Personal precautions, protection</li> <li>General measures</li> <li>6.1.1. For non-emergency personnel</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> <li>Emergency procedures</li> <li>6.2. Environmental precautions</li> </ul>	<ul> <li>protection.</li> <li>E measures</li> <li>ive equipment and emergency procedures</li> <li>Avoid prolonged contact with eyes, skin and clothing.</li> <li>Use appropriate personal protective equipment (PPE).</li> <li>Evacuate unnecessary personnel.</li> <li>Equip cleanup crew with proper protection.</li> <li>Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.</li> <li>Prevent entry to sewers and public waters. Avoid release to the environment.</li> </ul>



Sheep Serum Proteins) Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.

## 6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and	storage
7.1. Precautions for safe hand	ling
Precautions for safe handling	<ul> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.</li> </ul>
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storag	e, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	<ul> <li>Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.</li> </ul>

## 7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Sodium chloride (7647-1	L4-5)			
Latvia	OEL TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>		
Lithuania	IPRV (mg/m³)	5 mg/m <sup>3</sup>		
Sodium azide (26628-22	Sodium azide (26628-22-8)			
EU	IOELV TWA (mg/m³)	0,1 mg/m <sup>3</sup>		
EU	IOELV STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>		
EU	Notes	Possibility of significant uptake through the skin		
Austria	MAK (mg/m³)	0,1 mg/m <sup>3</sup>		
Austria	MAK Short time value (mg/m³)	0,3 mg/m <sup>3</sup>		
Austria	OEL chemical category (AT)	Skin notation		
Belgium	OEL chemical category (BE)	Skin, Skin notation		
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>		
Bulgaria	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>		
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³		
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³		
Croatia	OEL chemical category (HR)	Skin notation		
Cyprus	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>		



Safety Data Sheet

ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)	Cyprus	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m²)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL themical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,2 pmg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 pmg/m³USA ACGIHACGIH Ceiling (pm)0,1 ng/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionIatviaOEL Chemical category (UV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SwitzerlandKZGW (mg/m³)0,1 mg/m³SwitzerlandMAK (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United Kingdom	Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,29 mg/m³GreeceOEL STEL (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmUSA ACGIHOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL Chemical category (IT)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ItalviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,3 mg/m³SvitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³SolariaOEL chemical category (ES)skin - potential for cutaneous absorptionSvitzerlandKZGW (mg/m³)0,1 mg/m³United KingdomWEL	France	VLE (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (restrictive limit)
GermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionItalviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,2 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (indicative limit value)SwitzerlandMAK (mg/m³)0,2 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)	France	VME (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (restrictive limit)
value (mg/m³)valueGibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,2 g mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 g mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL tWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SyainVLA-EC (mg/m³)0,3 mg/m³SwitzerlandMAK (mg/m³)0,2 mg/m² (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³ <td>France</td> <td>OEL chemical category (FR)</td> <td>Risk of cutaneous absorption</td>	France	OEL chemical category (FR)	Risk of cutaneous absorption
GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL S	Germany		0,2 mg/m <sup>3</sup>
GibraltarOEL chemical category (Gi)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmUSA ACGIHOEL TVA (mg/m³)0,1 mg/m³ItalyOEL TVA (mg/m³)0,1 mg/m³ItalyOEL TVA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (indicative limit value)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³ <td>Gibraltar</td> <td>Eight hours mg/m3</td> <td>0,1 mg/m<sup>3</sup></td>	Gibraltar	Eight hours mg/m3	0,1 mg/m <sup>3</sup>
GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (ppm)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmUSA ACGIHACGIH Ceiling (ppm)0,1 mg/m³USA ACGIHOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³DenmarkGrensveardie (langvarig) (mg/m³)<	Gibraltar	Short-term mg/m3	0,3 mg/m <sup>3</sup>
GreeceOEL TWA (ppm)0.1 ppmGreeceOEL STEL (mg/m³)0.3 mg/m³GreeceOEL STEL (ppm)0.1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0.29 mg/m³USA ACGIHACGIH Ceiling (ppm)0.11 ppmItalyOEL STEL (mg/m³)0.1 mg/m³ItalyOEL STEL (mg/m³)0.1 mg/m³ItalyOEL TWA (mg/m³)0.1 mg/m³ItalyOEL TWA (mg/m³)0.1 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0.1 mg/m³SpainVLA-ED (mg/m³)0.3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0.4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0.2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0.2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0.3 mg/m³United KingdomWEL TWA (mg/m³)0.3 mg/m³United KingdomWEL SteL (mg/m³)0.3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicDE chemical categoryPotential for cutaneous absorptionCzech RepublicOEL chemical categoryPotential for cutaneous absorptionDemarkGrensveardie (langvarig) (mg/m³)0.1 mg/m³EstoniaOEL chemical categoryPotential for cutaneous absorption <tr< td=""><td>Gibraltar</td><td>OEL chemical category (GI)</td><td>Skin notation</td></tr<>	Gibraltar	OEL chemical category (GI)	Skin notation
GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (indicative limit value)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Cech RepublicOEL chemical categoryPotential for cutaneous absorptionDenmarkGrasnseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL chemical categoryPotential for cutaneous absorptionDenmarkGrasnseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL themical categoryPotential for cutaneous abso	Greece	OEL TWA (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³StoniaOEL chemical category (CZ)Potential for cutaneous absorption	Greece	OEL TWA (ppm)	0,1 ppm
USA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³	Greece	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
USA ACGIHACGIH Celling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL tremical category (CZ)Potential for cutaneous absorption	Greece	OEL STEL (ppm)	0,1 ppm
ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical category (CZ)Potential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGreanseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³	USA ACGIH	ACGIH Ceiling (mg/m <sup>3</sup> )	0,29 mg/m <sup>3</sup>
ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG SH (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical category (CZ)Potential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGreanseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL themical category (CZ)Potential for cutaneous absorption	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical category (CZ)Potential for cutaneous absorptionCzech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL Chemical category (CZ)Potential for cutaneous absorption	Italy	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³	Italy	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Latvia	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³OEL STEL (mg/m³)0,1 mg/m³0,1 mg/m³	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Spain	VLA-ED (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup> (indicative limit value)
SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Spain	VLA-EC (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Switzerland	KZGW (mg/m <sup>3</sup> )	0,4 mg/m³ (inhalable dust)
NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Netherlands	Grenswaarde TGG 8H (mg/m <sup>3</sup> )	0,1 mg/m³
United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m <sup>3</sup>
United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	United Kingdom	WEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	United Kingdom	WEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	United Kingdom	WEL chemical category	Potential for cutaneous absorption
DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m <sup>3</sup>
EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Estonia OEL STEL (mg/m <sup>3</sup> ) 0,3 mg/m <sup>3</sup>	Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m <sup>3</sup>
	Estonia	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup>
Estonia OEL chemical category (ET) Sensitizer, Skin notation	Estonia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
	Estonia	OEL chemical category (ET)	Sensitizer, Skin notation



Safety Data Sheet

Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³
Finland	HTP-arvo (15 min)	0,3 mg/m <sup>3</sup>
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m <sup>3</sup>
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m³)	0,1 mg/m³
Lithuania	TPRV (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Luxembourg	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Malta	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m³)	0,1 mg/m <sup>3</sup>
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m <sup>3</sup> (value from the regulation)
Poland	NDS (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Poland	NDSCh (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Romania	OEL TWA (mg/m <sup>3</sup> )	0,1 mg/m <sup>3</sup>
Romania	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup>
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m <sup>3</sup>
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m <sup>3</sup>
Portugal	OEL TWA (mg/m³)	0,1 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL STEL (mg/m <sup>3</sup> )	0,3 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m <sup>3</sup>
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
	1	·

Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)



Safety Data Sheet

Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value	
8.2. Exposure controls			
Appropriate engineering controls		uipment should be available in the vicinity of any	
	potential exposure. Ensure all national/local regulations are observed.		
Personal protective equipment	: Gloves. Protective clothing. Protective goggles.		
Materials for protective clothing	: Chemically resistant materi	ials and fabrics.	
Hand protection	: Wear protective gloves.		
Eye and Face Protection	: Chemical safety goggles.		
Skin and body protection	: Wear suitable protective cl	othing.	
Respiratory protection	: If exposure limits are excee	ded or irritation is experienced, approved respiratory	
	protection should be worn.	In case of inadequate ventilation, oxygen deficient	
	atmosphere, or where exposure levels are not known wear approved respiratory		
	protection.		
Other information	: When using, do not eat, dri	nk or smoke.	
SECTION 9: Physical and c	hemical properties		
	ical and chemical properties		
Physical state	: Solid		
Colour	: Purple solid		
Odour	: Odourless, as v	vater	
Odour threshold	: No data availal	ble	
рН	: 7.6, when rehyd	drated with indicated volume of H <sub>2</sub> O	
Evaporation rate	: No data availal	ble	
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temerature	: No data availal	ble	
Flammability (solid, gas)	: No data availal	ble	
Vapour pressure	: No data availal	ble	
Relative vapour density at 20 °C	: No data available		
Relative density	: No data availal	ble	
Solubility	: Water		
Partition coefficent: n-octanol/water	: No data availal	ble	
Viscosity	: No data availal	ble	
Explosive properties	: No data availal	ble	
Oxidising properties	: No data available		
Explosive limits	: No data availal	ble	

Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Acute toxicity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

## 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

## 10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

## 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

## **10.6.** Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	> 42 g/m <sup>3</sup> (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H <sub>2</sub> O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>

Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	: Not classified
Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May be harmful or cause irritation.
Symptoms/Injuries After Skin Contact	: Prolonged exposure may cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause slight irritation to eyes.
Symptoms/Injuries After Ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic Symptoms	: None expected under normal conditions of use.
SECTION 12: Ecological informat	ion
12.1. Toxicity	

## Ecology - general

: Harmful to aquatic life with long lasting effects.

## Sodium chloride (7647-14-5)

LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

## 12.2. Persistence and degradability

Alexa Fluor <sup>®</sup> 594-conjugated AffiniPure <sup>™</sup> F(ab') <sub>2</sub> Fragment Donkey Anti-Human IgG (H+L) (minimal cross-reaction to Bovine,		
Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		
Alexa Eluor® 594-conjugated AffiniPure™ E(ab'), Eragment Donkey Anti-Human IgG (H+I) (minimal cross-reaction to Boying		

Alexa Fluor <sup>®</sup> 594-conjugated AffiniPure <sup>™</sup> F(ab') <sub>2</sub> Fragment Donkey Anti-Human IgG (H+L) (minimal cross-reaction to Bovine,		
Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)		
Bioaccumulative potential	Not established.	
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	
12.4. Mobility in soil		

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

Other information

: Avoid release to the environment.

## SECTION 13: Disposal considerations

Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
	environment. Keep out of sewers and waterways.

## SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	gulated for trans	port			
14.2.	14.2. UN proper shipping name				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviro	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

#### 14.6. Special precautions for user

No additional information available

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

#### Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Anti-Human IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Mouse, Rabbit, Rat, and Sheep Serum Proteins)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Date of Preparation or Latest Revision	: 23/04/2024	
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.	
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830	

#### Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

#### Indication of Changes No additional information available

#### **Abbreviations and Acronyms**

BEI - Biological Exposure Indices (BEI)OEL - Occupational Exposure LimitsBOD - Biochemical Oxygen DemandPBT - Persistent, Bioaccumulative and ToxicCAS No Chemical Abstracts Service NumberPEL - Permissible Exposure LimitCLP - Classification, Labeling and Packaging Regulation (EC) NopH - Potential Hydrogen1272/2008REACH - Registration, Evaluation, Authorisation, and Restriction ofCOD - Chemical Oxygen DemandChemicalsEC - European CommunityRID - Regulations Concerning the International Carriage of DangerousEC50 - Median Effective ConcentrationGoods by RailEEC - European Economic CommunitySADT - Self Accelerating Decomposition TemperatureEINECS - European Inventory of Existing Commercial ChemicalSDS - Safety Data Sheet	BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC – European Economic Community EINECS – European Inventory of Existing Commercial Chemical	PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet
SubstancesSTEL - Short Term Exposure LimitEmS-No. (Fire) - IMDG Emergency Schedule FireSTOT - Specific Target Organ Toxicity		



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft EU – European Union TEL TRK – Technical Guidance Concentrations ErC50 - EC50 in Terms of Reduction Growth Rate ThOD - Theoretical Oxygen Demand GHS - Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit TLV - Threshold Limit Value Chemicals IARC - International Agency for Research on Cancer TPRD - Trumpalaikio Poveikio Ribinis Dydis IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV - Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische LD50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC - Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse FU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.