safety data sheet	
European Contact	
s, Inc. Jackson ImmunoResearch Europe LTD	
Cambridge House	
St Thomas' Place	
Ely, Cambridgeshire CB7 4EX, UK	
T: +44 (0) 1638 782616	
F: +44 (0) 1353 664675	
info@jacksonimmuno.com	
help@jacksonimmuno.com	
ble for this SDS:	
ber	
-610-869-4024 (USA)	
ication	
and environmental effects	
o. 1272/2008 [CLP]	
H412 - Harmful to aquatic life with long lasting effects.	
P273 - Avoid release to the environment.	
P501 - Dispose of contents/container to hazardous or special waste co	llection
point, in accordance with local, regional, national and/or internation	al
regulation.	
EUH032 - Contact with acids liberates very toxic gas.	
	s, Inc. Jackson ImmunoResearch Europe LTD Cambridge House St Thomas' Place Ely, Cambridgeshire CB7 4EX, UK T: +44 (0) 1638 782616 F: +44 (0) 1353 664675 info@jacksonimmuno.com help@jacksonimmuno.com ble for this SDS: ber -610-869-4024 (USA) ication e or mixture C) No. 1272/2008 [CLP] H412 ents: see section 16 and environmental effects b. 1272/2008 [CLP] H412 - Harmful to aquatic life with long lasting effects. P273 - Avoid release to the environment. P501 - Dispose of contents/container to hazardous or special waste co point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 25/04/2024 Version: 3.1 SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

Product Form	: Mixture
Product Name	: PerCP-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Rabbit IgG (H+L)
	(minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rat, and Sheep Serum Proteins)
Product Code	: 711-126-152
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.
1.2.2. Uses advised against	

Sheep Serum Proteins)





Safety Data Sheet

Sheep Serum Proteins)

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PerCP-conjugated AffiniPure [™] F(ab') ₂ Fragment Donkey Anti-Rabbit IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rat, and Sheep Serum Proteins)	(CAS-No.) Not assigned	1.06	Not classified
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.51	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.79	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.22	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed



Safety Data Sheet

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after inhalation : May be harmful or cause irritation. Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation. Symptoms/effects after eye contact : May cause slight irritation to eyes. Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic symptoms : None expected under normal conditions of use. 4.3. Indication of any immediate medical attention. If medical advice is needed, have product container or label at hand. SECTION 5: Firefighting measures Suitable extinguishing media Suitable extinguishing media : Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical. Use extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.1. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Exercise caution when fighting any chemical fire.			
Symptoms/effects after skin contact : Prolonged exposure may cause skin irritation. Symptoms/effects after eye contact : May cause slight irritation to eyes. Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic symptoms : None expected under normal conditions of use. 4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. SECTION S: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulf de to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. Stereutionary measures fire Firefighting in	Sympto	ms/effects	
Symptoms/effects after eye contact : May cause slight irritation to eyes. Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic symptoms : None expected under normal conditions of use. 4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media : Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. case of fire : Use water spray or fog for cooling exposed containers. Precautionary measures fire : Exercise cau	Sympto	ms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after ingestion : Ingestion may cause adverse effects. May be harmful if swallowed. Chronic symptoms : None expected under normal conditions of use. 4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Suitable extinguishing media S.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disvide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. Sola Advice for firefighters : Use water spray or fog for cooling exposed containers. Precautionary measures fire : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures : Do not enter fire area without proper	Sympto	ms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Chronic symptoms : None expected under normal conditions of use. 4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disvide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. S.3. Advice for firefighters : Use water spray or fog for cooling exposed containers. Precautionary measures fire : Use water spray or fog for cooling exposed containers. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not there fire area without proper protective equipment, including respiratory protection. SECTION 6: Acccidental release measures : Do	Sympto	ms/effects after eye contact	: May cause slight irritation to eyes.
Chronic symptoms : None expected under normal conditions of use. 4.3. Indication of any immediate medical attention and special treatment needed If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disvide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. S.3. Advice for firefighters : Use water spray or fog for cooling exposed containers. Precautionary measures fire : Use water spray or fog for cooling exposed containers. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not there fire area without proper protective equipment, including respiratory protection. SECTION 6: Acccidental release measures : Do		-	: Ingestion may cause adverse effects. May be harmful if swallowed.
If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. SECTION 5: Firefighting measures S.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media C. Special hazards arising from the substance or mixture Fire hazard Reactivity Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in Case of fire S.3. Advice for firefighters Precautionary measures fire Firefighting instructions Protection during firefighting Decode the substance of or on the fighting any chemical fire. Firefighting instructions Decode the reasures Exercise caution when fighting any chemical fire. Firefighting instructions Decode the reasures Exercise caution when fighting any chemical fire. Firefighting instructions Firefighting instructions CECTION 6: Accidental release measures Exercise equipment and emergency procedures	Chronic	c symptoms	: None expected under normal conditions of use.
If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. SECTION 5: Firefighting measures S.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media C. Special hazards arising from the substance or mixture Fire hazard Reactivity Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in Case of fire S.3. Advice for firefighters Precautionary measures fire Firefighting instructions Protection during firefighting Decode the substance of or on the fighting any chemical fire. Firefighting instructions Decode the reasures Exercise caution when fighting any chemical fire. Firefighting instructions Decode the reasures Exercise caution when fighting any chemical fire. Firefighting instructions Firefighting instructions CECTION 6: Accidental release measures Exercise equipment and emergency procedures	4.3.	Indication of any immediate n	nedical attention and special treatment needed
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 61. Personal precautions, protective equipment and emergency procedures		-	•
5.1. Extinguishing media : Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, or dry chemical. Use extinguishing media 5.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. Use water spray or fog for cooling exposed containers. Precautionary measures fire Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			
Suitable extinguishing media: Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire.Unsuitable extinguishing media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.5.2.Special hazards arising from the substance or mixtureFire hazard: Not AssignedReactivity: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.Hazardous decomposition products in case of fire: Hydrogen chloride. Sodium oxides. Nitrogen oxides. case of fire5.3.Advice for firefighters Precautionary measures fire Firefighting: Exercise caution when fighting any chemical fire. : Use water spray or fog for cooling exposed containers. Protection during firefightingProtection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.SECTION 6: Accidental release measures6.1.Personal precautions, protective equipment and emergency procedures			
Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire. 5.2. Special hazards arising from the substance or mixture Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire 5.3. Advice for firefighters Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Acccidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			· Water spray fog carbon dioxide (CO2) alcohol-resistant foam or dry chemical
Unsuitable extinguishing media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.5.2.Special hazards arising from the substance or mixtureFire hazard: Not AssignedReactivity: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.Hazardous decomposition products in case of fire: Hydrogen chloride. Sodium oxides. Nitrogen oxides.5.3.Advice for firefightersPrecautionary measures fire: Exercise caution when fighting any chemical fire.Firefighting instructions: Use water spray or fog for cooling exposed containers.Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.SECTION 6: Accidental release measures6.1.Personal precautions, protective equipment and emergency procedures	Sultably		_
 5.2. Special hazards arising from the substance or mixture Fire hazard Reactivity Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire 5.3. Advice for firefighters Precautionary measures fire Exercise caution when fighting any chemical fire. Firefighting instructions Use water spray or fog for cooling exposed containers. Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures 	l la cuita	h a cuting via bing pagelia	
Fire hazard : Not Assigned Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. 5.3. Advice for firefighters Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			
Reactivity : Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. 5.3. Advice for firefighters Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures	-		
and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.Hazardous decomposition products in case of fire: Hydrogen chloride. Sodium oxides. Nitrogen oxides.5.3.Advice for firefightersPrecautionary measures fire Firefighting instructions Protection during firefighting: Exercise caution when fighting any chemical fire.SECTION 6: Accidental release measures6.1.Personal precautions, protective equipment and emergency procedures			-
forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas. Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. 5.3. Advice for firefighters Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Acceidental release measures 6.1. Personal precautions, protective equipment and emergency procedures	кеасти	ity	
gas.Hazardous decomposition products in case of fire: Hydrogen chloride. Sodium oxides. Nitrogen oxides.5.3.Advice for firefightersPrecautionary measures fire Firefighting instructions: Exercise caution when fighting any chemical fire.Firefighting instructions: Use water spray or fog for cooling exposed containers.Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.SECTION 6: Accidental release measures6.1.Personal precautions, protective equipment and emergency procedures			•
Hazardous decomposition products in case of fire : Hydrogen chloride. Sodium oxides. Nitrogen oxides. 5.3. Advice for firefighters Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			
case of fire 5.3. Advice for firefighters Precautionary measures fire Firefighting instructions Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures	L lo so solu		-
5.3. Advice for firefighters Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			: Hydrogen chloride. Sodium oxides. Nitrogen oxides.
Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures			
Firefighting instructions : Use water spray or fog for cooling exposed containers. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		-	. Evereice coution when fighting any chemical fire
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		-	
protection. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures	-	-	
SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures	Protecti		
6.1. Personal precautions, protective equipment and emergency procedures	SECTI	ON 6. Assidantal ralass	
Conoral moacuros · (Wold prolonged contact with ever club and clothing		-	
			: Avoid prolonged contact with eyes, skin and clothing.
6.1.1. For non-emergency personnel			
Emergency procedures · Evacuate unnecessary personnel	-		: Evacuate unnecessary personnel.
6.1.2. For emergency responders			
6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection.	Emerger	ncy procedures	
6.1.2. For emergency respondersProtective equipment: Equip cleanup crew with proper protection.Emergency procedures: Upon arrival at the scene, a first responder is expected to recognize the presence			
6.1.2. For emergency responders Protective equipment Emergency procedures : Equip cleanup crew with proper protection. : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for	C D	-	the assistance of trained personnel as soon as conditions permit. Ventilate area.
6.1.2. For emergency responders Protective equipment Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.	6.2.	Environmental precautions	
 6.1.2. For emergency responders Protective equipment Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. Environmental precautions 			
 6.1.2. For emergency responders Protective equipment Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. Environmental precautions Prevent entry to sewers and public waters. Avoid release to the environment. 			
 6.1.2. For emergency responders Protective equipment Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. Environmental precautions Prevent entry to sewers and public waters. Avoid release to the environment. 6.3. Methods and material for containment and cleaning up 	For con	tainment	
6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. Environmental precautions : Prevent entry to sewers and public waters. Avoid release to the environment. 6.3. Methods and material for containment and cleaning up : Contain solid spills with appropriate barriers and prevent migration and entry			into sewers or streams.
Protective equipment : Use appropriate personal protective equipment (PPE).	Protecti	ive equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures : Evacuate unnecessary personnel.	-		: Evacuate unnecessary personnel.
	6.1.2.	For emergency responders	
6.1.2. For emergency responders	Protecti	ive equipment	: Equip cleanup crew with proper protection.
6.1.2. For emergency responders	Emerger	ncy procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence
6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection.			of dangerous goods, protect oneself and the public, secure the area, and call for
6.1.2. For emergency respondersProtective equipment: Equip cleanup crew with proper protection.Emergency procedures: Upon arrival at the scene, a first responder is expected to recognize the presence			
6.1.2. For emergency responders Protective equipment Emergency procedures : Equip cleanup crew with proper protection. : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for	6.2.	Environmental precautions	
6.1.2. For emergency responders Protective equipment Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.		•	: Prevent entry to sewers and public waters. Avoid release to the environment.
 6.1.2. For emergency responders Protective equipment Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. Environmental precautions 	6.3.	Methods and material for con	tainment and cleaning up
 6.1.2. For emergency responders Protective equipment Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. Environmental precautions Prevent entry to sewers and public waters. Avoid release to the environment. 	For con	tainment	: Contain solid spills with appropriate barriers and prevent migration and entry
 6.1.2. For emergency responders Protective equipment Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. Environmental precautions Prevent entry to sewers and public waters. Avoid release to the environment. 6.3. Methods and material for containment and cleaning up 			into sewers or streams.
6.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. 6.2. Environmental precautions : Prevent entry to sewers and public waters. Avoid release to the environment. 6.3. Methods and material for containment and cleaning up : Contain solid spills with appropriate barriers and prevent migration and entry			

• • • •	mal cross-reaction to Bovine, Chicken, amster, Horse, Human, Mouse, Rat, and
According to Regulation (EC) No. 1907/2006	(REACH) with its amendment Regulation (EU) 2015/830
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.
6.4. Reference to other section	S
See Section 8 for exposure controls and	personal protection and Section 13 for disposal considerations.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handli	ng
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storage	, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	 Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.
7.3. Specific end use(s)	
For in vitro research use only. Not for d	iagnostic or therapeutic use. This is not a medical device. Contact supplier for specific

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

PerCP-conjugated AffiniPure™ F(ab')₂ Fragment Donkey

8.1. Control parameters

Sodium chloride (7647-2	14-5)	
Latvia	OEL TWA (mg/m³)	5 mg/m ³
Lithuania	IPRV (mg/m³)	5 mg/m ³
Sodium azide (26628-22	2-8)	
EU	IOELV TWA (mg/m ³)	0,1 mg/m ³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m ³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³

Jackson ImmunoResearch



Safety Data Sheet

Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
France	OEL chemical category (FR)	Risk of cutaneous absorption
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	0,2 mg/m³
Gibraltar	Eight hours mg/m3	0,1 mg/m³
Gibraltar	Short-term mg/m3	0,3 mg/m³
Gibraltar	OEL chemical category (GI)	Skin notation
Greece	OEL TWA (mg/m ³)	0,3 mg/m³
Greece	OEL TWA (ppm)	0,1 ppm
Greece	OEL STEL (mg/m ³)	0,3 mg/m³
Greece	OEL STEL (ppm)	0,1 ppm
USA ACGIH	ACGIH Ceiling (mg/m³)	0,29 mg/m³
USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
Italy	OEL TWA (mg/m³)	0,1 mg/m³
Italy	OEL STEL (mg/m ³)	0,3 mg/m³
Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
Latvia	OEL TWA (mg/m ³)	0,1 mg/m ³
Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Spain	VLA-EC (mg/m ³)	0,3 mg/m³
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
Switzerland	MAK (mg/m³)	0,2 mg/m ³ (inhalable dust)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	0,1 mg/m³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	0,3 mg/m³
United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m³
United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
United Kingdom	WEL chemical category	Potential for cutaneous absorption
Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
Estonia	OEL TWA (mg/m³)	0,1 mg/m ³
Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³
Estonia	OEL chemical category (ET)	Sensitizer, Skin notation



Safety Data Sheet

Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m ³
Finland	HTP-arvo (15 min)	0,3 mg/m ³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m ³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m ³)	0,1 mg/m³
Lithuania	TPRV (mg/m ³)	0,3 mg/m³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m³)	0,1 mg/m³
Malta	OEL STEL (mg/m ³)	0,3 mg/m³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m³
Poland	NDSCh (mg/m ³)	0,3 mg/m ³
Romania	OEL TWA (mg/m³)	0,1 mg/m³
Romania	OEL STEL (mg/m ³)	0,3 mg/m ³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m ³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m ³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)



Safety Data Sheet

Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value
8.2. Exposure controls Appropriate engineering controls Personal protective equipment		uipment should be available in the vicinity of any all national/local regulations are observed. Protective goggles.
Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection	protection should be worn.	
Other information	: When using, do not eat, dri	nk or smoke.
SECTION 9: Physical and c		
	sical and chemical properties	
Physical state	: Solid	
Colour	: Orange solid	
Odour	: Odourless, as v	water
Odour threshold	: No data availal	
pH		drated with indicated volume of H_2O
•	: No data availal	_
Evaporation rate	: No data availal	
Melting point Freezing point	: No data availal	
	: No data availal	
Boiling point	: No data availal	
Flash point		
Auto-ignition temperature	: No data availal	
Decomposition temerature	: No data availal : No data availal	
Flammability (solid, gas)		
Vapour pressure	: No data availal	
Relative vapour density at 20 °C	: No data availal	
Relative density	: No data availal	ble
Solubility	: Water	
Partition coefficent: n-octanol/water		
Viscosity	: No data availal	
Explosive properties	: No data availal	
Oxidising properties	: No data availal	ble
Explosive limits	: No data availal	ble

PerCP-conjugated AffiniPure[™] F(ab')₂ Fragment Donkey

Anti-Rabbit IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rat, and Sheep Serum Proteins)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Acute toxicity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

Sodium chloride (7647-14-5)		
LD50 oral rat	3550 mg/kg (Species: Wistar)	
LD50 dermal rabbit	> 10000 mg/kg (Species: New Zealand White)	
LC50 inhalation rat (mg/l)	>42 g/m ³ (Exposure time: 1 h)	
Sodium azide (26628-22-8)		
LD50 oral rat	27 mg/kg	
LD50 oral	45 mg/kg	
LD50 dermal rabbit	20 mg/kg	
Sodium phosphate dibasic (7558-79-4)		
LD50 oral rat	17 g/kg	
LD50 dermal rat	>500 mg/kg (50% solution)	

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified
Reproductive toxicity STOT-single exposure	: Not classified : Not classified



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ed nful or cause irritation. xposure may cause skin irritation.
xnosure may cause skin irritation
xposure may eause skin in tation.
light irritation to eyes.
ay cause adverse effects. May be harmful if swallowed.
ed under normal conditions of use.
1

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)

LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

12.2. Persistence and degradability

PerCP-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Rabbit IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat,		
Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rat, and Sheep Serum Proteins)		
Persistence and degradability Not established.		
12.3. Bioaccumulative potential		
PerCP-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Rabbit IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat,		
Guinea Pig Syrian Hamster Horse Human Mouse Rat and Sheen Serum Proteins)		

Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rat, and Sheep Serum Proteins)

Bioaccumulative potential	Not established.
Sodium chloride (7647-14-5)	
BCF fish 1	(no bioaccumulation)

12.4. Mobility in soil

No additional information available

Results of PBT and vPvB assessment 12.5.

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
	environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	gulated for trans	port			
14.2.	14.2. UN proper shipping name				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5.	14.5. Environmental hazards				
Danger	rous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviro	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information				
Date of Preparation or Latest Revision	: 25/04/2024			
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications			
Other information	according to GHS or their subsequent adoption of GHS. : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment			
	Regulation (EU) 2015/830			

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H300	Fatal if swallowed.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community ECSO - Median Effective Concentration EEC – European Inventory of Existing Commercial Chemical Substances	NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft EU – European Union TEL TRK – Technical Guidance Concentrations ErC50 - EC50 in Terms of Reduction Growth Rate ThOD - Theoretical Oxygen Demand GHS - Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit TLV - Threshold Limit Value Chemicals IARC - International Agency for Research on Cancer TPRD - Trumpalaikio Poveikio Ribinis Dydis IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV - Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische LD50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC - Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse FU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.