

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1. Product identifier Product Form Product Name	ation of the substance	e/mixture and of the company/undertaking
Product Form	· Mixture	
	• Mixture	
Product Name	. Wirkture	
	: Allophycocyar	in-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Mouse Ig
		cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian
	: 715-136-151	e, Human, Rabbit, Rat, and Sheep Serum Proteins)
Product Code 2. Relevant identified us		and uses advised against
2. Relevant identified us	es of the substance or mixture	and uses advised against
Jse of the substance/mixture		earch use only. Not for diagnostic or therapeutic use. This is not a
		e. Contact supplier for specific applications.
2.2. Uses advised against	medical device	
o additional information ava	ilable	
	of the safety data sheet	
Vanufacturer		European Contact
ackson ImmunoResearch Lab	ooratories, Inc.	Jackson ImmunoResearch Europe LTD
372 West Baltimore Pike	·	Cambridge House
West Grove, PA 19390		St Thomas' Place
Г: 800-367-5296, 610-869-40	24	Ely, Cambridgeshire CB7 4EX, UK
-: 610-869-0171		T: +44 (0) 1638 782616
ech@jacksonimmuno.com		F: +44 (0) 1353 664675
www.jacksonimmuno.com		info@jacksonimmuno.com
		help@jacksonimmuno.com
Email address for the person	responsible for this SDS:	
ech@jacksonimmuno.com		
4. Emergency telepho	ne number	
Emergency number	: +1-610-869-4024 (USA)	

Classification of the substance or mixture 21

2.1. Classification of the substance or	mixture	
Classification According to Regulation (EC) No.	1272/2008 [CLP]	
Aquatic Chronic3	H412	
Full text of hazard classes and H-statements:	see section 16	
Adverse physicochemical, human health and e	environmental effects	
No additional information available		
2.2. Label elements		
Labelling According to Regulation (EC) No. 127	72/2008 [CLP]	
Hazard statements (CLP)	H412 - Harmful to aquatic life with long lasting effects.	
Precautionary statements (CLP)	P273 - Avoid release to the environment.	
	P501 - Dispose of contents/container to hazardous or special waste collect	ion
	point, in accordance with local, regional, national and/or international	
	regulation.	
EUH-statements	EUH032 - Contact with acids liberates very toxic gas.	
20/04/2024	EN (English)	1 / 12



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

Other hazards not contributing to the : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. classification

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Sodium azide	(CAS-No.) 26628-22-8 (EC-No.) 247-852-1 (EC Index-No.) 011-004-00-7	0.54	Acute Tox. 2 (Oral), H300 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allophycocyanin-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey	(CAS-No.) Not assigned	1.08	Not classified
Anti-Mouse IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Rabbit, Rat, and Sheep Serum Proteins)			
Sodium phosphate dibasic	(CAS-No.) 7558-79-4 (EC-No.) 231-448-7	1.5	Not classified
Sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	15.8	Not classified
Albumins, blood serum	(CAS-No.) 9048-46-8 (EC-No.) 232-936-2	16.3	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Using proper respiratory protection, move the exposed person to fresh air at once. Immediately call a poison center, physician, or emergency medical service.
First-aid measures after skin contact	: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed



Safety Data Sheet

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May be harmful or cause irritation.
Symptoms/effects after skin contact	: Prolonged exposure may cause skin irritation.
Symptoms/effects after eye contact	: May cause slight irritation to eyes.
Symptoms/effects after ingestion	: Ingestion may cause adverse effects. May be harmful if swallowed.
Chronic symptoms	: None expected under normal conditions of use.
	nedical attention and special treatment needed
-	e and attention. If medical advice is needed, have product container or label at hand.
SECTION 5: Firefighting meas	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, fog, carbon dioxide (CO ₂), alcohol-resistant foam, or dry chemical.
	Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
	om the substance or mixture
Fire hazard	
	: Not Assigned
Reactivity	: Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury,
	and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic
Hazardous decomposition products in	gas. : Hydrogen chloride. Sodium oxides. Nitrogen oxides.
case of fire	. Trydrogen chronae. Souram oxides. Nitr ogen oxides.
5.3. Advice for firefighters	
	· Exercise caution when fighting any chemical fire
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Precautionary measures fire Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Precautionary measures fire	: Use water spray or fog for cooling exposed containers. : Do not enter fire area without proper protective equipment, including respiratory
Precautionary measures fire Firefighting instructions Protection during firefighting	 : Use water spray or fog for cooling exposed containers. : Do not enter fire area without proper protective equipment, including respiratory protection.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas	 : Use water spray or fog for cooling exposed containers. : Do not enter fire area without proper protective equipment, including respiratory protection. :e measures
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures	 : Use water spray or fog for cooling exposed containers. : Do not enter fire area without proper protective equipment, including respiratory protection. :e measures
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE).
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection.
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Cemeasures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Cemeasures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence
Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental releas 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.
 Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.1.2. Environmental precautions	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.
 Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.2. Environmental precautions 6.3. Methods and material for con	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.
 Precautionary measures fire Firefighting instructions Protection during firefighting SECTION 6: Accidental release 6.1. Personal precautions, protect General measures 6.1.1. For non-emergency personnel Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.1.2. For emergency responders Protective equipment Emergency procedures 6.1.2. Environmental precautions	 Use water spray or fog for cooling exposed containers. Do not enter fire area without proper protective equipment, including respiratory protection. Ce measures ive equipment and emergency procedures Avoid prolonged contact with eyes, skin and clothing. Use appropriate personal protective equipment (PPE). Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Prevent entry to sewers and public waters. Avoid release to the environment.



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methods for cleaning up : Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and	storage
7.1. Precautions for safe hand	ling
Precautions for safe handling	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures.
7.2. Conditions for safe storag	e, including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store at 2-8°C (35°F - 46.4°F). Keep/Store away from extremely high temperatures and incompatible materials.
Incompatible materials	 Strong acids, strong bases, strong oxidizers. Heavy metals. Halogenated hydrocarbons.

7.3. Specific end use(s)

For in vitro research use only. Not for diagnostic or therapeutic use. This is not a medical device. Contact supplier for specific applications.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium chloride (7647-1	L4-5)	
Latvia	OEL TWA (mg/m ³)	5 mg/m ³
Lithuania	IPRV (mg/m³)	5 mg/m ³
Sodium azide (26628-22	-8)	
EU	IOELV TWA (mg/m³)	0,1 mg/m ³
EU	IOELV STEL (mg/m ³)	0,3 mg/m ³
EU	Notes	Possibility of significant uptake through the skin
Austria	MAK (mg/m³)	0,1 mg/m ³
Austria	MAK Short time value (mg/m³)	0,3 mg/m ³
Austria	OEL chemical category (AT)	Skin notation
Belgium	OEL chemical category (BE)	Skin, Skin notation
Bulgaria	OEL TWA (mg/m ³)	0,1 mg/m ³
Bulgaria	OEL STEL (mg/m ³)	0,3 mg/m ³
Croatia	GVI (granicna vrijednost izloženosti) (mg/m³)	0,1 mg/m³
Croatia	KGVI (kratkotrajna granicna vrijednost izloženosti) (mg/m³)	0,3 mg/m³
Croatia	OEL chemical category (HR)	Skin notation
Cyprus	OEL TWA (mg/m³)	0,1 mg/m ³



Safety Data Sheet

CyprusOEL chemical category (CY)Skin-potential for cutaneous absorptionFranceVLE (mg/m²)0.3 mg/m² (restrictive limit)FranceVME (mg/m²)0.1 mg/m² (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m²)0.2 mg/m²GibraltarEight hours mg/m30.1 mg/m²GibraltarShort-term mg/m30.3 mg/m²GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m²)0.3 mg/m²GreeceOEL TWA (mg/m²)0.3 mg/m²GreeceOEL TWA (mg/m²)0.3 mg/m²GreeceOEL TWA (mg/m²)0.3 mg/m²GreeceOEL STEL (mg/m²)0.29 mg/m²USA ACGIHACGIH Ceiling (mg/m²)0.1 ppmUSA ACGIHACGIH Ceiling (mg/m²)0.1 mg/m²ItalyOEL TWA (mg/m²)0.1 mg/m²ItalyOEL STEL (mg/m²)0.3 mg/m²ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionIatviaOEL Chemical category (IT)skin - potential for cutaneous absorptionIatviaOEL Chemical category (ES)skin - potential for cutaneous absorptionSpainVIA-EC (mg/m²)0.1 mg/m²SpainVIA-EC (mg/m²)0.3 mg/m²SpainVIA-EC (mg/m²)0.3 mg/m²SpainVIA-EC (mg/m²)0.3 mg/m²SwitzerlandMAK (mg/m²)0.3 mg/m²SwitzerlandMAK (mg/m²)0.3 mg/m²Unite	Cyprus	OEL STEL (mg/m ³)	0,3 mg/m ³
FranceVME (mg/m³)0,1 mg/m³ (restrictive limit)FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit0,2 mg/m³GibraltarEight hours mg/m30,3 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (Gi)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,2 pg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 pg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL Chemical category (UV)skin - potential for cutaneous exposureSpainVLA-EC (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,2 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³SysterlandMAK (mg/m³)0,2 mg/m³SysterlandMAK (mg/m³)0,2 mg/m³NetherlandsGreenswaarde TGG SH (Mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³ <td>Cyprus</td> <td>OEL chemical category (CY)</td> <td>Skin-potential for cutaneous absorption</td>	Cyprus	OEL chemical category (CY)	Skin-potential for cutaneous absorption
FranceOEL chemical category (FR)Risk of cutaneous absorptionGermanyTRGS 900 Occupational exposure limit value (mg/m²)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m²)0,3 mg/m³GreeceOEL STEL (mg/m²)0,3 mg/m³GreeceOEL STEL (mg/m²)0,3 mg/m³GreeceOEL STEL (mg/m²)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m²)0,29 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m²)0,1 mg/m³ItalyOEL STEL (mg/m²)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionItalyOEL Chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m²)0,1 mg/m³SpainVLA-ED (mg/m²)0,3 mg/m³SpainVLA-ED (mg/m²)0,3 mg/m³SwitzerlandMAK (mg/m²)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m²)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m²)0,1 mg/m³United KingdomWEL TWA (mg/	France	VLE (mg/m ³)	0,3 mg/m ³ (restrictive limit)
GermanyTRGS 900 Occupational exposure limit value (mg/m³)0,2 mg/m³GibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmGreeceOEL STEL (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,2 mg/m³GreeceOEL STEL (mg/m³)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmUSA ACGIHOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionItalviaOEL Chemical category (IV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (indiable dust)SwitzerlandKZGW (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG SH (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United Kingdom <td< td=""><td>France</td><td>VME (mg/m³)</td><td>0,1 mg/m³ (restrictive limit)</td></td<>	France	VME (mg/m ³)	0,1 mg/m ³ (restrictive limit)
value (mg/m³)valueGibraltarEight hours mg/m30,1 mg/m³GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (mg/m³)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 g mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL tWA (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SysterlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³NetherlandsGrens waarde TGG SIMIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical category (C2)Potential for cutaneous absorptionCzech RepublicExpozicnl limity (PEL) (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorption <td>France</td> <td>OEL chemical category (FR)</td> <td>Risk of cutaneous absorption</td>	France	OEL chemical category (FR)	Risk of cutaneous absorption
GibraltarShort-term mg/m30,3 mg/m³GibraltarOEL chemical category (GI)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,2 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,2 mg/m³USA ACGHACGIH Ceiling (ppm)0,1 ng/m³USA ACGIHACGIH Ceiling (ppm)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³NetherlandsGreenswaarde TGG SH (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical category (CZ)Potential for cutaneous absorptionCzech RepublicExpozicni (Inity (PEL) (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United	Germany		0,2 mg/m ³
GibraltarOEL chemical category (Gi)Skin notationGreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (pm/m³)0,2 pmg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,2 pmg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHACGIH Ceiling (mg/m³)0,1 mg/m³USA ACGIHOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (indicative limit value)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCrech RepublicEt chemical category (C2)Potential for cutaneous absorptionCrech RepublicEt chemical category (C2)Potential for	Gibraltar	Eight hours mg/m3	0,1 mg/m ³
GreeceOEL TWA (mg/m³)0,3 mg/m³GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,22 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,1 mg/m³DenmarkGrens	Gibraltar	Short-term mg/m3	0,3 mg/m³
GreeceOEL TWA (ppm)0,1 ppmGreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL STEL (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCreech RepublicDEL chemical categoryPotential for cutaneous absorptionCreech RepublicOEL Chemical categoryPotential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL Chemical categoryPotential for cutaneous absorption	Gibraltar	OEL chemical category (GI)	Skin notation
GreeceOEL STEL (mg/m³)0,3 mg/m³GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-ED (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL Chemical categoryPotential for cutaneous absorptionSeniaOEL Chemical categoryPotential for cutaneous absorption	Greece	OEL TWA (mg/m ³)	0,3 mg/m³
GreeceOEL STEL (ppm)0,1 ppmUSA ACGIHACGIH Ceiling (mg/m³)0,29 mg/m³USA ACGIHACGIH Ceiling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL Chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (indicative limit value)SwitzerlandMAK (mg/m³)0,2 mg/m³ (indiable dust)SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL Chemical categoryPotential for cutaneous absorptionCzech RepublicDEL chemical category (CZ)Potential for cutaneous absorptionDemarkGrænsværder Glangvarig) (mg/m³)0,1 mg/m³EstoniaOEL CHWA (mg/m³)0,1 mg/m³EstoniaOEL CHWA (mg/m³)0,1 mg/m³	Greece	OEL TWA (ppm)	0,1 ppm
USA ACGIHACGIH Ceiling (mg/m³)0.29 mg/m³USA ACGIHACGIH Ceiling (ppm)0.11 ppmItalyOEL TWA (mg/m³)0.1 mg/m³ItalyOEL STEL (mg/m³)0.3 mg/m³ItalyOEL Chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL themical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0.1 mg/m³SpainVLA-ED (mg/m³)0.3 mg/m³SpainVLA-EC (mg/m³)0.3 mg/m³SpainVLA-EC (mg/m³)0.3 mg/m³SwitzerlandKZGW (mg/m³)0.4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0.2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0.2 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0.3 mg/m³United KingdomWEL TWA (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.1 mg/m³United KingdomWEL TWA (mg/m³)0.3 mg/m³United KingdomWEL STEL (mg/m³)0.1 mg/m³Czech RepublicExpozicní limity (PEL) (mg/m³)0.3 mg/m³Czech RepublicOEL chemical categoryPotential for cutaneous absorptionCzech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0.1 mg/m³EstoniaOEL TWA (mg/m³)0.1 mg/m³EstoniaOEL TWA (mg/m³)0.1 mg/m³	Greece	OEL STEL (mg/m ³)	0,3 mg/m ³
USAACGIHACGIH Celling (ppm)0,11 ppmItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (UV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (C2)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL tWA (mg/m³)0,1 mg/m³EstoniaOEL tWA (mg/m³)0,1 mg/m³	Greece	OEL STEL (ppm)	0,1 ppm
ItalyOEL TWA (mg/m³)0,1 mg/m³ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical category (CZ)Potential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL trwa (mg/m³)0,1 mg/m³EstoniaOEL themical category (CZ)Potential for cutaneous absorption	USA ACGIH	ACGIH Ceiling (mg/m ³)	0,29 mg/m ³
ItalyOEL STEL (mg/m³)0,3 mg/m³ItalyOEL STEL (mg/m³)0,1 mg/m³LatviaOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-ED (mg/m³)0,3 mg/m³SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandKZGW (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL true (mg/m³)0,1 mg/m³	USA ACGIH	ACGIH Ceiling (ppm)	0,11 ppm
ItalyOEL chemical category (IT)skin - potential for cutaneous absorptionLatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionZeach RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³	Italy	OEL TWA (mg/m ³)	0,1 mg/m ³
LatviaOEL TWA (mg/m³)0,1 mg/m³LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³	Italy	OEL STEL (mg/m ³)	0,3 mg/m ³
LatviaOEL chemical category (LV)skin - potential for cutaneous exposureSpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Italy	OEL chemical category (IT)	skin - potential for cutaneous absorption
SpainVLA-ED (mg/m³)0,1 mg/m³ (indicative limit value)SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Latvia	OEL TWA (mg/m ³)	0,1 mg/m ³
SpainVLA-EC (mg/m³)0,3 mg/m³SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,3 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Latvia	OEL chemical category (LV)	skin - potential for cutaneous exposure
SpainOEL chemical category (ES)skin - potential for cutaneous absorptionSwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Spain	VLA-ED (mg/m ³)	0,1 mg/m ³ (indicative limit value)
SwitzerlandKZGW (mg/m³)0,4 mg/m³ (inhalable dust)SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Spain	VLA-EC (mg/m ³)	0,3 mg/m ³
SwitzerlandMAK (mg/m³)0,2 mg/m³ (inhalable dust)NetherlandsGrenswaarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption
NetherlandsGrens waarde TGG 8H (mg/m³)0,1 mg/m³NetherlandsGrens waarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,1 mg/m³	Switzerland	KZGW (mg/m ³)	0,4 mg/m³ (inhalable dust)
NetherlandsGrenswaarde TGG 15MIN (mg/m³)0,3 mg/m³United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Switzerland	MAK (mg/m³)	0,2 mg/m³ (inhalable dust)
United KingdomWEL TWA (mg/m³)0,1 mg/m³United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Netherlands	Grenswaarde TGG 8H (mg/m³)	0,1 mg/m ³
United KingdomWEL STEL (mg/m³)0,3 mg/m³United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Netherlands	Grenswaarde TGG 15MIN (mg/m³)	0,3 mg/m ³
United KingdomWEL chemical categoryPotential for cutaneous absorptionCzech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	United Kingdom	WEL TWA (mg/m ³)	0,1 mg/m ³
Czech RepublicExpozicní limity (PEL) (mg/m³)0,1 mg/m³Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	United Kingdom	WEL STEL (mg/m ³)	0,3 mg/m ³
Czech RepublicOEL chemical category (CZ)Potential for cutaneous absorptionDenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	United Kingdom	WEL chemical category	Potential for cutaneous absorption
DenmarkGrænseværdie (langvarig) (mg/m³)0,1 mg/m³EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Czech Republic	Expozicní limity (PEL) (mg/m³)	0,1 mg/m ³
EstoniaOEL TWA (mg/m³)0,1 mg/m³EstoniaOEL STEL (mg/m³)0,3 mg/m³	Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption
Estonia OEL STEL (mg/m ³) 0,3 mg/m ³	Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m ³
	Estonia	OEL TWA (mg/m ³)	0,1 mg/m ³
Estonia OEL chemical category (ET) Sensitizer, Skin notation	Estonia	OEL STEL (mg/m ³)	0,3 mg/m ³
	Estonia	OEL chemical category (ET)	Sensitizer, Skin notation



Safety Data Sheet

Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³
Finland	HTP-arvo (15 min)	0,3 mg/m³
Finland	OEL chemical category (FI)	Potential for cutaneous absorption
Hungary	AK-érték	0,1 mg/m³
Hungary	CK-érték	0,3 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	0,1 mg/m³
Ireland	OEL (15 min ref) (mg/m3)	0,3 mg/m³
Ireland	OEL chemical category (IE)	Potential for cutaneous absorption
Lithuania	IPRV (mg/m³)	0,1 mg/m³
Lithuania	TPRV (mg/m ³)	0,3 mg/m³
Lithuania	OEL chemical category (LT)	Skin notation
Luxembourg	OEL TWA (mg/m³)	0,1 mg/m³
Luxembourg	OEL STEL (mg/m ³)	0,3 mg/m ³
Luxembourg	OEL chemical category (LU)	Possibility of significant uptake through the skin
Malta	OEL TWA (mg/m ³)	0,1 mg/m ³
Malta	OEL STEL (mg/m ³)	0,3 mg/m ³
Malta	OEL chemical category (MT)	Possibility of significant uptake through the skin
Norway	Grenseverdier (AN) (mg/m ³)	0,1 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m ³ (value from the regulation)
Poland	NDS (mg/m ³)	0,1 mg/m ³
Poland	NDSCh (mg/m ³)	0,3 mg/m³
Romania	OEL TWA (mg/m ³)	0,1 mg/m³
Romania	OEL STEL (mg/m ³)	0,3 mg/m³
Romania	OEL chemical category (RO)	Skin notation
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³ (Sodium azide)
Slovakia	NPHV (Hranicná) (mg/m³)	0,3 mg/m³
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption
Slovenia	OEL TWA (mg/m ³)	0,1 mg/m³
Slovenia	OEL STEL (mg/m ³)	0,3 mg/m³
Slovenia	OEL chemical category (SL)	Potential for cutaneous absorption
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
Sweden	kortidsvärde (KTV) (mg/m³)	0,3 mg/m ³
Portugal	OEL TWA (mg/m ³)	0,1 mg/m ³ (indicative limit value)
Portugal	OEL STEL (mg/m ³)	0,3 mg/m ³ (indicative limit value)
Portugal	OEL - Ceilings (mg/m³)	0,29 mg/m ³
Portugal	OEL - Ceilings (ppm)	0,11 ppm (vapor)
	•	•



Safety Data Sheet

Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value
.2. Exposure controls Appropriate engineering controls Personal protective equipment	 Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. 	
Materials for protective clothing Hand protection Eye and Face Protection Skin and body protection Respiratory protection	protection should be worn.	
Other information	· When using, do not eat, drir	nk or smoke.
SECTION 9: Physical and o	chemical properties	
.1. Information on basic phy	sical and chemical properties	
Physical state	: Solid	
Colour	: Strong blue soli	d
Odour	: Odourless, as w	vater
Odour threshold	: No data availab	ble
pH	: 7.6, when rehyd	rated with indicated volume of H ₂ O
Evaporation rate	: No data availab	ble
Melting point	: No data availab	ble
Freezing point	: No data availab	ble
Boiling point	: No data availab	
Flash point	: No data availab	ble
Auto-ignition temperature	: No data availab	
Decomposition temerature	: No data availab	
Flammability (solid, gas)	: No data availab	
Vapour pressure	: No data availab	
Relative vapour density at 20 °C	: No data availab	
Relative density	: No data availab	
Solubility	: Water	
-		
Partition coefficent: n-octanol/wate		
liccocity.	: No data availab	
Viscosity	. Nia alaka awa 11 - I-	
Viscosity Explosive properties Oxidising properties	: No data availab : No data availab	ble

Allophycocyanin-conjugated AffiniPure[™] F(ab')₂ Fragment Donkey Jackson

Anti-Mouse IgG (H+L) (minimal cross-reaction to Bovine, Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Rabbit, Rat, and Sheep Serum Proteins)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Acute toxicity

Sodium azide in water is a weak base. Reacts with copper, lead, silver, mercury, and carbon disulfide to form shock-sensitive compounds. Reacts with acids, forming toxic and explosive hydrogen azide. Contact with acids liberates toxic gas.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Heavy metals. halogenated hydrocarbons.

10.6. Hazardous decomposition products

Sodium oxides. Hydrogen chloride gas. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

Sodium chloride (7647-14-5)	
LD50 oral rat	3550 mg/kg (Species: Wistar)
LD50 dermal rabbit	>10000 mg/kg (Species: New Zealand White)
LC50 inhalation rat (mg/l)	>42 g/m ³ (Exposure time: 1 h)
Sodium azide (26628-22-8)	
LD50 oral rat	27 mg/kg
LD50 oral	45 mg/kg
LD50 dermal rabbit	20 mg/kg
Sodium phosphate dibasic (7558-79-4)	
LD50 oral rat	17 g/kg
LD50 dermal rat	>500 mg/kg (50% solution)

Skin corrosion/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Serious eye damage/irritation	: Not classified pH: 7,6 when rehydrated with indicated volume of H ₂ O
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

biration hazard
nptoms/Injuries After Inhalation
nptoms/Injuries After Skin Contact
nptoms/Injuries After Eye Contact
nptoms/Injuries After Ingestion
onic Symptoms
CTION 12: Ecological information
 Not classified May be harmful or cause irritat Prolonged exposure may cause May cause slight irritation to exposure in the statement of the

12.1. Toxicity Ecology - general

: Harmful to aquatic life with long lasting effects.

Sodium chloride (7647-14-5)

LC50 fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])	
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 2	340,7 (340,7 - 469,2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
NOEC chronic fish	252 mg/l (Species: Pimephales promelas)	
Sodium azide (26628-22-8)		
LC50 fish 1	0,8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
LC50 fish 2	0,7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
ErC50 (algae)	0,348 mg/l	

12.2. Persistence and degradability

Allophycocyanin-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Mouse IgG (H+L) (minimal cross-reaction to Bovine,		
Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Rabbit, Rat, and Sheep Serum Proteins)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Allonbycocyanin-conjugated AffiniPure™ F(ab') Fragment Donkey Anti-Mouse IgG (H+L) (minimal cross-reaction to Boyine		

Allophycocyanin-conjugated AffiniPure™ F(ab') ₂ Fragment Donkey Anti-Mouse IgG (H+L) (minimal cross-reaction to Bovine,		
Chicken, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Rabbit, Rat, and Sheep Serum Proteins)		
Bioaccumulative potential	Not established.	
Sodium chloride (7647-14-5)		
BCF fish 1	(no bioaccumulation)	
12.4 Mobility in soil		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

13.1. Waste treatment methods

Product/Packaging disposal	: Dispose of contents/container in accordance with local, regional, national, and
recommendations	international regulations.
Ecology - waste materials	: Avoid release to the environment. This material is hazardous to the aquatic
	environment. Keep out of sewers and waterways.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / ADN

ADR		IMDG	ΙΑΤΑ	ADN	RID
14.1.	UN number				
Not reg	gulated for trans	sport			
14.2.	14.2. UN proper shipping name				
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group					
Not ap	plicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards					
Danger	ous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
enviro	nment : No	environment : No	environment : No	environment : No	environment : No
		Marine pollutant : No			

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Sodium phosphate dibasic (7558-79-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium chloride (7647-14-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Sodium azide (26628-22-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Albumins, blood serum (9048-46-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Date of Preparation or Latest Revision	: 20/04/2024	
Data sources	: Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.	
Other information	: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830	

Full Text of H- and EUH-statements:

Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
H300	Fatal if swallowed.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH032	Contact with acids liberates very toxic gas.	

Indication of Changes No additional information available

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor BEI - Biological Exposure Indices (BEI) BOD – Biochemical Oxygen Demand CAS No Chemical Abstracts Service Number CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008 COD – Chemical Oxygen Demand EC – European Community EC50 - Median Effective Concentration EEC – European Inventory of Existing Commercial Chemical Substances	NDS - Najwyzsze Dopuszczalne Stezenie NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Najwyzsze Dopuszczalne Stezenie Pulapowe NOAEL - No-Observed Adverse Effect Level NOEC - No-Observed Effect Concentration NRD - Nevirsytinas Ribinis Dydis NTP – National Toxicology Program OEL - Occupational Exposure Limits PBT - Persistent, Bioaccumulative and Toxic PEL - Permissible Exposure Limit pH – Potential Hydrogen REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature SDS - Safety Data Sheet STEL - Short Term Exposure Limit
EmS-No. (Fire) - IMDG Emergency Schedule Fire	STOT - Specific Target Organ Toxicity



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage TA-Luft - Technische Anleitung zur Reinhaltung der Luft EU – European Union TEL TRK – Technical Guidance Concentrations ErC50 - EC50 in Terms of Reduction Growth Rate ThOD - Theoretical Oxygen Demand GHS - Globally Harmonized System of Classification and Labeling of TLM - Median Tolerance Limit TLV - Threshold Limit Value Chemicals IARC - International Agency for Research on Cancer TPRD - Trumpalaikio Poveikio Ribinis Dydis IATA - International Air Transport Association TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von IBC Code - International Bulk Chemical Code Gefahrstoffen in ortsbeweglichen Behältern IMDG - International Maritime Dangerous Goods TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine IPRV - Ilgalaikio Poveikio Ribinis Dydis TRGS 900 - Technische Regel für Gefahrstoffe 900 -IOELV - Indicative Occupational Exposure Limit Value Arbeitsplatzgrenzwerte LC50 - Median Lethal Concentration TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische LD50 - Median Lethal Dose Grenzwerte LOAEL - Lowest Observed Adverse Effect Level TSCA - Toxic Substances Control Act LOEC - Lowest-Observed-Effect Concentration TWA - Time Weighted Average Log Koc - Soil Organic Carbon-water Partitioning Coefficient VOC - Volatile Organic Compounds Log Kow - Octanol/water Partition Coefficient VLA-EC - Valor Límite Ambiental Exposición de Corta Duración Log Pow - Ratio of the equilibrium concentration (C) of a dissolved VLA-ED - Valor Límite Ambiental Exposición Diaria substance in a two-phase system consisting of two largely immiscible VLE-Valeur Limite D'exposition solvents, in this case octanol and water VME-Valeur Limite De Moyenne Exposition MAK – Maximum Workplace Concentration/Maximum Permissible vPvB - Very Persistent and Very Bioaccumulative Concentration WEL-Workplace Exposure Limit MARPOL - International Convention for the Prevention of Pollution WGK - Wassergefährdungsklasse FU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.